

**AO**  
**GOVERNO DO ESTADO DE RONDÔNIA**  
**À SUPERINTENDÊNCIA ESTADUAL DE COMPRAS E LICITAÇÕES - SUPEL/RO**  
**PREGÃO ELETRÔNICO N°. 445/2020/SIGMA/SUPEL/RO - AMPLA CONCORRÊNCIA E EXCLUSIVIDADE ME/EPP**  
**DATA DE ABERTURA: 20 de agosto de 2020. HORÁRIO: às 10h00min. (HORÁRIO DE BRASÍLIA – DF)**  
**PROCESSO: 0049.352138/2019-53** **ENDEREÇO ELETRÔNICO: <https://www.comprasgovernamentais.gov.br/>**

Prezados Senhores:

Apresentamos a V. S<sup>a</sup>., nossa proposta de preços de fornecimento de Registro de Preços para Futura e Eventual Aquisição de Artigos Médicos Hospitalares **sob sistema de consignação**, com fornecimento de equipamento sob Sistema de Comodato, visando atender a demanda dos Serviço de Hemodinâmica do Hospital de Base Dr. Ary Pinheiro - HBAP, por um período de 12 (doze) meses, pelo preço global de **R\$ 624.594,00 (Seiscentos e vinte e quatro mil e quinhentos e noventa e quatro reais)**, nos termos do Edital e seus Anexos, conforme quadro abaixo:

| Item | Descrição                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Unid | Qt. Anual | Valor Unitário                                                           | Valor Total                                                            | Marca         | Registro Anvisa |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|--------------------------------------------------------------------------|------------------------------------------------------------------------|---------------|-----------------|
| 11   | Cateter para angiografia coronariana por via radial, tipo tig, com 05f de diâmetro.<br><b>Ref: 5100381ULT1</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Unid | 1.080     | R\$ 92,20 (Noventa e dois reais e vinte centavos)                        | R\$ 99.576,00 (Noventa e nove mil e quinhentos e setenta e seis reais) | MERIT MEDICAL | 80740950081     |
| 45   | Cateter balão de angioplastia semicomplacente de nylon, rx troca rápida, compatível com fio guia 0,014" duas marcas radiopacas, e diâmetros de 5.0 à 7.0 mm com comprimento de 10 a 60 mm. - <b>Ref: 1008191-15 1008191-20 1008191-30 1008191-40 1008192-15 1008192-20 1008192-30 1008192-40 1008193-15 1008193-20 1008193-30 1008193-40 1008194-15 1008194-20 1008194-30 1008194-40 1008195-15 1008195-20 1008195-30 1008195-40 1008196-15 1008196-20 1008196-30 1008196-40 1008197-15 1008197-20 1008197-30 1008197-40 1008198-15 1008198-20 1008198-30 1008198-40 1008199-15 1008199-20 1008199-30 1008199-40 1008200-15 1008200-20 1008200-30 1008200-40 1008201-15 1008201-20 1008201-30 1008201-40 1008202-15 1008202-20 1008202-30 1008202-40</b> | Unid | 120       | R\$ 966,50 (Novecentos e sessenta e seis reais e cinquenta centavos)     | R\$ 115.980,00 (Cento e quinze mil e novecentos e oitenta reais)       | ABBOTT        | 80146501595     |
| 56   | Plug oclisor de íliaca com comprimento de 20 mm a 40mm e diâmetro de 8mm a 28mm, compatível com endoprótese modular autoexpansível bifurcada para tratamento de aneurismas e dissecções da aorta abdominal. <b>Ref: 9-AVP2-003 9-AVP2-004; 9-AVP2-006 9-AVP2-008 9-AVP2-010 9-AVP2-012 9-AVP2-014 9-AVP2-016 9-AVP2 9-AVP2-020 -AVP2-022</b>                                                                                                                                                                                                                                                                                                                                                                                                             | Unid | 60        | R\$ 6.817,30 (Seis mil e oitocentos e dezessete reais e trinta centavos) | R\$ 409.038,00 (Quatrocentos e nove mil e trinta e oito reais)         | ABBOTT        | 10332340342     |

**Observações:**

|                                       |                                                                                               |
|---------------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Validade da Proposta:</b>          | <b>60 dias - Conforme Edital</b>                                                              |
| <b>Condição de Pagamento:</b>         | <b>Conforme Edital</b>                                                                        |
| <b>Prazo do Contrato:</b>             | <b>Conforme Edital</b>                                                                        |
| <b>Prazo de Entrega:</b>              | <b>Conforme Edital</b>                                                                        |
| <b>Local de Entrega dos Produtos:</b> | <b>Conforme Edital</b>                                                                        |
| <b>Imposto:</b>                       | <b>Isentos</b>                                                                                |
| <b>Total Global da Proposta:</b>      | <b>R\$ 624.594,00 (Seiscentos e vinte e quatro mil e quinhentos e noventa e quatro reais)</b> |
| <b>Dados Bancários:</b>               | <b>BANCO Bradesco AG 5422-4 CC 34020-0</b>                                                    |
| <b>E-mail:</b>                        | <b><a href="mailto:limine@limine.med.br">limine@limine.med.br</a></b>                         |

Declaramos que os preços ofertados estão incluídos todas as despesas, tais como: impostos, embalagens, fretes, seguros e todos os demais encargos porventura existentes, bem como cessão de dois equipamentos incluindo o treinamento para toda a equipe do hospital. Declaramos que conhecemos, concordamos e nos submetemos a todos os termos e condições do edital, bem como da Lei 8.666 e suas alterações. Na expectativa de podermos atender plenamente as suas necessidades, permanecemos à disposição de V.Sas. para qualquer outro esclarecimento que fizer necessário.

Manaus/AM, 21 de agosto de 2020.



**LIMINE COMÉRCIO DE PRODUTOS MÉDICOS LTDA - EPP**

**CNPJ 07.796.483/0001-21**

**Mariana Sampaio Brasil Barbosa**

**CPF 010.239.689-24**

**RG 52758680 SSP/SC**




PERIPHERAL INTERVENTION



PRODUCT CATALOGUE







## MESSAGE FROM OUR FOUNDER AND CHIEF EXECUTIVE OFFICER

Merit Medical was founded on a strong desire to develop partnerships with healthcare providers. By working closely with you and listening to your challenges, we are able to design, manufacture, and deliver medical devices you can rely on to improve the health and well-being of the patients we mutually serve.

Our Peripheral Intervention catalogue is filled with feature-rich product options and the technical information you need to support your purchasing decisions. These products are designed to assist interventional and diagnostic procedures at every step, from access to closure. We are proud of this comprehensive, diverse product portfolio that has been developed to help healthcare providers deliver efficient, patient-focused, and cost-effective care.

Each day we strive to understand, innovate and deliver for our partners in healthcare and the patients we serve.



Fred Lampropoulos  
Founder, Chairman & CEO  
Merit Medical Systems, Inc.



Understand. Innovate. Deliver.™

## ACCESS

### NEEDLES

|                                     |     |
|-------------------------------------|-----|
| Merit Advance® Angiographic Needles | 3-4 |
|-------------------------------------|-----|

### INTRODUCERS & DILATORS

|                                            |    |
|--------------------------------------------|----|
| Merit MAK™ - Mini Access Kit               | 5  |
| Merit S-MAK™ - Stiffened Mini Access Kit   | 6  |
| Merit MAK & S-MAK Accessories              | 7  |
| Prelude® Dilators                          | 7  |
| Vessel Dilators                            | 7  |
| Prelude Sheath Introducers with Marker Tip | 8  |
| Prelude Short Sheath Introducers           | 9  |
| A-S-K Merit Access Safety Kit®             | 10 |

### ACCESSORIES

|                                     |    |
|-------------------------------------|----|
| BowTie™ Guide Wire Insertion Device | 10 |
| Haemostasis Valve Adapter           | 10 |

## ANGIOGRAPHY

### DIAGNOSTIC GUIDE WIRES

|                                                 |       |
|-------------------------------------------------|-------|
| InQwire® Diagnostic Guide Wires                 | 13-14 |
| InQwire Diagnostic Guide Wires with Ringmaster™ | 15    |

### HYDROPHILIC GUIDE WIRES

|                                         |       |
|-----------------------------------------|-------|
| Merit Laureate® Hydrophilic Guide Wires | 15-16 |
| Tenor® Steerable Micro Guide Wires      | 17    |

### GUIDE WIRE ACCESSORIES

|                          |    |
|--------------------------|----|
| H2O Torq™ Torque Devices | 18 |
| SeaDragon™ Torque Device | 18 |

### DIAGNOSTIC PERIPHERAL CATHETERS

|                               |       |
|-------------------------------|-------|
| Catheter Directory            | 20    |
| Catheter Shape Illustrations  | 21-22 |
| Impress® Catheters            | 23-32 |
| Impress Hydrophilic Catheters | 33-36 |
| Performa® Catheters           | 37-50 |

### FLUID MANAGEMENT & TUBING

|                                   |    |
|-----------------------------------|----|
| High Pressure Flow Control Switch | 51 |
| CT Transfer Sets                  | 51 |

### MICROCATHETERS

|                               |    |
|-------------------------------|----|
| Merit Maestro® Microcatheters | 52 |
|-------------------------------|----|

### SYRINGES

|                                  |       |
|----------------------------------|-------|
| Medallion® Syringes              | 53-55 |
| VacLok® Vacuum Pressure Syringes | 56    |

## INTERVENTION

### DRAINAGE CATHETERS & ACCESSORIES

|                                             |    |
|---------------------------------------------|----|
| MAK-NV™ Introducer Systems                  | 59 |
| Valve Adapter for MAK-NV                    | 60 |
| ReSolve® Biliary Locking Drainage Catheters | 61 |
| ReSolve Locking Drainage Catheters          | 62 |
| ReSolve+™ Locking Drainage Catheters        | 63 |
| Resolve Locking Drainage Catheter Trays     | 64 |
| ReSolve Non-Locking Drainage Catheters      | 65 |
| One-Step™ Centesis Catheters                | 66 |
| Safety Paracentesis Procedure Trays         | 67 |
| Thoracentesis and Paracentesis Sets         | 68 |

### CATHETER ACCESSORIES

|                                        |    |
|----------------------------------------|----|
| Revolution™ Catheter Securement Device | 69 |
| StayFIX® Fixation Device               | 69 |

### DRAINAGE ACCESSORIES

|                                     |    |
|-------------------------------------|----|
| Merit Drainage Depot™ Drainage Bags | 70 |
| Abscess Drainage Kit                | 70 |
| Drainage Kits                       | 70 |
| VacLok Vacuum Pressure Syringes     | 71 |
| Marquis® Series Stopcocks           | 72 |
| Drainage Tubing                     | 72 |
| Connecting Tubes                    | 72 |

### SUPPORT CATHETERS

|                                    |    |
|------------------------------------|----|
| Merit SureCross® Support Catheters | 73 |
|------------------------------------|----|

### INFLATION DEVICES

|                                |    |
|--------------------------------|----|
| BasixCOMPAK™ Inflation Device  | 74 |
| BasixTOUCH™ Inflation Device   | 74 |
| BIG60™ Inflation Device        | 75 |
| Blue Diamond™ Inflation Device | 75 |

### SNARES & ACCESSORIES

|                                       |    |
|---------------------------------------|----|
| EN Snare® Endovascular Snare Systems  | 76 |
| FLO 30™ Tuohy Borst Valved Adapter    | 76 |
| ONE Snare® Endovascular Snare Systems | 77 |



# TABLE OF CONTENTS

## INTERVENTION CONTINUED

### HAEMODIALYSIS & PERITONEAL DIALYSIS CATHETERS & ACCESSORIES

|                                                        |       |
|--------------------------------------------------------|-------|
| Merit Advance® Curved Needles                          | 78    |
| Prelude® Short Sheath Introducers                      | 79    |
| Impress® 30 cm Catheters                               | 80    |
| Centros® & CentrosFLO® Catheters                       | 81    |
| ProGuide™ Chronic Dialysis Catheters & Kits            | 82-84 |
| OuTake® Catheter Extraction Tool                       | 84    |
| Peritoneal Dialysis Catheters                          | 85    |
| Peritoneal Dialysis Accessories & Implantation Systems | 86    |
| Slip-Not® Suture Retention Device                      | 87    |

### THERAPEUTIC INFUSION SYSTEMS

|                                     |       |
|-------------------------------------|-------|
| 4 French Fountain® Infusion Systems | 88    |
| 5 French Fountain Infusion Systems  | 89    |
| Fountain Infusion Catheters         | 90    |
| Fountain Occluding Wires            | 91    |
| Squirt® Fluid Dispensing System     | 91    |
| Pulse Infusion Kits                 | 91-92 |
| Mistique® Infusion Catheters        | 92    |

## EMBOLOThERAPY

### MICROSPHERES

|                                       |    |
|---------------------------------------|----|
| EmboGold® Microspheres                | 95 |
| Embosphere® Microspheres              | 95 |
| Bearing nsPVA® Embolisation Particles | 96 |

### DELIVERY SYSTEMS

|                                 |    |
|---------------------------------|----|
| Merit Maestro® Microcatheters   | 97 |
| Tenor® Steerable Guide Wires    | 98 |
| Impress Uterine Artery Catheter | 98 |

## ONCOLOGY

### MICROSPHERES

|                          |     |
|--------------------------|-----|
| HepaSphere™ Microspheres | 100 |
|--------------------------|-----|

## COMPLETE PROCEDURAL SOLUTIONS

### PROCEDURAL TRAYS, PACKS & KITS

|                                          |     |
|------------------------------------------|-----|
| Biopsy Centesis Kits                     | 103 |
| Medication Delivery Packs                | 104 |
| Myelogram Tray                           | 105 |
| Vein Closure Tray                        | 106 |
| Vein Closure Syringe                     | 106 |
| Patient Cover                            | 107 |
| Drape Armour® – Scatter Radiation Drapes | 107 |

### SAFETY & WASTE MANAGEMENT

|                                  |         |
|----------------------------------|---------|
| Merit Disposal Depot™ Waste Bags | 108-110 |
|----------------------------------|---------|

### HAEMOSTASIS ACCESSORIES

|                                                   |     |
|---------------------------------------------------|-----|
| Clo-Sur P.A.D.® & Clo-Sur <sup>PLUS</sup> P.A.D.™ | 111 |
| Haemostasis Valve Adapter                         | 111 |
| SafeGuard® Pressure Assisted Devices              | 112 |


## INDEXES

|                           |     |
|---------------------------|-----|
| Index by Catalogue Number | 113 |
| Index by Product Name     | 129 |



PERIPHERAL INTERVENTION

# ACCESS



## NEEDLES

|                                     |     |
|-------------------------------------|-----|
| Merit Advance® Angiographic Needles | 3-4 |
|-------------------------------------|-----|

## INTRODUCERS & DILATORS

|                                            |    |
|--------------------------------------------|----|
| Merit MAK™ - Mini Access Kit               | 5  |
| Merit S-MAK™ - Stiffened Mini Access Kit   | 6  |
| Merit MAK & S-MAK Accessories              | 7  |
| Prelude® Dilators                          | 7  |
| Vessel Dilators                            | 7  |
| Prelude Sheath Introducers with Marker Tip | 8  |
| Prelude Short Sheath Introducers           | 9  |
| A-S-K Merit Access Safety Kit®             | 10 |

## ACCESSORIES

|                                     |    |
|-------------------------------------|----|
| BowTie™ Guide Wire Insertion Device | 10 |
| Haemostasis Valve Adapter           | 10 |



## MERIT ADVANCE® ANGIOGRAPHIC NEEDLES

The Merit Advance angiographic needle has a unique hub design with an ergonomic feel and an arrow that clearly orients the bevel. Its increased sharpness facilitates entry into tissue and vessel walls and was designed for smooth guide wire insertion and removal of the needle over the wire.


| Catalogue Number | Gauge | Wall Thickness | Accepts Guide Wire | Length (cm) | Length (inches) | Finish |
|------------------|-------|----------------|--------------------|-------------|-----------------|--------|
|------------------|-------|----------------|--------------------|-------------|-----------------|--------|

### ONE-WALL STYLE NEEDLE




|            |    |        |                 |     |       |        |
|------------|----|--------|-----------------|-----|-------|--------|
| AD18T51W   | 18 | Thin   | .038" (0.97 mm) | 5.0 | 2     | Smooth |
| AD18T71W   | 18 | Thin   | .038" (0.97 mm) | 7.0 | 2 3/4 | Smooth |
| AD18T71W-E | 18 | Thin   | .038" (0.97 mm) | 7.0 | 2 3/4 | Echo   |
| AD18T71WT  | 18 | Thin   | .038" (0.97 mm) | 7.0 | 2 3/4 | Smooth |
| AD18N91W   | 18 | Normal | .038" (0.97 mm) | 9.0 | 3 1/2 | Smooth |
| AD19U41W   | 19 | Ultra  | .035" (0.89 mm) | 4.0 | 1 1/2 | Smooth |
| AD19U51W   | 19 | Ultra  | .035" (0.89 mm) | 5.0 | 2     | Smooth |
| AD19U71W   | 19 | Ultra  | .035" (0.89 mm) | 7.0 | 2 3/4 | Smooth |
| AD20T41W   | 20 | Thin   | .025" (0.64 mm) | 4.0 | 1 1/2 | Smooth |
| AD20T71W   | 20 | Thin   | .025" (0.64 mm) | 7.0 | 2 3/4 | Smooth |
| AD21T21W   | 21 | Thin   | .021" (0.53 mm) | 2.5 | 1     | Smooth |
| AD21T41W   | 21 | Thin   | .021" (0.53 mm) | 4.0 | 1 1/2 | Smooth |
| AD21T41W-E | 21 | Thin   | .021" (0.53 mm) | 4.0 | 1 1/2 | Echo   |
| AD21T71W   | 21 | Thin   | .021" (0.53 mm) | 7.0 | 2 3/4 | Smooth |
| AD21T71W-E | 21 | Thin   | .021" (0.53 mm) | 7.0 | 2 3/4 | Echo   |
| AD21T91W   | 21 | Thin   | .021" (0.53 mm) | 9.0 | 3 1/2 | Smooth |
| AD21T91W-E | 21 | Thin   | .021" (0.53 mm) | 9.0 | 3 1/2 | Echo   |
| AD21T91R*  | 21 | Thin   | .021" (0.53 mm) | 9.0 | 3 1/2 | Smooth |
| AD21T91RE* | 21 | Thin   | .021" (0.53 mm) | 9.0 | 3 1/2 | Echo   |

### ONE-WALL NEEDLE WITH SELDINGER SHIELD



|           |    |       |                 |     |       |        |
|-----------|----|-------|-----------------|-----|-------|--------|
| AD18T51WS | 18 | Thin  | .038" (0.97 mm) | 5.0 | 2     | Smooth |
| AD18T71WS | 18 | Thin  | .038" (0.97 mm) | 7.0 | 2 3/4 | Smooth |
| AD19U71WS | 19 | Ultra | .035" (0.89 mm) | 7.0 | 2 3/4 | Smooth |

### ONE-WALL NEEDLE WITH COURNAUD SHIELD



|           |    |       |                 |     |       |        |
|-----------|----|-------|-----------------|-----|-------|--------|
| AD18T71WC | 18 | Thin  | .038" (0.97 mm) | 7.0 | 2 3/4 | Smooth |
| AD19U41WC | 19 | Ultra | .035" (0.89 mm) | 4.0 | 1 1/2 | Smooth |
| AD19U71WC | 19 | Ultra | .035" (0.89 mm) | 7.0 | 2 3/4 | Smooth |
| AD21T41WC | 21 | Thin  | .021" (0.53 mm) | 4.0 | 1 1/2 | Smooth |

\*Available 10 per box, 4 boxes per case; all other needles packaged 25 per box, 4 boxes per case.



AD21T71W-E

Merit Advance® Angiographic Needle  
One-wall style needle, 21 gauge, with  
echo-enhanced finish



AD18T51WS

Merit Advance® Angiographic Needle  
One-wall style needle with  
Seldinger shield, 18 gauge, with  
smooth finish



AD18T71WC

Merit Advance® Angiographic Needle  
One-wall style needle with  
Courmand shield, 18 gauge, with  
smooth finish

## MERIT MAK™ - MINI ACCESS KITS

The Merit MAK kit provides access to the vascular system and facilitates the placement of 0.035" (0.89 mm) or 0.038" (0.97 mm) guide wires. The MAK kits allow you to start small, minimising bleeding and trauma to the surrounding tissue. Kits are available in 4F and 5F and include the coaxial introducer/dilator pair, 21 gauge needle and 0.018" (0.46 mm) guide wire. For your convenience, all kit components are available separately. Merit MAK guide wires are available in many configurations to meet specific clinical needs. Guide wires are packaged in a fully enclosed hoop to ensure they are protected and ready for use.

### KIT INCLUDES:

- Coaxial Introducer/Dilator Pair
- 21G Needle
- Guide Wire



| Catalogue Number                 | French Size | Length | Guide Wire Diameter/Length | Guide Wire Core/Tip | Needle Gauge/Length | Qty/Box |
|----------------------------------|-------------|--------|----------------------------|---------------------|---------------------|---------|
| <b>STANDARD 7 CM NEEDLE KITS</b> |             |        |                            |                     |                     |         |
| MAK401                           | 4           | 10 cm  | 0.018" (0.46 mm) x 40 cm   | SS/SS               | 21G x 7 cm          | 10      |
| MAK501                           | 5           | 10 cm  | 0.018" (0.46 mm) x 40 cm   | SS/SS               | 21G x 7 cm          | 10      |
| MAK401N                          | 4           | 10 cm  | 0.018" (0.46 mm) x 40 cm   | NT/PT               | 21G x 7 cm          | 10      |
| MAK401NPD                        | 4           | 10 cm  | 0.018" (0.46 mm) x 40 cm   | NT/PD               | 21G x 7 cm          | 10      |
| MAK501N                          | 5           | 10 cm  | 0.018" (0.46 mm) x 40 cm   | NT/PT               | 21G x 7 cm          | 10      |
| MAK501NPD                        | 5           | 10 cm  | 0.018" (0.46 mm) x 40 cm   | NT/PD               | 21G x 7 cm          | 10      |
| MAK501N-15                       | 5           | 15 cm  | 0.018" (0.46 mm) x 60 cm   | NT/PT               | 21G x 7 cm          | 10      |
| MAK405                           | 4           | 10 cm  | 0.018" (0.46 mm) x 40 cm   | SS/PT               | 21G x 7 cm          | 10      |
| MAK405PD                         | 4           | 10 cm  | 0.018" (0.46 mm) x 40 cm   | SS/PD               | 21G x 7 cm          | 10      |
| MAK505                           | 5           | 10 cm  | 0.018" (0.46 mm) x 40 cm   | SS/PT               | 21G x 7 cm          | 10      |
| MAK505PD                         | 5           | 10 cm  | 0.018" (0.46 mm) x 40 cm   | SS/PD               | 21G x 7 cm          | 10      |

### ECHO-ENHANCED 7 CM NEEDLE KITS

|             |   |       |                          |       |            |    |
|-------------|---|-------|--------------------------|-------|------------|----|
| MAK401-E    | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | SS/SS | 21G x 7 cm | 10 |
| MAK501-E    | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | SS/SS | 21G x 7 cm | 10 |
| MAK401N-E   | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PT | 21G x 7 cm | 10 |
| MAK401NPD-E | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PD | 21G x 7 cm | 10 |
| MAK501N-E   | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PT | 21G x 7 cm | 10 |
| MAK501NPD-E | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PD | 21G x 7 cm | 10 |
| MAK405-E    | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | SS/PT | 21G x 7 cm | 10 |
| MAK505-E    | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | SS/PT | 21G x 7 cm | 10 |

### ECHO-ENHANCED 4 CM NEEDLE KITS

|             |   |       |                          |       |            |    |
|-------------|---|-------|--------------------------|-------|------------|----|
| MAK401-PED  | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | SS/SS | 21G x 4 cm | 10 |
| MAK501-PED  | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | SS/SS | 21G x 4 cm | 10 |
| MAK401N-PED | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PT | 21G x 4 cm | 10 |
| MAK405-PED  | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | SS/PT | 21G x 4 cm | 10 |
| MAK501N-PED | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PT | 21G x 4 cm | 10 |
| MAK505-PED  | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | SS/PT | 21G x 4 cm | 10 |

SS = Stainless Steel    PT = Platinum Tip    NT = Nitinol    PD = Palladium Tip

## MERIT S-MAK™ - STIFFENED MINI ACCESS KITS

The Merit S-MAK provides access to the vascular system and facilitates the placement of 0.035" (0.89 mm) or 0.038" (0.97 mm) guide wires. The S-MAK kit allows you to start small, minimising bleeding and trauma to the surrounding tissue and is especially useful for access through difficult scar tissue. Kits are available in 4F and 5F sizes. For your convenience, all kit components are also available sterile, standalone.

### KIT INCLUDES:

- Coaxial Introducer/Stiffened Dilator Pair
- 21G Echo-Enhanced Needle
- Guide Wire
- BowTie™ Guide Wire Insertion Device (not included with all kits)



| Catalogue Number | French Size | Introducer Length | Guide Wire Diameter/Length | Guide Wire Core/Tip | Needle Gauge/Length | Qty/Box |
|------------------|-------------|-------------------|----------------------------|---------------------|---------------------|---------|
|------------------|-------------|-------------------|----------------------------|---------------------|---------------------|---------|

### STIFFENED DILATOR KITS WITH ECHO-ENHANCED 7 CM NEEDLE

|              |   |       |                          |       |            |    |
|--------------|---|-------|--------------------------|-------|------------|----|
| S-MAK401     | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | SS/SS | 21G x 7 cm | 10 |
| S-MAK501     | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | SS/SS | 21G x 7 cm | 10 |
| S-MAK401N    | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PT | 21G x 7 cm | 10 |
| S-MAK401NPD  | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PD | 21G x 7 cm | 10 |
| S-MAK501NPD  | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PD | 21G x 7 cm | 10 |
| S-MAK501N    | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PT | 21G x 7 cm | 10 |
| S-MAK501N-15 | 5 | 15 cm | 0.018" (0.46 mm) x 60 cm | NT/PT | 21G x 7 cm | 10 |
| S-MAK405     | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | SS/PT | 21G x 7 cm | 10 |
| S-MAK505     | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | SS/PT | 21G x 7 cm | 10 |

### MERIT MAK™ & S-MAK™ KITS WITH BOWTIE™ GUIDE WIRE INSERTION DEVICE

|                |   |       |                          |       |            |    |
|----------------|---|-------|--------------------------|-------|------------|----|
| MAK401NBT      | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PT | 21G x 7 cm | 10 |
| MAK501NBT      | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PT | 21G x 7 cm | 10 |
| MAK401NPDBT    | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PD | 21G x 7 cm | 10 |
| MAK501NPDBT    | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PD | 21G x 7 cm | 10 |
| MAK401NEBT*    | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PT | 21G x 7 cm | 10 |
| MAK501NEBT*    | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PT | 21G x 7 cm | 10 |
| MAK401NPDEBT*  | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PD | 21G x 7 cm | 10 |
| MAK501NPDEBT*  | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PD | 21G x 7 cm | 10 |
| S-MAK401NBT*   | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PT | 21G x 7 cm | 10 |
| S-MAK501NBT*   | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PT | 21G x 7 cm | 10 |
| S-MAK401NPDBT* | 4 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PD | 21G x 7 cm | 10 |
| S-MAK501NPDBT* | 5 | 10 cm | 0.018" (0.46 mm) x 40 cm | NT/PD | 21G x 7 cm | 10 |
| S-MAK501N15BT* | 5 | 15 cm | 0.018" (0.46 mm) x 60 cm | NT/PT | 21G x 7 cm | 10 |

SS = Stainless Steel   PT = Platinum Tip   NT = Nitinol   PD = Palladium Tip

\*Echo-enhanced needle



## MERIT MAK™ & S-MAK™ ACCESSORIES

| Catalogue Number                                               | French Size | Introducer Length | Guide Wire Diameter/Length | Guide Wire Core/Tip | Needle Gauge/Length | Qty/Box |
|----------------------------------------------------------------|-------------|-------------------|----------------------------|---------------------|---------------------|---------|
| <b>COAXIAL INTRODUCER/DILATOR PAIRS (INDIVIDUALLY POUCHED)</b> |             |                   |                            |                     |                     |         |
| MAK4F-10                                                       | 4           | 10 cm             | -                          | -                   | -                   | 5       |
| MAK5F-10                                                       | 5           | 10 cm             | -                          | -                   | -                   | 5       |
| MAK5F-15                                                       | 5           | 15 cm             | -                          | -                   | -                   | 5       |
| S-MAK4F-10                                                     | 4           | 10 cm             | (with stiffened dilator)   | -                   | -                   | 5       |
| S-MAK5F-10                                                     | 5           | 10 cm             | (with stiffened dilator)   | -                   | -                   | 5       |
| S-MAK5F-15                                                     | 5           | 15 cm             | (with stiffened dilator)   | -                   | -                   | 5       |

### GUIDE WIRES (CONTAINED IN A HOOP AND INDIVIDUALLY POUCHED)

|            |   |   |                          |       |   |    |
|------------|---|---|--------------------------|-------|---|----|
| MAK001     | - | - | 0.018" (0.46 mm) x 40 cm | SS/SS | - | 10 |
| MAK001N    | - | - | 0.018" (0.46 mm) x 40 cm | NT/PT | - | 10 |
| MAK001N-60 | - | - | 0.018" (0.46 mm) x 60 cm | NT/PT | - | 10 |
| MAK001N-80 | - | - | 0.018" (0.46 mm) x 80 cm | NT/PT | - | 10 |
| MAKNTPD    | - | - | 0.018" (0.46 mm) x 40 cm | NT/PD | - | 10 |
| MAK005     | - | - | 0.018" (0.46 mm) x 40 cm | SS/PT | - | 10 |
| MAK005-60  | - | - | 0.018" (0.46 mm) x 60 cm | SS/PT | - | 10 |
| MAKSSPD    | - | - | 0.018" (0.46 mm) x 40 cm | SS/PD | - | 10 |

### NEEDLES (INDIVIDUALLY POUCHED)

|             |   |   |   |   |              |    |
|-------------|---|---|---|---|--------------|----|
| AD21T21W    | - | - | - | - | 21G X 2.5 cm | 25 |
| AD21T41W    | - | - | - | - | 21G X 4 cm   | 25 |
| AD21T71W    | - | - | - | - | 21G X 7 cm   | 25 |
| AD21T91W    | - | - | - | - | 21G X 9 cm   | 25 |
| AD21T41W-E* | - | - | - | - | 21G X 4 cm   | 25 |
| AD21T71W-E* | - | - | - | - | 21G X 7 cm   | 25 |
| AD21T91W-E* | - | - | - | - | 21G X 9 cm   | 25 |

SS = Stainless Steel PT = Platinum Tip NT = Nitinol PD = Palladium Tip

\* Echo-enhanced needle

## PRELUDE® DILATORS

The Prelude Dilator may be used with any Prelude Sheath Introducer in lengths of 4 cm, 7 cm, and 11 cm. The dilators are packaged individually for your convenience; 10 per box.

| Catalogue Number | French Size | Length | Maximum Guide Wire | Hub Colour |
|------------------|-------------|--------|--------------------|------------|
| PD4F035          | 4           | 16 cm  | 0.035" (0.89 mm)   | red        |
| PD5F038          | 5           | 16 cm  | 0.038" (0.97 mm)   | gray       |
| PD6F038          | 6           | 16 cm  | 0.038" (0.97 mm)   | green      |
| PD7F038          | 7           | 16 cm  | 0.038" (0.97 mm)   | orange     |
| PD8F038          | 8           | 16 cm  | 0.038" (0.97 mm)   | blue       |

## VESSEL DILATORS

Merit Medical's Vessel Dilators allow you to pre-dilate the access site when needed. Dilators are packaged individually for your convenience. Packaged in pouch; 10 per box.

| Catalogue Number | French Size | Length | Recommended Guide Wire |
|------------------|-------------|--------|------------------------|
| 3339-21          | 5           | 20 cm  | 0.035" (0.89 mm)       |
| 3339-31          | 4           | 20 cm  | 0.035" (0.89 mm)       |
| 3339-41          | 6           | 20 cm  | 0.038" (0.97 mm)       |
| 3339-51          | 5           | 20 cm  | 0.038" (0.97 mm)       |



## PRELUDE® SHEATH INTRODUCERS WITH MARKER TIP

The Prelude Sheath Introducers with Marker Tip are available in 11 cm (comes with PreludePRO™ polypropylene tubing) and 23 cm (comes with standard Prelude tubing). The sheaths have a highly radiopaque marker tip allowing for increased visibility of the sheath tip under fluoroscopy. Products are available with and without double ended, stainless steel guide wire.



| Catalogue Number | French Size | Sheath Length | Guide Wire Diameter/Length | Hub Colour |
|------------------|-------------|---------------|----------------------------|------------|
| PRO-4F-11-035MT  | 4           | 11 cm         | 0.035" (0.89 mm) x 50 cm   | red        |
| PRO-5F-11-035MT  | 5           | 11 cm         | 0.035" (0.89 mm) x 50 cm   | gray       |
| PRO-6F-11-035MT  | 6           | 11 cm         | 0.035" (0.89 mm) x 50 cm   | green      |
| PRO-7F-11-035MT  | 7           | 11 cm         | 0.035" (0.89 mm) x 50 cm   | orange     |
| PRO-8F-11-035MT  | 8           | 11 cm         | 0.035" (0.89 mm) x 50 cm   | blue       |
| PRO-5F-11-038MT  | 5           | 11 cm         | 0.038" (0.97 mm) x 50 cm   | gray       |
| PRO-6F-11-038MT  | 6           | 11 cm         | 0.038" (0.97 mm) x 50 cm   | green      |
| PRO-7F-11-038MT  | 7           | 11 cm         | 0.038" (0.97 mm) x 50 cm   | orange     |
| PRO-8F-11-038MT  | 8           | 11 cm         | 0.038" (0.97 mm) x 50 cm   | blue       |
| PRO-4F-11MT      | 4           | 11 cm         | N/A                        | red        |
| PRO-5F-11MT      | 5           | 11 cm         | N/A                        | gray       |
| PRO-6F-11MT      | 6           | 11 cm         | N/A                        | green      |
| PRO-7F-11MT      | 7           | 11 cm         | N/A                        | orange     |
| PRO-8F-11MT      | 8           | 11 cm         | N/A                        | blue       |
| PSI-4F-23-035MT  | 4           | 23 cm         | 0.035" (0.89 mm) x 80 cm   | red        |
| PSI-5F-23-035MT  | 5           | 23 cm         | 0.035" (0.89 mm) x 80 cm   | gray       |
| PSI-6F-23-035MT  | 6           | 23 cm         | 0.035" (0.89 mm) x 80 cm   | green      |
| PSI-7F-23-035MT  | 7           | 23 cm         | 0.035" (0.89 mm) x 80 cm   | orange     |
| PSI-8F-23-035MT  | 8           | 23 cm         | 0.035" (0.89 mm) x 80 cm   | blue       |
| PSI-5F-23-038MT  | 5           | 23 cm         | 0.038" (0.97 mm) x 80 cm   | gray       |
| PSI-6F-23-038MT  | 6           | 23 cm         | 0.038" (0.97 mm) x 80 cm   | green      |
| PSI-7F-23-038MT  | 7           | 23 cm         | 0.038" (0.97 mm) x 80 cm   | orange     |
| PSI-8F-23-038MT  | 8           | 23 cm         | 0.038" (0.97 mm) x 80 cm   | blue       |
| PSI-4F-23MT      | 4           | 23 cm         | N/A                        | red        |
| PSI-5F-23MT      | 5           | 23 cm         | N/A                        | gray       |
| PSI-6F-23MT      | 6           | 23 cm         | N/A                        | green      |
| PSI-7F-23MT      | 7           | 23 cm         | N/A                        | orange     |
| PSI-8F-23MT      | 8           | 23 cm         | N/A                        | blue       |

Packaged in holster; 5 per box.

## PRELUDE® SHORT SHEATH INTRODUCERS

The Prelude Short Sheath Introducer provides access to dialysis fistulas and grafts. Can be used for declot, angioplasty, and thrombolysis procedures, as well as temporary haemodialysis. These sheaths offer excellent transitions and material characteristics for easy and smooth access. Will accommodate flow rates up to 600 mL/min. Includes removable stopcock.





| Catalogue Number | French Size | Sheath Length | Guide Wire Diameter/Length | Needle Gauge/Length | Hub Colour | Qty/Box |
|------------------|-------------|---------------|----------------------------|---------------------|------------|---------|
| PSS-5F-4-018MT*  | 5           | 4 cm          | 0.018" (0.46 mm) x 40 cm   | 21G x 4 cm          | gray       | 5       |
| PSS-6F-4-018MT   | 6           | 4 cm          | 0.018" (0.46 mm) x 40 cm   | 21G x 4 cm          | green      | 5       |
| PSS-7F-4-018MT   | 7           | 4 cm          | 0.018" (0.46 mm) x 40 cm   | 21G x 4 cm          | orange     | 5       |
| PSS-8F-4-018MT   | 8           | 4 cm          | 0.018" (0.46 mm) x 40 cm   | 21G x 4 cm          | blue       | 5       |
| PSS-5F-4-035MT** | 5           | 4 cm          | 0.035" (0.89 mm) x 50 cm   | –                   | gray       | 5       |
| PSS-6F-4-035MT   | 6           | 4 cm          | 0.035" (0.89 mm) x 50 cm   | –                   | green      | 5       |
| PSS-7F-4-035MT   | 7           | 4 cm          | 0.035" (0.89 mm) x 50 cm   | –                   | orange     | 5       |
| PSS-8F-4-035MT   | 8           | 4 cm          | 0.035" (0.89 mm) x 50 cm   | –                   | blue       | 5       |
| PSS-5F-4-038MT** | 5           | 4 cm          | 0.038" (0.97 mm) x 50 cm   | –                   | gray       | 5       |
| PSS-6F-4-038MT   | 6           | 4 cm          | 0.038" (0.97 mm) x 50 cm   | –                   | green      | 5       |
| PSS-7F-4-038MT   | 7           | 4 cm          | 0.038" (0.97 mm) x 50 cm   | –                   | orange     | 5       |
| PSS-8F-4-038MT   | 8           | 4 cm          | 0.038" (0.97 mm) x 50 cm   | –                   | blue       | 5       |
| PSS-5F-4MT       | 5           | 4 cm          | N/A                        | –                   | gray       | 5       |
| PSS-6F-4MT       | 6           | 4 cm          | N/A                        | –                   | green      | 5       |
| PSS-7F-4MT       | 7           | 4 cm          | N/A                        | –                   | orange     | 5       |
| PSS-8F-4MT       | 8           | 4 cm          | N/A                        | –                   | blue       | 5       |

\* 0.018" guide wire is stainless steel with straight stainless steel flexible tip.

\*\* 0.035" and 0.038" guide wires are stainless steel; double ended (3 mm J and floppy).

## A-S-K MERIT ACCESS SAFETY KIT®

The A-S-K Merit Access Safety Kit incorporates new shielded technology that helps minimise the risk of sharps injuries associated with gaining vascular access. Packaged 25 units per box, 4 boxes per case.



(1) 18G 2 3/4" (7 cm) Merit Advance® Safety Needle



(1) #11 Futura® Safety Scalpel

**Catalogue Number** ASK200

Not available in countries where CE mark is required.

In addition to a safety introducer needle and safety scalpel, the kit contains the following items:

- (1) 18G 1" (2.5 cm) shielded hypodermic needle
- (1) 25G 1" (2.5 cm) shielded hypodermic needle
- (1) 22G 1 1/2" (3.8 cm) shielded hypodermic needle

## BOWTIE™ GUIDE WIRE INSERTION DEVICE

The BowTie Guide Wire Insertion Device is an elegant solution to the problem of aligning devices with micro guide wires. Simply insert your device, such as a mini access introducer, in one end of the BowTie and then place over your micro guide wire. After alignment, the BowTie is easily removed through a specially designed, tear-away slit. Packaged individually; 20 units per box.

**Catalogue Number** BT01



*Easy – Insert the device halfway into the BowTie.*

*Quick – Place the BowTie and device over the proximal end of the guide wire.*

*Efficient – Remove the BowTie after "making ends meet."*

## HAEMOSTASIS VALVE ADAPTER


Minimises blood loss during the introduction of catheters or devices into the vasculature. Provides a side arm and 3-way stopcock to facilitate aspiration or infusion. May be used with devices that are 8F or smaller. Packaged 10 per box.

**Catalogue Number** HVA-100



# ANGIOGRAPHY

ANGIOGRAPHY





## DIAGNOSTIC GUIDE WIRES

|                                                 |    |
|-------------------------------------------------|----|
| InQwire® Diagnostic Guide Wires                 | 13 |
| InQwire Diagnostic Guide Wires with Ringmaster™ | 15 |

## HYDROPHILIC GUIDE WIRES

|                                         |    |
|-----------------------------------------|----|
| Merit Laureate® Hydrophilic Guide Wires | 15 |
| Tenor® Steerable Guide Wires            | 17 |

## GUIDE WIRE ACCESSORIES

|                          |    |
|--------------------------|----|
| H2O Torq™ Torque Devices | 18 |
| SeaDragon™ Torque Device | 18 |

## DIAGNOSTIC PERIPHERAL CATHETERS

|                                     |       |
|-------------------------------------|-------|
| <i>Catheter Directory</i>           | 20    |
| <i>Catheter Shape Illustrations</i> | 21-22 |
| Impress® Catheters                  | 23-32 |
| Impress Hydrophilic Catheters       | 33-36 |
| Performa® Catheters                 | 37-50 |

## FLUID MANAGEMENT & TUBING

|                                   |    |
|-----------------------------------|----|
| High Pressure Flow Control Switch | 51 |
| CT Transfer Sets                  | 51 |

## MICROCATHETERS

|                               |    |
|-------------------------------|----|
| Merit Maestro® Microcatheters | 52 |
|-------------------------------|----|

## SYRINGES

|                                        |    |
|----------------------------------------|----|
| Medallion® Syringes                    | 53 |
| Medallion Sword Handle Syringes        | 54 |
| Medallion Frosted Field Syringes & Pen | 54 |
| Custom Medallion Syringes              | 55 |
| VacLok® Vacuum Pressure Syringes       | 56 |

## INQWIRE® DIAGNOSTIC GUIDE WIRES

The InQwire guide wire is precoated with PTFE over the entire wire surface for smooth, consistent coverage that resists flaking. Less friction means increased trackability, lubricity, and durability. Its precise J-tip memory does not require reloading the J straightener and the tight guide wire tolerances ensure catheter and sheath compatibility. The InQwire is also available with heparin coating to minimise clot formation.

| Catalogue Number          | Description                 | Size             | Length cm | Core | Heparin Coated | # Per Box |
|---------------------------|-----------------------------|------------------|-----------|------|----------------|-----------|
| <b>STRAIGHT-TIP WIRES</b> |                             |                  |           |      |                |           |
| 6676-A1                   | Straight                    | 0.018" (0.46 mm) | 150       | F    |                | 10        |
| 6676-B3                   | Straight                    | 0.018" (0.46 mm) | 180       | F    |                | 5         |
| 6676-C1                   | Straight                    | 0.021" (0.53 mm) | 150       | F    |                | 10        |
| 6676-D3                   | Straight                    | 0.021" (0.53 mm) | 180       | F    |                | 5         |
| IQ35F150S                 | Straight                    | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQH35F150S                | Straight                    | 0.035" (0.89 mm) | 150       | F    | H**            | 10        |
| IQ35F260S                 | Straight                    | 0.035" (0.89 mm) | 260       | F    |                | 10        |
| 6690-41                   | Straight                    | 0.035" (0.89 mm) | 150       | M    |                | 10        |
| 6690-61                   | Straight                    | 0.038" (0.97 mm) | 150       | M    |                | 10        |
| IQ38F150S                 | Straight                    | 0.038" (0.97 mm) | 150       | F    |                | 10        |
| IQ38F260S                 | Straight                    | 0.038" (0.97 mm) | 260       | F    |                | 10        |
| IQ35F150NLT               | Newton; LT (13.5 cm)        | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQH35F150NLT              | Newton; LT (13.5 cm)        | 0.035" (0.89 mm) | 150       | F    | H**            | 10        |
| IQ35F150NLLT              | Newton; LLT (18.5 cm)       | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQH35F150NLLT             | Newton; LLT (18.5 cm)       | 0.035" (0.89 mm) | 150       | F    | H**            | 10        |
| IQ35F150NLLLT             | Newton; LLLT(23.5 cm)       | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| 6677-B1                   | Newton; LT (13.5 cm) 3 mm J | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQ35F80B                  | Bentson (23 cm)             | 0.035" (0.89 mm) | 80        | F    |                |           |
| IQ35F80BC                 | Bentson C                   | 0.035" (0.89 mm) | 80        | F    |                | 10        |
| IQ35F150B                 | Bentson (23 cm)             | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQH35F150B                | Bentson (23 cm)             | 0.035" (0.89 mm) | 150       | F    | H**            | 5 /10*    |
| IQ35F180B                 | Bentson (23 cm)             | 0.035" (0.89 mm) | 180       | F    |                | 10        |
| IQH35F180B                | Bentson (23 cm)             | 0.035" (0.89 mm) | 180       | F    | H**            | 5         |
| IQ35F260B                 | Bentson (23 cm)             | 0.035" (0.89 mm) | 260       | F    |                | 10        |
| IQ38F150B                 | Bentson (23 cm)             | 0.038" (0.97 mm) | 150       | F    |                | 10        |
| IQH38F150B                | Bentson (23 cm)             | 0.038" (0.97 mm) | 150       | F    | H**            | 10        |
| IQ35F150BC                | Bentson C (15 cm)           | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQ35F150BST               | Bentson ST (10 cm)          | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQ35F180BC                | Bentson C                   | 0.035" (0.89 mm) | 180       | F    |                | 10        |
| IQ35F180BST               | Bentson ST (10 cm)          | 0.035" (0.89 mm) | 180       | F    |                | 10        |
| IQ38F150BC                | Bentson C                   | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQ38F150BST               | Bentson ST (10 cm)          | 0.038" (0.97 mm) | 150       | F    |                | 10        |
| 6680-61                   | Super Stiff                 | 0.035" (0.89 mm) | 80        | F    |                | 10        |
| 6680-51                   | Super Stiff                 | 0.035" (0.89 mm) | 100       | F    |                | 10        |
| 6680-11                   | Super Stiff                 | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| 6680-71                   | Super Stiff                 | 0.035" (0.89 mm) | 180       | F    |                | 10        |
| 6680-23                   | Super Stiff                 | 0.035" (0.89 mm) | 260       | F    |                | 5         |
| 6680-31                   | Super Stiff                 | 0.038" (0.97 mm) | 150       | F    |                | 10        |
| 6680-43                   | Super Stiff                 | 0.038" (0.97 mm) | 180       | F    |                | 5         |
| <b>ROSEN-TIP WIRES</b>    |                             |                  |           |      |                |           |
| IQ35F80J1O5RS             | 1.5mm J (R)                 | 0.035" (0.89 mm) | 80        | F    |                | 10        |
| IQ35F150J1O5RS            | 1.5mm J (R)                 | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQ35F180J1O5RS*           | 1.5mm J (R)                 | 0.035" (0.89 mm) | 180       | F    |                | 5 /10*    |
| 6609-33                   | 1.5mm J (R)                 | 0.035" (0.89 mm) | 260       | F    |                | 5         |
| IQ38F150J1O5RS            | 1.5mm J (R)                 | 0.038" (0.97 mm) | 150       | F    |                | 10        |

All "J" tip fixed core wires are finger-straightenable. FB = Firm Body, LT = Long Taper, ST = Short Taper, H = Heparin Coating, R = Rosen, F = Fixed Core, M = Moveable Core, TC = Tapered Core

\*New guide wire configurations packaged 10 per box. Original guide wires packaged 5 per box.

\*\*Heparin coated wires do not have CE Marking.

More options available through Merit's Cardiac Intervention catalogue. Ask for more details.

| Catalogue Number                | Description                | Size             | Length cm | Core | Heparin Coated | # Per Box |
|---------------------------------|----------------------------|------------------|-----------|------|----------------|-----------|
| <b>J-TIP WIRES</b>              |                            |                  |           |      |                |           |
| IQ35F150J1O5                    | 1.5 mm J                   | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQH35F150J1O5                   | 1.5 mm J                   | 0.035" (0.89 mm) | 150       | F    | H**            | 10        |
| 6693-A1                         | 1.5 mm J                   | 0.035" (0.89 mm) | 150       | M    |                | 10        |
| IQ35F180J1O5                    | 1.5 mm J                   | 0.035" (0.89 mm) | 180       | F    |                | 10        |
| IQ35F210J1O5                    | 1.5 mm J                   | 0.035" (0.89 mm) | 210       | F    |                | 10        |
| IQ35F260J1O5                    | 1.5 mm J Standard          | 0.035" (0.89 mm) | 260       | F    |                | 10        |
| IQ35F260J1O5F                   | 1.5 mm J FB                | 0.035" (0.89 mm) | 260       | F    |                | 10        |
| 6682-K1                         | 3 mm J                     | 0.018" (0.46 mm) | 150       | F    |                | 10        |
| 6682-L3                         | 3 mm J                     | 0.018" (0.46 mm) | 180       | F    |                | 5         |
| 6682-M1                         | 3 mm J                     | 0.021" (0.53 mm) | 150       | F    |                | 10        |
| 6682-N3                         | 3 mm J                     | 0.021" (0.53 mm) | 180       | F    |                | 5         |
| 6682-E1                         | 3 mm J                     | 0.025" (0.64 mm) | 150       | F    |                | 10        |
| IQ35F80J3                       | 3 mm J                     | 0.035" (0.89 mm) | 80        | F    |                | 10        |
| IQH35F150J3                     | 3 mm J                     | 0.035" (0.89 mm) | 150       | F    | H**            | 10        |
| IQ35F180J3*                     | 3 mm J                     | 0.035" (0.89 mm) | 180       | F    |                | 5 /10*    |
| IQ35F260J3                      | 3 mm J                     | 0.035" (0.89 mm) | 260       | F    |                | 10        |
| 6693-41                         | 3 mm J                     | 0.035" (0.89 mm) | 150       | M    |                | 10        |
| 6693-71                         | 3 mm J                     | 0.035" (0.89 mm) | 150       | M    | H**            | 10        |
| 6647-11                         | 3 mm J 7 cm TC             | 0.035" (0.89 mm) | 145       | M    |                | 10        |
| IQ38F50J3                       | 3 mm J                     | 0.035" (0.89 mm) | 50        | F    |                | 10        |
| IQ38F80J3                       | 3 mm J                     | 0.035" (0.89 mm) | 80        | F    |                | 10        |
| IQ38F150J3                      | 3 mm J                     | 0.038" (0.97 mm) | 150       | F    |                | 10        |
| IQH38F150J3                     | 3 mm J                     | 0.038" (0.97 mm) | 150       | F    | H**            | 10        |
| IQ38F260J3                      | 3 mm J                     | 0.038" (0.97 mm) | 260       | F    |                | 10        |
| 6693-61                         | 3 mm J                     | 0.038" (0.97 mm) | 150       | M    |                | 10        |
| 6684-61                         | 3 mm J TC                  | 0.038" (0.97 mm) | 150       | M    |                | 10        |
| IQ35F150J3F                     | 3 mm J FB                  | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQH35F150J3F                    | 3 mm J FB                  | 0.035" (0.89 mm) | 150       | F    | H**            | 10        |
| IQ35F180J3F                     | 3 mm J FB                  | 0.035" (0.89 mm) | 180       | F    |                | 10        |
| IQH35F180J3F                    | 3 mm J FB                  | 0.035" (0.89 mm) | 180       | F    | H**            | 5         |
| IQ38F150J3F                     | 3 mm J FB                  | 0.038" (0.97 mm) | 150       | F    |                | 10        |
| IQ38F150J3S                     | 3 mm J                     | 0.038" (0.97 mm) | 150       | F    |                | 10        |
| IQH38F150J3F                    | 3 mm J FB                  | 0.038" (0.97 mm) | 150       | F    | H**            | 10        |
| IQ38F180J3F                     | 3 mm J FB                  | 0.038" (0.97 mm) | 180       | F    |                | 10        |
| IQ38F260J3F                     | 3 mm J FB                  | 0.038" (0.97 mm) | 260       | F    |                | 10        |
| IQ35F80J6                       | 6 mm J                     | 0.035" (0.89 mm) | 80        | F    |                | 10        |
| IQ35F150J6                      | 6 mm J                     | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQ35F180J6F                     | 6 mm J FB                  | 0.035" (0.89 mm) | 180       | F    |                | 10        |
| IQH35F70J6                      | 6 mm J                     | 0.035" (0.89 mm) | 70        | F    | H**            | 10        |
| 6694-21                         | 6 mm J                     | 0.035" (0.89 mm) | 150       | M    |                | 10        |
| IQ38F150J6                      | 6 mm J                     | 0.038" (0.97 mm) | 150       | F    |                | 10        |
| IQH38F70J6                      | 6 mm J                     | 0.038" (0.97 mm) | 70        | F    | H**            | 10        |
| IQ35100J15                      | 15 mm J                    | 0.035" (0.89 mm) | 100       | F    |                | 10        |
| IQ35F150J15                     | 15 mm J                    | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQ35F180J15                     | 15 mm J                    | 0.035" (0.89 mm) | 180       | F    |                | 10        |
| IQH35F150J15                    | 15 mm J                    | 0.035" (0.89 mm) | 150       | F    | H**            | 10        |
| IQ38F150J15                     | 15 mm J                    | 0.038" (0.97 mm) | 150       | F    |                | 10        |
| 8820-B1                         | 15 mm J                    | 0.035" (0.89 mm) | 150       | M    |                | 10        |
| <b>FIXED CORE, DOUBLE-ENDED</b> |                            |                  |           |      |                |           |
| IQ35F80J3SHD                    | 3 mm J/Straight/Heavy Duty | 0.035" (0.89 mm) | 80        | F    |                | 10        |
| IQ35F150J1O5S                   | 1.5 mm J/Straight          | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQ35F150J3S                     | 3 mm J/Straight            | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQH35F150J3S                    | 3 mm J/Straight            | 0.035" (0.89 mm) | 150       | F    | H**            | 10        |
| IQ35F150J3SHD                   | 3 mm J/Straight/Heavy Duty | 0.035" (0.89 mm) | 150       | F    |                | 10        |
| IQ35F180J3S                     | 3 mm J/Straight/Double End | 0.035" (0.89 mm) | 180       | F    |                | 10        |
| IQ38F150J3S                     | 3 mm J                     | 0.038" (0.97 mm) | 150       | F    |                | 10        |

All "J" tip fixed core wires are finger-straightenable. FB = Firm Body, LT = Long Taper, ST = Short Taper, H = Heparin Coating, R = Rosen, F = Fixed Core, M = Moveable Core, TC = Tapered Core

\*New guide wire configurations packaged 10 per box. Original guide wires packaged 5 per box.

\*\*Heparin coated wires do not have CE Marking.

More options available through Merit's Cardiac Intervention catalogue. Ask for more details.

## INQWIRE® DIAGNOSTIC GUIDE WIRES WITH RINGMASTER™

| Catalogue Number | Description | Size | Length cm | Core | # Per Box |
|------------------|-------------|------|-----------|------|-----------|
|------------------|-------------|------|-----------|------|-----------|

### STRAIGHT-TIP WIRES

|              |                             |                  |     |   |    |
|--------------|-----------------------------|------------------|-----|---|----|
| IQR35F150B   | Bentson (23 cm)             | 0.035" (0.89 mm) | 150 | F | 10 |
| IQR35F150BST | Bentson Short Taper (10 cm) | 0.035" (0.89 mm) | 150 | F | 10 |

### J - TIP WIRES

|              |             |                  |     |   |    |
|--------------|-------------|------------------|-----|---|----|
| IQR35F150J3  | J 3 mm      | 0.035" (0.89 mm) | 150 | F | 10 |
| IQR35F260J3  | J 3 mm      | 0.035" (0.89 mm) | 260 | F | 10 |
| IQR35F150J3F | J 3 mm/Firm | 0.035" (0.89 mm) | 150 | F | 10 |
| IQR38F150J3  | J 3 mm      | 0.035" (0.97 mm) | 150 | F | 10 |
| IQR38F150J3F | J 3 mm/Firm | 0.035" (0.97 mm) | 150 | F | 10 |

### FIXED CORE: DOUBLE ENDED

|              |                 |                  |     |   |    |
|--------------|-----------------|------------------|-----|---|----|
| IQR35F150J3S | J 3 mm/Straight | 0.035" (0.89 mm) | 150 | F | 10 |
|--------------|-----------------|------------------|-----|---|----|

Heparin coating not available with InQwire guide wires packaged in Ringmaster.



Ringmaster™  
Guide Wire Basin

## MERIT LAUREATE® HYDROPHILIC GUIDE WIRES

The Merit Laureate Hydrophilic Guide Wire facilitates the placement of devices during diagnostic and interventional procedures, navigating tortuous vessels. The hydrophilic coating offers enduring lubricity and consistent surface coating adhesion. The Merit Laureate was designed to reduce wire whipping, minimise friction, and to promote rapid catheter exchanges.

| Catalogue Number | Description | Size | Length cm | Core | # Per Box |
|------------------|-------------|------|-----------|------|-----------|
|------------------|-------------|------|-----------|------|-----------|


### STANDARD WIRES

|               |                            |                  |     |   |   |
|---------------|----------------------------|------------------|-----|---|---|
| LWSTDA35150   | Standard/Angled            | 0.035" (0.89 mm) | 150 | F | 5 |
| LWSTDA35180   | Standard/Angled            | 0.035" (0.89 mm) | 180 | F | 5 |
| LWSTDA3880    | Standard/Angled            | 0.038" (0.97 mm) | 80  | F | 5 |
| LWSTDA38120   | Standard/Angled            | 0.038" (0.97 mm) | 120 | F | 5 |
| LWSTDA38150   | Standard/Angled            | 0.038" (0.97 mm) | 150 | F | 5 |
| LWSTDA38180   | Standard/Angled            | 0.038" (0.97 mm) | 180 | F | 5 |
| LWSTDS3580    | Standard/Straight          | 0.035" (0.89 mm) | 80  | F | 5 |
| LWSTDS35150   | Standard/Straight          | 0.035" (0.89 mm) | 150 | F | 5 |
| LWSTDS35180   | Standard/Straight          | 0.035" (0.89 mm) | 180 | F | 5 |
| LWSTDS35220   | Standard/Straight          | 0.035" (0.89 mm) | 220 | F | 5 |
| LWSTDS35260EX | Standard/Straight/Exchange | 0.035" (0.89 mm) | 260 | F | 5 |
| LWSTDS38260EX | Standard/Straight/Exchange | 0.038" (0.97 mm) | 260 | F | 5 |
| LWSTDS38150   | Standard/Straight          | 0.038" (0.97 mm) | 150 | F | 5 |
| LWSTDS38180   | Standard/Straight          | 0.038" (0.97 mm) | 180 | F | 5 |
| LWSTDA35260EX | Standard/Angled/Exchange   | 0.035" (0.89 mm) | 260 | F | 5 |
| LWSTDA38260EX | Standard/Angled/Exchange   | 0.038" (0.97 mm) | 260 | F | 5 |

More options available through Merit's Cardiac Intervention catalogue. Ask for more details.

# MERIT LAUREATE® HYDROPHILIC GUIDE WIRES

| Catalogue Number   | Description             | Size             | Length cm | Core | # Per Box |
|--------------------|-------------------------|------------------|-----------|------|-----------|
| <b>STIFF WIRES</b> |                         |                  |           |      |           |
| LWSTFA3580         | Stiff/Angled            | 0.035" (0.89 mm) | 80        | F    | 5         |
| LWSTFA35150        | Stiff/Angled            | 0.035" (0.89 mm) | 150       | F    | 5         |
| LWSTFA35180        | Stiff/Angled            | 0.035" (0.89 mm) | 180       | F    | 5         |
| LWSTFA35220        | Stiff/Angled            | 0.035" (0.89 mm) | 220       | F    | 5         |
| LWSTFA35260EX      | Stiff/Angled/Exchange   | 0.035" (0.89 mm) | 260       | F    | 5         |
| LWSTFA3880         | Stiff/Angled            | 0.038" (0.97 mm) | 80        | F    | 5         |
| LWSTFA38150        | Stiff/Angled            | 0.038" (0.97 mm) | 150       | F    | 5         |
| LWSTFA38180        | Stiff/Angled            | 0.038" (0.97 mm) | 180       | F    | 5         |
| LWSTFS3580         | Stiff/Straight          | 0.035" (0.89 mm) | 80        | F    | 5         |
| LWSTFS35150        | Stiff/Straight          | 0.035" (0.89 mm) | 150       | F    | 5         |
| LWSTFS35180        | Stiff/Straight          | 0.035" (0.89 mm) | 180       | F    | 5         |
| LWSTFS35220        | Stiff/Straight          | 0.035" (0.89 mm) | 220       | F    | 5         |
| LWSTFS35260EX      | Stiff/Straight/Exchange | 0.035" (0.89 mm) | 260       | F    | 5         |
| LWSTFS38150        | Stiff/Straight          | 0.038" (0.97 mm) | 150       | F    | 5         |
| LWSTFS38180        | Stiff/Straight          | 0.038" (0.97 mm) | 180       | F    | 5         |



The Merit Laureate® Hydrophilic Guide Wire has an improved hydrophilic coating that offers enduring lubricity and consistent turn-for-turn responsiveness.

| Catalogue Number                     | Description                | Size             | Length cm | Core | # Per Box |
|--------------------------------------|----------------------------|------------------|-----------|------|-----------|
| <b>SMALL DIAMETER SPECIALTY WIRE</b> |                            |                  |           |      |           |
| LWSTDA1880                           | Standard/Angled            | 0.018" (0.46 mm) | 80        | F    | 5         |
| LWSTDA18150                          | Standard/Angled            | 0.018" (0.46 mm) | 150       | F    | 5         |
| LWSTDA18180                          | Standard/Angled            | 0.018" (0.46 mm) | 180       | F    | 5         |
| LWSTDA18260EX                        | Standard/Angled/Exchange   | 0.018" (0.46 mm) | 260       | F    | 5         |
| LWSTDS18150                          | Standard/Straight          | 0.018" (0.46 mm) | 150       | F    | 5         |
| LWSTDS18180                          | Standard/Straight          | 0.018" (0.46 mm) | 180       | F    | 5         |
| LWSTDS18260EX                        | Standard/Straight/Exchange | 0.018" (0.46 mm) | 260       | F    | 5         |
| LWSTDA25150                          | Standard/Angled            | 0.025" (0.64 mm) | 150       | F    | 5         |
| LWSTDA25180                          | Standard/Angled            | 0.025" (0.64 mm) | 180       | F    | 5         |
| LWSTDA25260EX                        | Standard/Angled/Exchange   | 0.025" (0.64 mm) | 260       | F    | 5         |
| LWSTDS25150                          | Standard/Straight          | 0.025" (0.64 mm) | 150       | F    | 5         |
| LWSTDS25180                          | Standard/Straight          | 0.025" (0.64 mm) | 180       | F    | 5         |
| LWSTDS25260EX                        | Standard/Straight/Exchange | 0.025" (0.64 mm) | 260       | F    | 5         |

More options available through Merit's Cardiac Intervention catalogue. Ask for more details.





# TENOR® STEERABLE GUIDE WIRES

The Tenor Steerable Guide Wire offers exceptional pushability and torqueability to facilitate precise navigation in challenging anatomy during embolic procedures. Packaged with an insertion tool and torque device.

| Catalogue Number | Description  | Size             | Length cm | Tip Material    | Core | # Per Box |
|------------------|--------------|------------------|-----------|-----------------|------|-----------|
| TNR2411          | Angled Tip   | 0.014" (0.36 mm) | 165       | Platinum Coiled | F    | 1         |
| TNR2412          | Straight Tip | 0.014" (0.36 mm) | 165       | Platinum Coiled | F    | 1         |
| TNR2811          | Angled Tip   | 0.018" (0.46 mm) | 165       | Platinum Coiled | F    | 1         |
| TNR2812          | Straight Tip | 0.018" (0.46 mm) | 165       | Platinum Coiled | F    | 1         |

Tenor Advanced Guide Wire Construction



## H2O TORQ™ TORQUE DEVICE

The H2O Torq is an ergonomic torque device operable with one hand, designed to enhance manipulation of the guide wire tip. The single component plastic design can be used on hydrophilic or PTFE-coated wires and allows easy reposition and removal for rapid device exchanges. Packaged individually, 10 units per box.



TD100



TD200

| Catalogue Number | Description                                                          |
|------------------|----------------------------------------------------------------------|
| TD100            | Orange device; Guide wires from 0.025" (0.64 mm) to 0.040" (1.02 mm) |
| TD200            | Yellow device; Guide wires from 0.010" (0.25 mm) to 0.020" (0.51 mm) |


## SEADRAGON™ TORQUE DEVICE

The SeaDragon is an ergonomic torque device operable with one hand, designed to enhance manipulation of the guide wire tip. The single component plastic design can be used on hydrophilic or PTFE-coated wires and allows easy reposition and removal for rapid device exchanges. Packaged individually, 10 units per box.



| Catalogue Number | Description                                           |
|------------------|-------------------------------------------------------|
| TD500            | Guide wires from 0.018" (0.46 mm) to 0.038" (0.97 mm) |


# DIAGNOSTIC PERIPHERAL CATHETERS




## DIAGNOSTIC PERIPHERAL CATHETERS

|                                     |       |                         |       |
|-------------------------------------|-------|-------------------------|-------|
| <i>Catheter Shape Illustrations</i> | 21-22 | KA2                     | 34    |
|                                     |       | Mani                    | 34    |
|                                     |       | Multipurpose            | 34    |
| <b>IMPRESS®</b>                     |       | RBI                     | 35    |
| Headhunter                          | 23    | Simmons                 | 35    |
| Newton                              | 23    | Modified Hook           | 35    |
| Bentson                             | 24    | Straight Selective      | 36    |
| Mani                                | 24    | Vertebral               | 36    |
| Vertebral                           | 24    |                         |       |
| Modified Cerebral                   | 24    | <b>PERFORMA®</b>        |       |
| Berenstein                          | 25    | Headhunter              | 37    |
| MW2                                 | 25    | Newton                  | 38    |
| Simmons                             | 25    | Bentson                 | 39    |
| Cobra                               | 26    | Mani                    | 39    |
| Hook                                | 26    | Vertebral               | 39    |
| Shepherd Hook                       | 27    | Modified Cerebral       | 40    |
| Renal Double Curve                  | 27    | Berenstein              | 40    |
| Amir Motarjeme®                     | 27    | Straight Selective      | 40    |
| Reuter                              | 28    | MW2                     | 41    |
| Mikaelsson                          | 28    | Osborn                  | 41    |
| KA2                                 | 28    | Hook                    | 41    |
| Uterine Artery Catheter             | 28    | Modified Hook Selective | 42    |
| Hockey Stick                        | 28    | Simmons                 | 42    |
| Modified Hook Selective             | 29    | Cobra                   | 43    |
| RBI (Renal, Bifurcation, Iliac)     | 29    | Shepherd Hook           | 44    |
| RIM – Mini RIM Short-Tip            | 29    | Renal Double Curve      | 44    |
| Straight Selective                  | 29    | Hockey Stick            | 44    |
| Osborn                              | 30    | Amir Motarjeme®         | 45    |
| Multipurpose A1                     | 30    | Reuter                  | 45    |
| 30 cm Catheters                     | 30    | Mikaelsson              | 46    |
| Shepherd Flush                      | 30    | KA, KA2                 | 46    |
| Ultra Bolus Flush                   | 31    | DVS A1, DVS A2          | 46    |
| Modified Bolus Flush                | 31    | Shepherd Flush          | 47    |
| Pigtail Flush                       | 31    | Ultra Bolus Flush       | 47    |
| Straight Flush                      | 32    | Ultra High Flow Pigtail | 47    |
| Modified Hook Flush                 | 32    | Pigtail Flush           | 47    |
|                                     |       | Straight Flush          | 48    |
| <b>IMPRESS® HYDROPHILIC</b>         |       | Modified Hook Flush     | 48    |
| Bentson                             | 33    | Vessel-Sizing, Adult    | 49-50 |
| Berenstein                          | 33    |                         |       |
| Cobra                               | 33    |                         |       |
| Headhunter                          | 34    |                         |       |


- a. HEADHUNTER 1
- b. HEADHUNTER 3
- c. HEADHUNTER 5
- d. HEADHUNTER 6




- a. SIMMONS 1
- b. SIMMONS 2
- c. SIMMONS 3
- d. SIMMONS 4
- e. MODIFIED SIMMONS 1.5
- f. MODIFIED SIMMONS




- a. NEWTON 1
- b. NEWTON 2
- c. NEWTON 3
- d. NEWTON 4
- e. NEWTON 5
- f. OSBORN 1
- g. OSBORN 2





- a. BENTSON 1
- b. BENTSON 2
- c. BENTSON 3
- d. MANI





- a. BERENSTEIN
- b. VERTEBRAL
- c. MODIFIED CEREBRAL
- d. MW2
- e. MODIFIED MW2
- f. DVS A1
- g. DVS A2
- h. HOCKEY STICK





- a. KA
- b. KA2
- c. HOOK 0.8
- d. HOOK 1.0
- e. SHEPHERD HOOK 0.8
- f. SHEPHERD HOOK 1.0
- g. SHEPHERD HOOK 1.0 MOD.
- h. RENAL DOUBLE CURVE





- a. STRAIGHT SELECTIVE
- b. AMIR MOTARJEME®
- c. AMIR MOTAJEME® CANE
- d. REUTER
- e. MIKAELSSON



- a. COBRA 1
- b. COBRA 2
- c. COBRA 3



- a. SHEPHERD FLUSH
- b. ULTRA BOLUS FLUSH
- c. MODIFIED BOLUS FLUSH
- d. STANDARD FLUSH
- e. STRAIGHT FLUSH
- f. MODIFIED HOOK FLUSH
- g. RBI
- h. RIM
- i. MINI RIM
- j. MINI RIM ST
- k. UTERINE ARTERY



- a. MODIFIED HOOK SELECTIVE 1
- b. MODIFIED HOOK SELECTIVE 2
- c. MODIFIED HOOK SELECTIVE 3





## IMPRESS® DIAGNOSTIC PERIPHERAL CATHETERS

The Impress line of diagnostic peripheral catheters has been designed to deliver radiopaque media to selected sites in the vascular system. The tips are tapered to minimise vessel trauma, the accordion hubs are designed to minimise kinking, and the proprietary braid pattern shafts provide maximum flexibility without compromising steerability.


### IMPRESS® HEADHUNTER CATHETERS

| Catalogue Number    | French Size | Internal Diameter | Recommended Guide Wire | Length |
|---------------------|-------------|-------------------|------------------------|--------|
| <b>HEADHUNTER 1</b> |             |                   |                        |        |
| 410035HH1           | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 100 cm |
| 410038HH1           | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm |
| 412535HH1           | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 125 cm |
| 510035HH1           | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |
| 510038HH1           | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |
| 512535HH1           | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 125 cm |
| 512538HH1           | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 125 cm |




#### HEADHUNTER 3

|           |   |               |                 |        |
|-----------|---|---------------|-----------------|--------|
| 410035HH3 | 4 | .040"/1.02 mm | .035" (0.89 mm) | 100 cm |
| 410038HH3 | 4 | .040"/1.02 mm | .038" (0.97 mm) | 100 cm |
| 510035HH3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 100 cm |
| 510038HH3 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm |



### IMPRESS® NEWTON CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| <b>NEWTON 1</b>  |             |                   |                        |        |
| 410038N1         | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm |
| 510038N1         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |
| <b>NEWTON 2</b>  |             |                   |                        |        |
| 410038N2         | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm |
| 510038N2         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |
| <b>NEWTON 3</b>  |             |                   |                        |        |
| 410038N3         | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm |
| 510038N3         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |
| <b>NEWTON 4</b>  |             |                   |                        |        |
| 410038N4         | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm |
| 510038N4         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |



## IMPRESS® BENTSON CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| <b>BENTSON 1</b> |             |                   |                        |        |
| 46535B1          | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 65 cm  |
| 410035B1         | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 100 cm |
| 410038B1         | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm |
| 56535B1          | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 65 cm  |
| 510035B1         | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |
| 510038B1         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |


BENTSON 1



### BENTSON 2

|          |   |               |                 |        |
|----------|---|---------------|-----------------|--------|
| 410035B2 | 4 | .040"/1.02 mm | .035" (0.89 mm) | 100 cm |
| 510035B2 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 100 cm |

BENTSON 2



## IMPRESS® MANI CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 410035MANI       | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 100 cm |
| 410038MANI       | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm |
| 510035MANI       | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |
| 510038MANI       | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |

MANI



## IMPRESS® VERTEBRAL CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 46538VER         | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 65 cm  |
| 410035VER        | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 100 cm |
| 410038VER        | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm |
| 412535VER        | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 125 cm |
| 56538VER         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  |
| 510035VER        | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |
| 510038VER        | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |
| 512535VER        | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 125 cm |

VERTEBRAL



## IMPRESS® MODIFIED CEREBRAL CATHETERS


| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 410035MC         | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 100 cm |
| 410038MC         | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm |
| 510035MC         | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |
| 510038MC         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |

MODIFIED CEREBRAL



## IMPRESS® BERENSTEIN CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 46535BER         | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 65 cm  |
| 46538BER         | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 65 cm  |
| 410035BER        | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 100 cm |
| 410038BER        | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm |
| 412538BER        | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 125 cm |
| 56535BER         | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 65 cm  |
| 56538BER         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  |
| 510035BER        | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |
| 510038BER        | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |
| 512538BER        | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 125 cm |



BERENSTEIN

## IMPRESS® MW2 CATHETERS


| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 44038MW2         | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 40 cm  |
| 56538MW2         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  |



MW2

## IMPRESS® SIMMONS CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 46535SIM1        | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 65 cm  |
| 46538SIM1        | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 65 cm  |
| 410035SIM1       | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 100 cm |
| 410038SIM1       | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm |
| 56535SIM1        | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 65 cm  |
| 56538SIM1        | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  |
| 510035SIM1       | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |
| 510038SIM1       | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |



SIMMONS 1

### SIMMONS 2

|            |   |               |                 |        |
|------------|---|---------------|-----------------|--------|
| 46538SIM2  | 4 | .040"/1.02 mm | .038" (0.97 mm) | 65 cm  |
| 410035SIM2 | 4 | .040"/1.02 mm | .035" (0.89 mm) | 100 cm |
| 410038SIM2 | 4 | .040"/1.02 mm | .038" (0.97 mm) | 100 cm |
| 56538SIM2  | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm  |
| 510035SIM2 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 100 cm |
| 510038SIM2 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm |



SIMMONS 2

### MODIFIED SIMMONS

|           |   |               |                 |       |
|-----------|---|---------------|-----------------|-------|
| 48035MODS | 4 | .040"/1.02 mm | .035" (0.89 mm) | 80 cm |
| 48038MODS | 4 | .040"/1.02 mm | .038" (0.97 mm) | 80 cm |



MODIFIED SIMMONS

## IMPRESS® COBRA CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports |
|------------------|-------------|-------------------|------------------------|--------|-----------------|
|------------------|-------------|-------------------|------------------------|--------|-----------------|

### COBRA 1 (SIDE HOLES)

|           |   |               |                 |       |   |
|-----------|---|---------------|-----------------|-------|---|
| 465352CB1 | 4 | .040"/1.02 mm | .035" (0.89 mm) | 65 cm | 2 |
| 465382CB1 | 4 | .040"/1.02 mm | .038" (0.97 mm) | 65 cm | 2 |
| 565352CB1 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |
| 565382CB1 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | 2 |

### COBRA 1 (WITHOUT SIDE HOLES)

|           |   |               |                 |        |   |
|-----------|---|---------------|-----------------|--------|---|
| 46538CB1  | 4 | .040"/1.02 mm | .038" (0.97 mm) | 65 cm  | - |
| 410038CB1 | 4 | .040"/1.02 mm | .038" (0.97 mm) | 100 cm | - |
| 56538CB1  | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm  | - |
| 510038CB1 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm | - |

### COBRA 2 (SIDE HOLES)

|           |   |               |                 |       |   |
|-----------|---|---------------|-----------------|-------|---|
| 465352CB2 | 4 | .040"/1.02 mm | .035" (0.89 mm) | 65 cm | 2 |
| 465382CB2 | 4 | .040"/1.02 mm | .038" (0.97 mm) | 65 cm | 2 |
| 565352CB2 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |
| 565382CB2 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | 2 |

### COBRA 2 (WITHOUT SIDE HOLES)

|           |   |               |                 |        |   |
|-----------|---|---------------|-----------------|--------|---|
| 46535CB2  | 4 | .040"/1.02 mm | .035" (0.89 mm) | 65 cm  | - |
| 46538CB2  | 4 | .040"/1.02 mm | .038" (0.97 mm) | 65 cm  | - |
| 410038CB2 | 4 | .040"/1.02 mm | .038" (0.97 mm) | 100 cm | - |
| 56538CB2  | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm  | - |
| 510038CB2 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm | - |

COBRA 1



COBRA 2



## IMPRESS® HOOK CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports |
|------------------|-------------|-------------------|------------------------|--------|-----------------|
|------------------|-------------|-------------------|------------------------|--------|-----------------|

### HOOK 0.8

|             |   |               |                 |       |   |
|-------------|---|---------------|-----------------|-------|---|
| 465352HK0-8 | 4 | .040"/1.02 mm | .035" (0.89 mm) | 65 cm | 2 |
| 565352HK0-8 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |

### HOOK 1.0

|             |   |               |                 |       |   |
|-------------|---|---------------|-----------------|-------|---|
| 465352HK1-0 | 4 | .040"/1.02 mm | .035" (0.89 mm) | 65 cm | 2 |
| 565352HK1-0 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |

HOOK 0.8



HOOK 1.0



## IMPRESS® SHEPHERD HOOK CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports |
|------------------|-------------|-------------------|------------------------|--------|-----------------|
|------------------|-------------|-------------------|------------------------|--------|-----------------|

### SHEPHERD HOOK 0.8

|             |   |               |                 |       |   |
|-------------|---|---------------|-----------------|-------|---|
| 465352SH0-8 | 4 | .040"/1.02 mm | .035" (0.89 mm) | 65 cm | 2 |
| 565352SH0-8 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |

SHEPHERD HOOK 0.8



### SHEPHERD HOOK 1.0

|             |   |               |                 |       |   |
|-------------|---|---------------|-----------------|-------|---|
| 465352SH1-0 | 4 | .040"/1.02 mm | .035" (0.89 mm) | 65 cm | 2 |
| 565352SH1-0 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |

SHEPHERD HOOK 1.0



## IMPRESS® RENAL DOUBLE CURVE CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports |
|------------------|-------------|-------------------|------------------------|--------|-----------------|
|------------------|-------------|-------------------|------------------------|--------|-----------------|

|          |   |               |                 |       |   |
|----------|---|---------------|-----------------|-------|---|
| 46535RC  | 4 | .040"/1.02 mm | .035" (0.89 mm) | 65 cm | - |
| 465352RC | 4 | .040"/1.02 mm | .035" (0.89 mm) | 65 cm | 2 |
| 565352RC | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |

RENAL DOUBLE CURVE



## IMPRESS® AMIR MOTARJEME® CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports |
|------------------|-------------|-------------------|------------------------|--------|-----------------|
|------------------|-------------|-------------------|------------------------|--------|-----------------|

### AMIR MOTARJEME

|           |   |               |                 |        |   |
|-----------|---|---------------|-----------------|--------|---|
| 46535MOT  | 4 | .040"/1.02 mm | .035" (0.89 mm) | 65 cm  | - |
| 410035MOT | 4 | .040"/1.02 mm | .035" (0.89 mm) | 100 cm | - |
| 56535MOT  | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm  | - |
| 510035MOT | 5 | .046"/1.17 mm | .035" (0.89 mm) | 100 cm | - |

MOTARJEME



### AMIR MOTARJEME CANE

|            |   |               |                 |        |   |
|------------|---|---------------|-----------------|--------|---|
| 46535MOTC  | 4 | .040"/1.02 mm | .035" (0.89 mm) | 65 cm  | - |
| 410035MOTC | 4 | .040"/1.02 mm | .035" (0.89 mm) | 100 cm | - |

MOTARJEME CANE



## IMPRESS® REUTER CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 48038RE          | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 80 cm  |
| 58035RE          | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 80 cm  |
| 58038RE          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 80 cm  |



REUTER

## IMPRESS® MIKAELSSON CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 48038MIK         | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 80 cm  |
| 58038MIK         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 80 cm  |



MIKAELSSON

## IMPRESS® KA2 CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 44038KA2         | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 40 cm  |
| 46538KA2         | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 65 cm  |
| 54038KA2         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 40 cm  |
| 56538KA2         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  |



KA2

## IMPRESS® UTERINE ARTERY CATHETER

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 59038UAC         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 90 cm  |



UTERINE ARTERY

## IMPRESS® HOCKEY STICK CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Tip Length |
|------------------|-------------|-------------------|------------------------|--------|------------|
| 410038HS         | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm | 4.5 cm     |
| 510038HS         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm | 4.5 cm     |



HOCKEY STICK



## IMPRESS® MODIFIED HOOK SELECTIVE CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
|------------------|-------------|-------------------|------------------------|--------|

### MODIFIED HOOK 1

|           |   |               |                 |       |
|-----------|---|---------------|-----------------|-------|
| 48035MHK1 | 4 | .040"/1.02 mm | .035" (0.89 mm) | 80 cm |
| 58035MHK1 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 80 cm |




### MODIFIED HOOK 2

|           |   |               |                 |       |
|-----------|---|---------------|-----------------|-------|
| 48035MHK2 | 4 | .040"/1.02 mm | .035" (0.89 mm) | 80 cm |
| 58035MHK2 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 80 cm |



### MODIFIED HOOK 3

|           |   |               |                 |       |
|-----------|---|---------------|-----------------|-------|
| 48035MHK3 | 4 | .040"/1.02 mm | .035" (0.89 mm) | 80 cm |
| 58035MHK3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 80 cm |



## IMPRESS® RBI (RENAL, BIFURCATION, ILIAC) CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports |
|------------------|-------------|-------------------|------------------------|--------|-----------------|
|------------------|-------------|-------------------|------------------------|--------|-----------------|

|            |   |               |                 |        |   |
|------------|---|---------------|-----------------|--------|---|
| 465354RBI  | 4 | .040"/1.02 mm | .035" (0.89 mm) | 65 cm  | 4 |
| 565354RBI  | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm  | 4 |
| 56535RBI   | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm  | - |
| 510035RBI  | 5 | .046"/1.17 mm | .035" (0.89 mm) | 100 cm | - |
| 5100354RBI | 5 | .046"/1.17 mm | .035" (0.89 mm) | 100 cm | 4 |



## IMPRESS® RIM - MINI RIM SHORT-TIP CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports |
|------------------|-------------|-------------------|------------------------|--------|-----------------|
|------------------|-------------|-------------------|------------------------|--------|-----------------|

|             |   |               |                 |       |   |
|-------------|---|---------------|-----------------|-------|---|
| 46535RIM    | 4 | .040"/1.02 mm | .035" (0.89 mm) | 65 cm | - |
| 56535RIM    | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | - |
| 56535MRIMST | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | - |



## IMPRESS® STRAIGHT SELECTIVE CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
|------------------|-------------|-------------------|------------------------|--------|

|           |   |               |                 |        |
|-----------|---|---------------|-----------------|--------|
| 44035STS  | 4 | .040"/1.02 mm | .035" (0.89 mm) | 40 cm  |
| 46538STS  | 4 | .040"/1.02 mm | .038" (0.97 mm) | 65 cm  |
| 411035STS | 4 | .040"/1.02 mm | .035" (0.89 mm) | 110 cm |
| 411038STS | 4 | .040"/1.02 mm | .038" (0.97 mm) | 110 cm |
| 54038STS  | 5 | .046"/1.17 mm | .038" (0.97 mm) | 40 cm  |
| 56538STS  | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm  |
| 511035STS | 5 | .046"/1.17 mm | .035" (0.89 mm) | 110 cm |
| 511038STS | 5 | .046"/1.17 mm | .038" (0.97 mm) | 110 cm |



## IMPRESS® OSBORN CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 410035OSB1       | 4           | .040"/1.02 mm     | 0.035" (.089 mm)       | 100 cm |
| 510035OSB1       | 5           | .046"/1.17 mm     | 0.035" (.089 mm)       | 100 cm |

OSBORN



## IMPRESS® MULTIPURPOSE A1 CATHETERS


| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 410038MPA1       | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm |
| 412538MPA1       | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 125 cm |
| 56538MPA1        | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  |
| 510038MPA1       | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |
| 512538MPA1       | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 125 cm |

MULTI A1




## IMPRESS® 30 CM CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 43035MODCB1      | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 30 cm  | -               |             |
| 43035BER         | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 30 cm  | -               |             |
| 43035KA2         | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 30 cm  | -               |             |
| 43035STR         | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 30 cm  | -               |             |
| 43035RIM         | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 30 cm  | -               |             |
| 4303510PIG-NB    | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 30 cm  | 10              | non-braided |
| 53035MODCB1      | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 30 cm  | -               |             |
| 53035BER         | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 30 cm  | -               |             |
| 53035KA2         | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 30 cm  | -               |             |
| 53035STR         | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 30 cm  | -               |             |
| 53035RIM         | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 30 cm  | -               |             |
| 5303510PIG-NB    | 5           | .049"/1.25 mm     | .035" (0.89 mm)        | 30 cm  | 10              | non-braided |



## IMPRESS® SHEPHERD FLUSH CATHETERS


| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 465356SHP-NB     | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 65 cm  | 6               | non-braided |
| 490356SHP-NB     | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 90 cm  | 6               | non-braided |
| 565356SHP-NB     | 5           | .049"/1.25 mm     | .035" (0.89 mm)        | 65 cm  | 6               | non-braided |



SHEPHERD FLUSH

## IMPRESS® ULTRA BOLUS FLUSH CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 4653510UBF-NB    | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 65 cm  | 10              | non-braided |
| 4903510UBF-NB    | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 90 cm  | 10              | non-braided |
| 5653510UBF-NB    | 5           | .049"/1.25 mm     | .035" (0.89 mm)        | 65 cm  | 10              | non-braided |
| 5903510UBF-NB    | 5           | .049"/1.25 mm     | .035" (0.89 mm)        | 90 cm  | 10              | non-braided |



## IMPRESS® MODIFIED BOLUS FLUSH CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 4653810MUBF-NB   | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 65 cm  | 10              | non-braided |
| 5653810MUBF-NB   | 5           | .049"/1.25 mm     | .038" (0.97 mm)        | 65 cm  | 10              | non-braided |



## IMPRESS® PIGTAIL FLUSH CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 4303510PIG-NB    | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 30 cm  | 10              | non-braided |
| 4653510PIG-NB    | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 65 cm  | 10              | non-braided |
| 4903510PIG-NB    | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 90 cm  | 10              | non-braided |
| 41103510PIG-NB   | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 110 cm | 10              | non-braided |
| 5303510PIG-NB    | 5           | .049"/1.25 mm     | .035" (0.89 mm)        | 30 cm  | 10              | non-braided |
| 5653510PIG-NB    | 5           | .049"/1.25 mm     | .035" (0.89 mm)        | 65 cm  | 10              | non-braided |
| 5903510PIG-NB    | 5           | .049"/1.25 mm     | .035" (0.89 mm)        | 90 cm  | 10              | non-braided |
| 51103510PIG-NB   | 5           | .049"/1.25 mm     | .035" (0.89 mm)        | 110 cm | 10              | non-braided |
| 5653810PIG-NB    | 5           | .049"/1.25 mm     | .038" (0.97 mm)        | 65 cm  | 10              | non-braided |
| 5903810PIG-NB    | 5           | .049"/1.25 mm     | .038" (0.97 mm)        | 90 cm  | 10              | non-braided |
| 51103810PIG-NB   | 5           | .049"/1.25 mm     | .038" (0.97 mm)        | 110 cm | 10              | non-braided |



## IMPRESS® STRAIGHT FLUSH CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 4653510STF-NB    | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 65 cm  | 10              | non-braided |
| 4903510STF-NB    | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 90 cm  | 10              | non-braided |
| 5653510STF-NB    | 5           | .049"/1.25 mm     | .035" (0.89 mm)        | 65 cm  | 10              | non-braided |
| 5903510STF-NB    | 5           | .049"/1.25 mm     | .035" (0.89 mm)        | 90 cm  | 10              | non-braided |



## IMPRESS® MODIFIED HOOK FLUSH CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 465356MHK-NB     | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 65 cm  | 6               | non-braided |
| 490356MHK-NB     | 4           | .040"/1.02 mm     | .035" (0.89 mm)        | 90 cm  | 6               | non-braided |



## IMPRESS® HYDROPHILIC DIAGNOSTIC PERIPHERAL CATHETERS

Impress hydrophilic catheters feature a hydrophilic coating designed to reduce friction for smoother navigation through tortuous anatomy. The hydrophilic coating is resistant to abrasion and is designed to maintain lubricity throughout the procedure. The tips are tapered to minimise vessel trauma, the accordion hubs are designed to minimise kinking, and the stainless steel braided shaft construction provides maximum flexibility without compromising steerability.

### IMPRESS® HYDROPHILIC BENTSON


| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Coating Length |
|------------------|-------------|-------------------|------------------------|--------|----------------|
|------------------|-------------|-------------------|------------------------|--------|----------------|

#### BENTSON 1

|            |   |              |                 |        |       |
|------------|---|--------------|-----------------|--------|-------|
| 410038B1-H | 4 | .40"/1.02 mm | .038" (0.97 mm) | 100 cm | 40 cm |
| 510038B1-H | 5 | .40"/1.02 mm | .038" (0.97 mm) | 100 cm | 40 cm |

#### BENTSON 2


|            |   |              |                 |        |       |
|------------|---|--------------|-----------------|--------|-------|
| 410038B2-H | 4 | .40"/1.02 mm | .038" (0.97 mm) | 100 cm | 40 cm |
| 510038B2-H | 5 | .40"/1.02 mm | .038" (0.97 mm) | 100 cm | 40 cm |



### IMPRESS® HYDROPHILIC BERENSTEIN

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Coating Length |
|------------------|-------------|-------------------|------------------------|--------|----------------|
|------------------|-------------|-------------------|------------------------|--------|----------------|

|             |   |               |                 |        |       |
|-------------|---|---------------|-----------------|--------|-------|
| 46538BER-H  | 4 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm  | 25 cm |
| 410038BER-H | 4 | .040"/1.02 mm | .038" (0.97 mm) | 100 cm | 40 cm |
| 412538BER-H | 4 | .040"/1.02 mm | .038" (0.97 mm) | 125 cm | 40 cm |
| 56538BER-H  | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm  | 25 cm |
| 510038BER-H | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm | 40 cm |
| 512538BER-H | 5 | .038"/0.97 mm | .038" (0.97 mm) | 125 cm | 40 cm |



### IMPRESS® HYDROPHILIC COBRA


| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Coating Length |
|------------------|-------------|-------------------|------------------------|--------|----------------|
|------------------|-------------|-------------------|------------------------|--------|----------------|

#### COBRA 1

|            |   |               |                 |       |       |
|------------|---|---------------|-----------------|-------|-------|
| 46538CB1-H | 4 | .040"/1.02 mm | .038" (0.97 mm) | 65 cm | 25 cm |
| 56538CB1-H | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | 25 cm |

#### COBRA 2

|             |   |               |                 |        |       |
|-------------|---|---------------|-----------------|--------|-------|
| 46538CB2-H  | 4 | .040"/1.02 mm | .038" (0.97 mm) | 65 cm  | 25 cm |
| 410038CB2-H | 4 | .040"/1.02 mm | .038" (0.97 mm) | 100 cm | 40 cm |
| 56538CB2-H  | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm  | 25 cm |
| 510038CB2-H | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm | 40 cm |



## IMPRESS® HYDROPHILIC HEADHUNTER 1

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Coating Length |
|------------------|-------------|-------------------|------------------------|--------|----------------|
| 410038HH1-H      | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm | 40 cm          |
| 412538HH1-H      | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 125 cm | 40 cm          |
| 510038HH1-H      | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm | 40 cm          |
| 512538HH1-H      | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 125 cm | 40 cm          |

HEADHUNTER 1



## IMPRESS® HYDROPHILIC KA2

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Coating Length |
|------------------|-------------|-------------------|------------------------|--------|----------------|
| 44038KA2-H       | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 40 cm  | 25 cm          |
| 46538KA2-H       | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 65 cm  | 25 cm          |
| 54038KA2-H       | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 40 cm  | 25 cm          |
| 56538KA2-H       | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  | 25 cm          |

KA2



## IMPRESS® HYDROPHILIC MANI

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Coating Length |
|------------------|-------------|-------------------|------------------------|--------|----------------|
| 410038MANI-H     | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm | 40 cm          |
| 510038MANI-H     | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm | 40 cm          |

MANI



## IMPRESS® HYDROPHILIC MULTIPURPOSE

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Coating Length |
|------------------|-------------|-------------------|------------------------|--------|----------------|
| 410038MPA1-H     | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm | 40 cm          |
| 510038MPA1-H     | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm | 40 cm          |

MULTI A1



## IMPRESS® HYDROPHILIC RBI

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Coating Length |     |
|------------------|-------------|-------------------|------------------------|--------|----------------|-----|
| 56538RBI-H       | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  | 25 cm          | RBI |



## IMPRESS® HYDROPHILIC SIMMONS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Coating Length |  |
|------------------|-------------|-------------------|------------------------|--------|----------------|--|
|------------------|-------------|-------------------|------------------------|--------|----------------|--|

### SIMMONS 1

|              |   |               |                 |        |       |           |
|--------------|---|---------------|-----------------|--------|-------|-----------|
| 410038SIM1-H | 4 | .040"/1.02 mm | .038" (0.97 mm) | 100 cm | 40 cm | SIMMONS 1 |
| 510038SIM1-H | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm | 40 cm |           |



### SIMMONS 2

|              |   |                 |                 |        |       |           |
|--------------|---|-----------------|-----------------|--------|-------|-----------|
| 410038SIM2-H | 4 | .040" (1.02 mm) | .038" (0.97 mm) | 100 cm | 40 cm | SIMMONS 2 |
| 510038SIM2-H | 5 | .046" (1.17 mm) | .038" (0.97 mm) | 100 cm | 40 cm |           |



## IMPRESS® HYDROPHILIC MODIFIED HOOK

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Coating Length |  |
|------------------|-------------|-------------------|------------------------|--------|----------------|--|
|------------------|-------------|-------------------|------------------------|--------|----------------|--|

### MODIFIED HOOK 1

|             |   |               |                 |       |       |                 |
|-------------|---|---------------|-----------------|-------|-------|-----------------|
| 48038MHK1-H | 4 | .040"/1.02 mm | .038" (0.97 mm) | 80 cm | 40 cm | MODIFIED HOOK 1 |
| 58038MHK1-H | 5 | .046"/1.17 mm | .038" (0.97 mm) | 80 cm | 40 cm |                 |



### MODIFIED HOOK 2

|             |   |               |                 |       |       |                 |
|-------------|---|---------------|-----------------|-------|-------|-----------------|
| 48038MHK2-H | 4 | .040"/1.02 mm | .038" (0.97 mm) | 80 cm | 40 cm | MODIFIED HOOK 2 |
| 58038MHK2-H | 5 | .046"/1.17 mm | .038" (0.97 mm) | 80 cm | 40 cm |                 |



### MODIFIED HOOK 3

|             |   |               |                 |       |       |                 |
|-------------|---|---------------|-----------------|-------|-------|-----------------|
| 48038MHK3-H | 4 | .040"/1.02 mm | .038" (0.97 mm) | 80 cm | 40 cm | MODIFIED HOOK 3 |
| 58038MHK3-H | 5 | .046"/1.17 mm | .038" (0.97 mm) | 80 cm | 40 cm |                 |





## IMPRESS® HYDROPHILIC STRAIGHT SELECTIVE

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Coating Length |                                                                                                           |
|------------------|-------------|-------------------|------------------------|--------|----------------|-----------------------------------------------------------------------------------------------------------|
| 46538STS-H       | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 65 cm  | 25 cm          | <br>STRAIGHT SELECTIVE |
| 410038STS-H      | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm | 40 cm          |                                                                                                           |
| 412538STS-H      | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 125 cm | 40 cm          |                                                                                                           |
| 56538STS-H       | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  | 25 cm          |                                                                                                           |
| 510038STS-H      | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm | 40 cm          |                                                                                                           |

## IMPRESS® HYDROPHILIC VERTEBRAL

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Coating Length |                                                                                                  |
|------------------|-------------|-------------------|------------------------|--------|----------------|--------------------------------------------------------------------------------------------------|
| 46538VER-H       | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 65 cm  | 25 cm          | <br>VERTEBRAL |
| 410038VER-H      | 4           | .040"/1.02 mm     | .038" (0.97 mm)        | 100 cm | 40 cm          |                                                                                                  |
| 56538VER-H       | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  | 25 cm          |                                                                                                  |
| 510038VER-H      | 5           | .046"/1.17 mm.    | .038" (0.97 mm)        | 100 cm | 40 cm          |                                                                                                  |

## PERFORMA® DIAGNOSTIC PERIPHERAL CATHETERS

Merit Medical's Performa diagnostic peripheral catheters are designed to provide superior torque, increased shaft strength for better pushability, and large inner lumens for improved flow rates.


### PERFORMA® HEADHUNTER CATHETERS

| Catalogue Number    | French Size | Internal Diameter | Recommended Guide Wire | Length | Description |
|---------------------|-------------|-------------------|------------------------|--------|-------------|
| <b>HEADHUNTER 1</b> |             |                   |                        |        |             |
| 7715-A0             | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm |             |
| 7715-10             | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 100 cm | bumper tip  |
| 5575-A3             | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |             |
| 5575-13             | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |             |
| <b>HEADHUNTER 3</b> |             |                   |                        |        |             |
| 7715-B0             | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm |             |
| 7715-30             | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 100 cm | bumper tip  |
| 5575-B3             | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |             |
| 5575-23             | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |             |
| <b>HEADHUNTER 5</b> |             |                   |                        |        |             |
| 7715-C0             | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm |             |
| 7715-50             | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 100 cm | bumper tip  |
| 5575-C3             | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |             |
| 5575-33             | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |             |
| <b>HEADHUNTER 6</b> |             |                   |                        |        |             |
| 7715-D0             | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm |             |
| 7715-60             | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 100 cm | bumper tip  |
| 5575-D3             | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |             |
| 5575-43             | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |             |

HEADHUNTER 1



HEADHUNTER 3



HEADHUNTER 5



HEADHUNTER 6



## PERFORMA® NEWTON CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Description |
|------------------|-------------|-------------------|------------------------|--------|-------------|
|------------------|-------------|-------------------|------------------------|--------|-------------|

### NEWTON 1

|         |   |               |                 |        |            |
|---------|---|---------------|-----------------|--------|------------|
| 7722-A0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 100 cm |            |
| 7722-10 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 100 cm | bumper tip |
| 5577-A3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 100 cm |            |
| 5577-13 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm |            |



### NEWTON 2

|         |   |               |                 |        |            |
|---------|---|---------------|-----------------|--------|------------|
| 7722-B0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 100 cm |            |
| 7722-20 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 100 cm | bumper tip |
| 5577-B3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 100 cm |            |
| 5577-23 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm |            |



### NEWTON 3

|         |   |               |                 |        |            |
|---------|---|---------------|-----------------|--------|------------|
| 7722-C0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 100 cm |            |
| 7722-30 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 100 cm | bumper tip |
| 5577-C3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 100 cm |            |
| 5577-33 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm |            |



### NEWTON 4

|         |   |               |                 |        |            |
|---------|---|---------------|-----------------|--------|------------|
| 7722-D0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 100 cm |            |
| 7722-40 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 100 cm | bumper tip |
| 5577-D3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 100 cm |            |
| 5577-43 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm |            |



### NEWTON 5

|         |   |               |                 |        |            |
|---------|---|---------------|-----------------|--------|------------|
| 7722-E0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 100 cm |            |
| 7722-50 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 100 cm | bumper tip |
| 5577-E3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 100 cm |            |
| 5577-53 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm |            |




## PERFORMA® BENTSON CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Description |
|------------------|-------------|-------------------|------------------------|--------|-------------|
| <b>BENTSON 1</b> |             |                   |                        |        |             |
| 7721-A0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm |             |
| 7721-10          | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 100 cm | bumper tip  |
| 5578-A3          | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |             |
| 5578-13          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |             |




### BENTSON 2

|         |   |               |                 |        |            |
|---------|---|---------------|-----------------|--------|------------|
| 7721-B0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 100 cm |            |
| 7721-20 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 100 cm | bumper tip |
| 5578-B3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 100 cm |            |
| 5578-23 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm |            |



### BENTSON 3

|         |   |               |                 |        |            |
|---------|---|---------------|-----------------|--------|------------|
| 7721-C0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 100 cm |            |
| 7721-30 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 100 cm | bumper tip |
| 5578-C3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 100 cm |            |
| 5578-33 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm |            |



## PERFORMA® MANI CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Description |
|------------------|-------------|-------------------|------------------------|--------|-------------|
| 7716-A0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm |             |
| 7716-10          | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 100 cm | bumper tip  |
| 5579-A3          | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |             |
| 5579-13          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |             |



## PERFORMA® VERTEBRAL CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Description |
|------------------|-------------|-------------------|------------------------|--------|-------------|
| 7717-A0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 65 cm  |             |
| 7717-10          | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 65 cm  | bumper tip  |
| 7717-C0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 80 cm  |             |
| 7717-30          | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 80 cm  | bumper tip  |
| 7717-B0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm |             |
| 7717-20          | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 100 cm | bumper tip  |
| 5583-B3          | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 65 cm  |             |
| 5583-23          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  |             |
| 5583-A3          | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |             |
| 5583-13          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |             |



## PERFORMA® MODIFIED CEREBRAL CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Description |
|------------------|-------------|-------------------|------------------------|--------|-------------|
| 7723-A0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 90 cm  |             |
| 7723-10          | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 90 cm  | bumper tip  |
| 5588-A3          | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |             |
| 5588-13          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |             |

MODIFIED CEREBRAL



## PERFORMA® BERENSTEIN CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Description |
|------------------|-------------|-------------------|------------------------|--------|-------------|
| 7718-C0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 40 cm  |             |
| 7718-30          | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 40 cm  | bumper tip  |
| 7718-B0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 65 cm  |             |
| 7718-20          | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 65 cm  | bumper tip  |
| 7718-A0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm |             |
| 7718-10          | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 100 cm | bumper tip  |
| 5592-C3          | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 40 cm  |             |
| 5592-33          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 40 cm  |             |
| 5592-B3          | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 65 cm  |             |
| 5592-23          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  |             |
| 5592-A3          | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |             |
| 5592-13          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |             |

BERENSTEIN



## PERFORMA® STRAIGHT SELECTIVE CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Description |
|------------------|-------------|-------------------|------------------------|--------|-------------|
| 7748-A0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 110 cm |             |
| 7748-13          | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 110 cm | bumper tip  |

STRAIGHT SELECTIVE



## PERFORMA® MW2 CATHETERS

### MW2

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 7745-10          | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 40 cm  | 2               | bumper tip  |
| 5590-13          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 40 cm  | -               |             |
| 5590-23          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  | -               |             |
| 5590-33          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm | -               |             |

### MODIFIED MW2

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 7745-A0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 40 cm  | 2               |             |
| 7745-B0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 65 cm  | 2               |             |
| 7745-C0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm | 2               |             |



MW2



MODIFIED MW2

## PERFORMA® OSBORN CATHETERS


| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Description |
|------------------|-------------|-------------------|------------------------|--------|-------------|
|------------------|-------------|-------------------|------------------------|--------|-------------|

### OSBORN 1

|         |   |               |                 |        |            |
|---------|---|---------------|-----------------|--------|------------|
| 7746-A0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 100 cm |            |
| 7746-10 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 100 cm | bumper tip |

### OSBORN 2

|         |   |               |                 |        |            |
|---------|---|---------------|-----------------|--------|------------|
| 7746-B0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm  |            |
| 7746-20 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm  | bumper tip |
| 7746-C0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 100 cm |            |
| 7746-30 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 100 cm | bumper tip |



OSBORN 1



OSBORN 2

## PERFORMA® HOOK CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|

### HOOK 0.8

|         |   |               |                 |       |   |            |
|---------|---|---------------|-----------------|-------|---|------------|
| 7711-A0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 7711-10 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm | 2 | bumper tip |
| 5585-A3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 5585-13 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | 2 |            |

### HOOK 1.0

|         |   |               |                 |       |   |            |
|---------|---|---------------|-----------------|-------|---|------------|
| 7711-B0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 7711-20 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm | 2 | bumper tip |
| 5585-B3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 5585-23 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | 2 |            |




HOOK 0.8



HOOK 1.0


## PERFORMA® MODIFIED HOOK SELECTIVE CATHETERS

| Catalogue Number       | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------------|-------------|-------------------|------------------------|--------|
| <b>MODIFIED HOOK 1</b> |             |                   |                        |        |
| 5585-C3                | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 80 cm  |
| <b>MODIFIED HOOK 2</b> |             |                   |                        |        |
| 5585-D3                | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 80 cm  |
| <b>MODIFIED HOOK 3</b> |             |                   |                        |        |
| 5585-E3                | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 80 cm  |



## PERFORMA® SIMMONS CATHETERS

| Catalogue Number            | French Size | Internal Diameter | Recommended Guide Wire | Length | Description |
|-----------------------------|-------------|-------------------|------------------------|--------|-------------|
| <b>SIMMONS 1</b>            |             |                   |                        |        |             |
| 7720-A0                     | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm |             |
| 7720-10                     | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 100 cm | bumper tip  |
| 5576-F3                     | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 65 cm  |             |
| 5576-A3                     | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |             |
| 5576-13                     | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |             |
| <b>SIMMONS 2</b>            |             |                   |                        |        |             |
| 7720-B0                     | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm |             |
| 7720-20                     | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 100 cm | bumper tip  |
| 5576-G3                     | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 65 cm  |             |
| 5576-B3                     | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |             |
| 5576-23                     | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |             |
| <b>SIMMONS 3</b>            |             |                   |                        |        |             |
| 7720-C0                     | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm |             |
| 7720-30                     | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 100 cm | bumper tip  |
| 5576-C3                     | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |             |
| 5576-33                     | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |             |
| <b>SIMMONS 4</b>            |             |                   |                        |        |             |
| 7720-D0                     | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm |             |
| 7720-40                     | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 100 cm | bumper tip  |
| 5576-D3                     | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |             |
| 5576-43                     | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 100 cm |             |
| <b>MODIFIED SIMMONS</b>     |             |                   |                        |        |             |
| 7720-53                     | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 80 cm  | bumper tip  |
| <b>MODIFIED SIMMONS 1.5</b> |             |                   |                        |        |             |
| 7720-F0                     | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm |             |
| 7720-E0                     | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 80 cm  |             |
| 7720-70                     | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 110 cm | bumper tip  |
| 7720-80                     | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 120 cm | bumper tip  |
| 5576-E3                     | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm |             |





## PERFORMA® COBRA CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|

### COBRA 1

|         |   |               |                 |       |   |            |
|---------|---|---------------|-----------------|-------|---|------------|
| 7710-A0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 7710-10 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm | 2 | bumper tip |
| 7710-D0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm | - |            |
| 7710-40 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm | - | bumper tip |
| 5584-A3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 5584-D3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | - |            |
| 5584-13 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | - |            |
| 5584-43 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | 2 |            |

COBRA 1



### COBRA 2

|         |   |               |                 |       |   |            |
|---------|---|---------------|-----------------|-------|---|------------|
| 7710-B0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 7710-E0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm | - |            |
| 7710-20 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm | 2 | bumper tip |
| 7710-50 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm | - | bumper tip |
| 5584-B3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 5584-E3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | - |            |
| 5584-23 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | - |            |
| 5584-53 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | 2 |            |

COBRA 2



### COBRA 3

|         |   |               |                 |       |   |            |
|---------|---|---------------|-----------------|-------|---|------------|
| 7710-C0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 7710-F0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm | - |            |
| 7710-30 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm | 2 | bumper tip |
| 7710-60 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm | - | bumper tip |
| 5584-C3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 5584-F3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | - |            |
| 5584-33 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | - |            |
| 5584-63 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | 2 |            |

COBRA 3



## PERFORMA® SHEPHERD HOOK CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|

### SHEPHERD HOOK 0.8

|         |   |               |                 |       |   |            |
|---------|---|---------------|-----------------|-------|---|------------|
| 7712-A0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 7712-10 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm | 2 | bumper tip |
| 5586-A3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 5586-13 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | 2 |            |

SHEPHERD HOOK 0.8



### SHEPHERD HOOK 1.0

|         |   |               |                 |       |   |            |
|---------|---|---------------|-----------------|-------|---|------------|
| 7712-B0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 7712-20 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm | 2 | bumper tip |
| 5586-B3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 5586-23 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | 2 |            |

SHEPHERD HOOK 1.0



### SHEPHERD HOOK 1.0 MODIFIED

|         |   |               |                 |       |   |            |
|---------|---|---------------|-----------------|-------|---|------------|
| 7712-C0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 7712-D0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm | - |            |
| 7712-30 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm | 2 | bumper tip |
| 7712-40 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm | - | bumper tip |
| 5586-43 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | 2 |            |

SHEPHERD HOOK 1.0 MOD.



## PERFORMA® RENAL DOUBLE CURVE CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|

|         |   |               |                 |       |   |            |
|---------|---|---------------|-----------------|-------|---|------------|
| 7713-A0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 7713-B0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm | - |            |
| 7713-10 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm | 2 | bumper tip |
| 7713-20 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm | - | bumper tip |
| 5587-A3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm | 2 |            |
| 5587-13 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | - |            |
| 5587-23 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 65 cm | 2 |            |

RENAL DOUBLE CURVE



## PERFORMA® HOCKEY STICK CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Tip Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|------------|-----------------|-------------|
|------------------|-------------|-------------------|------------------------|--------|------------|-----------------|-------------|

|         |   |               |                 |        |        |   |            |
|---------|---|---------------|-----------------|--------|--------|---|------------|
| 7752-10 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 100 cm | 4.5 cm | - | bumper tip |
| 7543-13 | 5 | .046"/1.17 mm | .038" (0.97 mm) | 100 cm | 4.5 cm | - |            |
| 7541-13 | 6 | .054"/1.37 mm | .038" (0.97 mm) | 100 cm | 4.5 cm | - |            |

HOCKEY STICK



## PERFORMA® AMIR MOTARJEME® CATHETERS

| Catalogue Number      | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|-----------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| <b>AMIR MOTARJEME</b> |             |                   |                        |        |                 |             |
| 7747-C0               | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 65 cm  | -               |             |
| 7747-D0               | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm | -               |             |
| 7747-E0               | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 65 cm  | 2               |             |
| 7747-F0               | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 100 cm | 2               |             |
| 5591-A3               | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 65 cm  | -               |             |
| 5591-B3               | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm | -               |             |
| 5591-C3               | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 65 cm  | 2               |             |
| 5591-D3               | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 100 cm | 2               |             |



### AMIR MOTARJEME CANE

|         |   |               |                 |        |   |            |
|---------|---|---------------|-----------------|--------|---|------------|
| 7747-B0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 65 cm  | - |            |
| 7747-20 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 65 cm  | - | bumper tip |
| 7747-A0 | 4 | .042"/1.07 mm | .035" (0.89 mm) | 100 cm | - |            |
| 7747-10 | 4 | .042"/1.07 mm | .038" (0.97 mm) | 100 cm | - | bumper tip |
| 5591-E3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 65 cm  | - |            |
| 5591-F3 | 5 | .046"/1.17 mm | .035" (0.89 mm) | 100 cm | - |            |



## PERFORMA® REUTER CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 7714-A0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 80 cm  | 2               |             |
| 7714-10          | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 80 cm  | 2               | bumper tip  |
| 7714-B0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 80 cm  | -               |             |
| 7714-20          | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 80 cm  | -               | bumper tip  |
| 5589-A3          | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 80 cm  | -               |             |
| 5589-B3          | 5           | .046"/1.17 mm     | .035" (0.89 mm)        | 80 cm  | 2               |             |
| 5589-13          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 80 cm  | -               |             |
| 5589-23          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 80 cm  | 2               |             |



## PERFORMA® MIKAELSSON CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Description |
|------------------|-------------|-------------------|------------------------|--------|-------------|
| 7719-A0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 80 cm  |             |
| 7719-10          | 4           | .042"/1.07 mm     | .038" (0.97 mm)        | 80 cm  | bumper tip  |
| 5594-13          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 80 cm  |             |



MIKAELSSON

## PERFORMA® KA CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Description            |
|------------------|-------------|-------------------|------------------------|--------|------------------------|
| 5582-23          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  |                        |
| 5582-33          | 5           | .052"/1.32 mm     | .038" (0.97 mm)        | 65 cm  | high-flow, non-braided |



KA

## PERFORMA® KA2 CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 5582-13          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 40 cm  |
| 5582-43          | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 65 cm  |
| 7514-13          | 6           | .054"/1.37 mm     | .038" (0.97 mm)        | 40 cm  |
| 7514-23          | 6           | .054"/1.37 mm     | .038" (0.97 mm)        | 65 cm  |



KA2

## PERFORMA® DVS A1 CATHETERS (10 CM TAPER TIP)

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 5595-13          | 5           | .046"/1.12 mm     | .035" (0.89 mm)        | 65 cm  |
| 5595-33          | 5           | .046"/1.12 mm     | .035" (0.89 mm)        | 100 cm |
| 5595-23          | 5           | .046"/1.12 mm     | .038" (0.97 mm)        | 65 cm  |
| 5595-43          | 5           | .046"/1.12 mm     | .038" (0.97 mm)        | 100 cm |



DVS A1

## PERFORMA® DVS A2 CATHETERS (15 CM TAPER TIP)


| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length |
|------------------|-------------|-------------------|------------------------|--------|
| 5595-A3          | 5           | .046"/1.12 mm     | .035" (0.89 mm)        | 65 cm  |
| 5595-C3          | 5           | .046"/1.12 mm     | .035" (0.89 mm)        | 100 cm |
| 5595-B3          | 5           | .046"/1.12 mm     | .038" (0.97 mm)        | 65 cm  |
| 5595-D3          | 5           | .046"/1.12 mm     | .038" (0.97 mm)        | 100 cm |



DVS A2

## PERFORMA® UHF SHEPHERD FLUSH CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 7602-A1          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | 6               | non-braided |
| 7602-B1          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 90 cm  | 6               | non-braided |
| 7602-C1          | 5           | .052"/1.32 mm     | .038" (0.97 mm)        | 65 cm  | 6               | non-braided |
| 7602-D1          | 5           | .052"/1.32 mm     | .038" (0.97 mm)        | 90 cm  | 6               | non-braided |



SHEPHERD FLUSH

## PERFORMA® ULTRA BOLUS FLUSH CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 7674-11          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | 10              | non-braided |
| 7674-21          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 90 cm  | 10              | non-braided |
| 7674-31          | 5           | .052"/1.32 mm     | .038" (0.97 mm)        | 65 cm  | 10              | non-braided |
| 7674-41          | 5           | .052"/1.32 mm     | .038" (0.97 mm)        | 90 cm  | 10              | non-braided |



ULTRA BOLUS FLUSH

## PERFORMA® ULTRA HIGH FLOW PIGTAIL CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 7602-41          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | 10              | non-braided |
| 7602-51          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 90 cm  | 10              | non-braided |
| 7602-61          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 110 cm | 10              | non-braided |
| 7602-71          | 5           | .052"/1.32 mm     | .038" (0.97 mm)        | 65 cm  | 10              | non-braided |
| 7602-81          | 5           | .052"/1.32 mm     | .038" (0.97 mm)        | 90 cm  | 10              | non-braided |
| 7602-91          | 5           | .052"/1.32 mm     | .038" (0.97 mm)        | 110 cm | 10              | non-braided |



PIGTAIL

## PERFORMA® PIGTAIL FLUSH CATHETER

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 7749-A0          | 4           | .042"/1.07 mm     | .035" (0.89 mm)        | 80 cm  | 10              | braided     |



PIGTAIL

## PERFORMA® STRAIGHT FLUSH CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 7673-11          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | 10              | non-braided |
| 7673-21          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 90 cm  | 10              | non-braided |
| 7673-31          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | -               | non-braided |
| 7673-41          | 5           | .052"/1.32 mm     | .038" (0.97 mm)        | 65 cm  | 10              | non-braided |
| 7673-51          | 5           | .052"/1.32 mm     | .038" (0.97 mm)        | 90 cm  | 10              | non-braided |
| 7673-61          | 5           | .052"/1.32 mm     | .038" (0.97 mm)        | 65 cm  | -               | non-braided |

STRAIGHT



## PERFORMA® MODIFIED HOOK FLUSH CATHETERS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------|
| 7603-A1          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | 6               | non-braided |
| 7603-B1          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 90 cm  | 6               | non-braided |
| 7603-C1          | 5           | .052"/1.32 mm     | .038" (0.97 mm)        | 65 cm  | 6               | non-braided |
| 7603-D1          | 5           | .052"/1.32 mm     | .038" (0.97 mm)        | 90 cm  | 6               | non-braided |

MODIFIED HOOK FLUSH






# PERFORMA® VESSEL-SIZING CATHETERS

## ALL SIDE PORTS BETWEEN TIP AND FIRST BAND

Vessel-Sizing Catheters (marker catheters) are designed to provide accurate measurement of the patient's anatomy and will take the guesswork out of selecting appropriate interventional devices. Making the correct sizing decisions save time and produces better patient outcomes.

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Bands and Spacing | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------------|-------------|
| <b>2 BAND</b>    |             |                   |                        |        |                 |                   |             |
| 7742-2M65SH      | 4           | .041"/1.04 mm     | .035" (0.89 mm)        | 65 cm  | 5               | 2 (2 cm apart)    | Pigtail     |
| 7742-2M100SH     | 4           | .041"/1.04 mm     | .035" (0.89 mm)        | 100 cm | 5               | 2 (2 cm apart)    | Pigtail     |
| 7744-2M65SH      | 4           | .041"/1.04 mm     | .035" (0.89 mm)        | 65 cm  | 5               | 2 (2 cm apart)    | Straight    |
| 7744-2M100SH     | 4           | .041"/1.04 mm     | .035" (0.89 mm)        | 100 cm | 5               | 2 (2 cm apart)    | Straight    |
| 7743-2M65SH      | 4           | .041"/1.04 mm     | .035" (0.89 mm)        | 65 cm  | 5               | 2 (2 cm apart)    | Ultra Bolus |
| 7743-2M100SH     | 4           | .041"/1.04 mm     | .035" (0.89 mm)        | 100 cm | 5               | 2 (2 cm apart)    | Ultra Bolus |
| 7755-2M65        | 4           | .041"/1.04 mm     | .035" (0.89 mm)        | 65 cm  | 6               | 2 (2 cm apart)    | Mod. Hook   |
| 7755-2M100       | 4           | .041"/1.04 mm     | .035" (0.89 mm)        | 100 cm | 6               | 2 (2 cm apart)    | Mod. Hook   |
| 7602-2M65        | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | 10              | 2 (2 cm apart)    | Pigtail     |
| 7602-2M          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 100 cm | 10              | 2 (2 cm apart)    | Pigtail     |
| 7674-2M65        | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | 10              | 2 (2 cm apart)    | Ultra Bolus |
| 7674-2M          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 100 cm | 10              | 2 (2 cm apart)    | Ultra Bolus |
| 7673-2M65        | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | 10              | 2 (2 cm apart)    | Straight    |
| 7673-2M          | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 100 cm | 10              | 2 (2 cm apart)    | Straight    |
| 7603-2M65        | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | 6               | 2 (2 cm apart)    | Mod. Hook   |
| 7603-2M100       | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 100 cm | 6               | 2 (2 cm apart)    | Mod. Hook   |



## 11 BAND

|               |   |               |                 |        |    |                 |           |
|---------------|---|---------------|-----------------|--------|----|-----------------|-----------|
| 7602-11M65    | 5 | .052"/1.32 mm | .035" (0.89 mm) | 65 cm  | 10 | 11 (1 cm apart) | Pigtail   |
| 7602-11M      | 5 | .052"/1.32 mm | .035" (0.89 mm) | 100 cm | 10 | 11 (1 cm apart) | Pigtail   |
| 7673-11M65SH  | 5 | .052"/1.32 mm | .035" (0.89 mm) | 65 cm  | 10 | 11 (1 cm apart) | Straight  |
| 7673-11M100SH | 5 | .052"/1.32 mm | .035" (0.89 mm) | 100 cm | 10 | 11 (1 cm apart) | Straight  |
| 7603-11M65    | 5 | .052"/1.32 mm | .035" (0.89 mm) | 65 cm  | 6  | 11 (1 cm apart) | Mod. Hook |
| 7603-11M100   | 5 | .052"/1.32 mm | .035" (0.89 mm) | 100 cm | 6  | 11 (1 cm apart) | Mod. Hook |



## 20 BAND

|               |   |               |                 |        |    |                 |           |
|---------------|---|---------------|-----------------|--------|----|-----------------|-----------|
| 7742-20M65SH  | 4 | .041"/1.04 mm | .035" (0.89 mm) | 65 cm  | 5  | 20 (1 cm apart) | Pigtail   |
| 7742-20M100SH | 4 | .041"/1.04 mm | .035" (0.89 mm) | 100 cm | 5  | 20 (1 cm apart) | Pigtail   |
| 7602-20M65    | 5 | .052"/1.32 mm | .035" (0.89 mm) | 65 cm  | 10 | 20 (1 cm apart) | Pigtail   |
| 7602-20M      | 5 | .052"/1.32 mm | .035" (0.89 mm) | 100 cm | 10 | 20 (1 cm apart) | Pigtail   |
| 7602-20M65SH  | 5 | .052"/1.32 mm | .035" (0.89 mm) | 65 cm  | 5  | 20 (1 cm apart) | Pigtail   |
| 7602-20M100SH | 5 | .052"/1.32 mm | .035" (0.89 mm) | 100 cm | 5  | 20 (1 cm apart) | Pigtail   |
| 7673-20M65SH  | 5 | .052"/1.32 mm | .035" (0.89 mm) | 65 cm  | 10 | 20 (1 cm apart) | Straight  |
| 7673-20M100SH | 5 | .052"/1.32 mm | .035" (0.89 mm) | 100 cm | 10 | 20 (1 cm apart) | Straight  |
| 7603-20M65SH  | 5 | .052"/1.32 mm | .035" (0.89 mm) | 65 cm  | 6  | 20 (1 cm apart) | Mod. Hook |
| 7603-20M100SH | 5 | .052"/1.32 mm | .035" (0.89 mm) | 100 cm | 6  | 20 (1 cm apart) | Mod. Hook |







SH suffix identifies marker bands that are 16 mm closer to the distal end.

# PERFORMA® VESSEL-SIZING CATHETERS

ALL SIDE PORTS BETWEEN BANDS

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Bands and Spacing | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------------|-------------|
| <b>2 BAND**</b>  |             |                   |                        |        |                 |                   |             |
| 56535AVS2PIG     | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | 10              | 2 (2 cm apart)    | Pigtail     |
| 510035AVS2PIG    | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 100 cm | 10              | 2 (2 cm apart)    | Pigtail     |
| 56535AVS2STR     | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | 10              | 2 (2 cm apart)    | Straight    |
| 510035AVS2STR    | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 100 cm | 10              | 2 (2 cm apart)    | Straight    |
| 56535AVS2MHK     | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | 6               | 2 (2 cm apart)    | Mod. Hook   |
| 510035AVS2MHK    | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 100 cm | 6               | 2 (2 cm apart)    | Mod. Hook   |



## Standard Configuration

Platinum marker bands are placed at the distal portion of the catheter to determine accurate vessel sizing.



## SH Configuration

Platinum marker bands are positioned closer to the pigtail curve allowing bands to be visualised closer to the vessel.



## AVS Configuration

Platinum marker bands have side ports placed between bands to allow quick contrast filling of the vessel while visualising the marker bands.

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | # of Side Ports | Bands and Spacing | Description |
|------------------|-------------|-------------------|------------------------|--------|-----------------|-------------------|-------------|
| <b>20 BAND**</b> |             |                   |                        |        |                 |                   |             |
| 46535AVS20MHK    | 4           | .041"/1.04 mm     | .035" (0.89 mm)        | 65 cm  | 6               | 20 (1 cm apart)   | Mod. Hook   |
| 56535AVS20PIG    | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | 10              | 20 (1 cm apart)   | Pigtail     |
| 510035AVS20PIG   | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 100 cm | 10              | 20 (1 cm apart)   | Pigtail     |
| 56535AVS20MHK    | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 65 cm  | 6               | 20 (1 cm apart)   | Mod. Hook   |
| 510035AVS20MHK   | 5           | .052"/1.32 mm     | .035" (0.89 mm)        | 100 cm | 6               | 20 (1 cm apart)   | Mod. Hook   |



\*\* Platinum marker bands have side ports placed between bands to allow quick contrast filling of the vessel while visualising the marker bands.



## HIGH PRESSURE FLOW CONTROL SWITCH

The Merit Medical High Pressure Flow Control Switch gives you the confidence you need when stopping and starting flow during critical procedures. This feature-rich, integrated, one-handed, single-channel device is designed with clinician and patient safety in mind. Packaged 24 units per box.



**Catalogue Number** U1SHC

## CT TRANSFER SETS


Merit Medical's line of CT Transfer Sets are interchangeable for use with either contrast or saline solutions. The CT Transfer Set features a wide base for insertion support when placing into the contrast bottle. Available with a large bore piercing spike and a large wing, swabbable valve. The saline transfer set has a longer, sharper spike tip for easier insertion into IV solution bags and a blue safety stripe for identification.



**Catalogue Number**

TS120


Contrast spike with 20" (50 cm) small bore tubing and HALKEY-ROBERTS® brand swabbable valve. Packaged 50/box, 4 boxes/case.



**Catalogue Number**

TS220


Saline spike with 20" (50 cm) small bore blue stripe tubing and HALKEY-ROBERTS® brand swabbable valve. Packaged 20/box, 4 boxes/case.



**Catalogue Number**

TS520L


Saline spike with 20" (50 cm) large bore tubing and HALKEY-ROBERTS® brand swabbable valve. Packaged 20/box, 4 boxes/case



**Catalogue Number**

K08-01961B


Vented, valved spike with 20" (50 cm) small bore tubing and nexus Luer. Packaged 25/box, 4 boxes/case.



**Catalogue Number**

K08-02195A

Vented, valved spike with 20" (50 cm) small bore blue stripe tubing and nexus Luer. Packaged 25/box, 4 boxes/case.



HALKEY-ROBERTS® is a registered trademark of Halkey-Roberts Corporation.

## MERIT MAESTRO® MICROCATHETERS

The Merit Maestro is a multipurpose microcatheter designed for use in peripheral and coronary vasculature. It features a hydrophilic coating for smooth traction through tortuous anatomy, a radiopaque marker for easy identification of the distal tip, and an exclusive swan neck design to help seat the catheter in the vessel.



| Catalogue Number            | Proximal | Distal | Length cm | Tip       | Minimum Inner Diameter | Recommended Guide Wire | Recommended Guiding Catheter |
|-----------------------------|----------|--------|-----------|-----------|------------------------|------------------------|------------------------------|
| <b>2.8F TAPERED TO 2.4F</b> |          |        |           |           |                        |                        |                              |
| 28MC24110ST                 | 2.8      | 2.4    | 110       | Straight  | .020" (0.52 mm)        | .018" (0.46 mm)        | .040" (1.02 mm)              |
| 28MC24130ST                 | 2.8      | 2.4    | 130       | Straight  | .020" (0.52 mm)        | .018" (0.46 mm)        | .040" (1.02 mm)              |
| 28MC24150ST                 | 2.8      | 2.4    | 150       | Straight  | .020" (0.52 mm)        | .018" (0.46 mm)        | .040" (1.02 mm)              |
| 28MC2411045                 | 2.8      | 2.4    | 110       | 45 degree | .020" (0.52 mm)        | .018" (0.46 mm)        | .040" (1.02 mm)              |
| 28MC2413045                 | 2.8      | 2.4    | 130       | 45 degree | .020" (0.52 mm)        | .018" (0.46 mm)        | .040" (1.02 mm)              |
| 28MC2415045                 | 2.8      | 2.4    | 150       | 45 degree | .020" (0.52 mm)        | .018" (0.46 mm)        | .040" (1.02 mm)              |
| 28MC24110SN                 | 2.8      | 2.4    | 110       | Swan Neck | .020" (0.52 mm)        | .018" (0.46 mm)        | .040" (1.02 mm)              |
| 28MC24130SN                 | 2.8      | 2.4    | 130       | Swan Neck | .020" (0.52 mm)        | .018" (0.46 mm)        | .040" (1.02 mm)              |
| 28MC24150SN                 | 2.8      | 2.4    | 150       | Swan Neck | .020" (0.52 mm)        | .018" (0.46 mm)        | .040" (1.02 mm)              |

### 2.8F NO TAPER

|             |     |     |     |           |                 |                 |                 |
|-------------|-----|-----|-----|-----------|-----------------|-----------------|-----------------|
| 28MC28110ST | 2.8 | 2.8 | 110 | Straight  | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC28130ST | 2.8 | 2.8 | 130 | Straight  | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC28150ST | 2.8 | 2.8 | 150 | Straight  | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC2811045 | 2.8 | 2.8 | 110 | 45 degree | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC2813045 | 2.8 | 2.8 | 130 | 45 degree | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC2815045 | 2.8 | 2.8 | 150 | 45 degree | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC28110SN | 2.8 | 2.8 | 110 | Swan Neck | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC28130SN | 2.8 | 2.8 | 130 | Swan Neck | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC28150SN | 2.8 | 2.8 | 150 | Swan Neck | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |


### 2.9F NO TAPER

|             |     |     |     |           |                 |                 |                 |
|-------------|-----|-----|-----|-----------|-----------------|-----------------|-----------------|
| 29MC29110ST | 2.9 | 2.9 | 110 | Straight  | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC29130ST | 2.9 | 2.9 | 130 | Straight  | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC29150ST | 2.9 | 2.9 | 150 | Straight  | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC2911045 | 2.9 | 2.9 | 110 | 45 degree | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC2913045 | 2.9 | 2.9 | 130 | 45 degree | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC2915045 | 2.9 | 2.9 | 150 | 45 degree | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC29110SN | 2.9 | 2.9 | 110 | Swan Neck | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC29130SN | 2.9 | 2.9 | 130 | Swan Neck | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC29150SN | 2.9 | 2.9 | 150 | Swan Neck | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |

All Merit Maestro Microcatheters are rated to 800 psi infusion dynamic pressure. Microcatheters sold individually; 1 per box.

## MEDALLION® SYRINGES

Merit Medical's Medallion syringes come in seven colour options with custom printing, or a frosted field for writing information directly on the syringe barrel. The Medallion Syringe features a clear polycarbonate barrel, coloured plunger, and fixed male Luer. Packaged 25 units per box, 4 boxes per case.



MSS011-LG

| Plunger Colours | 1 mL | 3 mL | 6 mL | 10 mL | 20 mL | 30 mL | 60 mL |
|-----------------|------|------|------|-------|-------|-------|-------|
|-----------------|------|------|------|-------|-------|-------|-------|

|             |           |           |           |           |           |           |        |
|-------------|-----------|-----------|-----------|-----------|-----------|-----------|--------|
| White       | MSS011    | MSS031    | MSS061    | MSS111    | MSS121    | MSS131    | MSS160 |
| Light Blue  | MSS011-LB | MSS031-LB | MSS061-LB | MSS111-LB | MSS121-LB | MSS131-LB |        |
| Yellow      | MSS011-Y  | MSS031-Y  | MSS061-Y  | MSS111-Y  | MSS121-Y  | MSS131-Y  |        |
| Red         | MSS011-R  | MSS031-R  | MSS061-R  | MSS111-R  | MSS121-R  | MSS131-R  |        |
| Light Green | MSS011-LG | MSS031-LG | MSS061-LG | MSS111-LG | MSS121-LG | MSS131-LG |        |
| Dark Green  | MSS011-DG | MSS031-DG | MSS061-DG | MSS111-DG | MSS121-DG | MSS131-DG |        |
| Purple      | MSS011-PR | MSS031-PR | MSS061-PR | MSS111-PR | MSS121-PR | MSS131-PR |        |

**MEDALLION SYRINGES** with clear polycarbonate barrel, coloured plunger, black medication printing, and fixed male Luer. Packaged 25 units per box, 4 boxes per case.


| Plunger Colours | NITRO (10 mL) | LIDOCAINE (10 mL) | HEPARIN (10 mL) | CONTRAST (10 mL) | SALINE (10 mL) |
|-----------------|---------------|-------------------|-----------------|------------------|----------------|
|-----------------|---------------|-------------------|-----------------|------------------|----------------|

|             |           |           |           |           |           |
|-------------|-----------|-----------|-----------|-----------|-----------|
| Light Blue  | K01-60085 | K01-60081 | K01-60082 | K01-60086 | K01-60083 |
| Yellow      | K01-60101 | K01-60097 | K01-60098 | K01-60102 | K01-60099 |
| Red         | K01-60109 | K01-60105 | K01-60106 | K01-60110 |           |
| White       | K01-60077 |           |           | K01-60078 | K01-60075 |
| Light Green | K01-60093 | K01-60089 | K01-60090 | K01-60094 |           |
| Dark Green  |           |           |           | K01-00786 |           |

| Plunger Colours | FENTANYL (3 mL) | XYLOCAINE (10 mL) | VERSED (3 mL) | FLUSH (10 mL) |
|-----------------|-----------------|-------------------|---------------|---------------|
| Light Blue      |                 | K01-00917         | K01-05185     | K01-05093     |
| Red             |                 | K01-00953         |               |               |
| Light Green     | K01-03243       |                   |               |               |

MEDALLION® SWORD HANDLE SYRINGES

Medallion Sword Handle Syringes feature sword handles, clear polycarbonate barrels, coloured plungers, and fixed male Luers. Packaged 25 units per box, 4 boxes per case.



| Plunger Colours | 10 mL     | 20 mL     |
|-----------------|-----------|-----------|
| White           | MSSW11    | MSSW21    |
| Light Blue      | MSSW11-LB | MSSW21-LB |
| Yellow          | MSSW11-Y  | MSSW21-Y  |
| Red             | MSSW11-R  | MSSW21-R  |
| Light Green     | MSSW11-LG | MSSW21-LG |
| Dark Green      | MSSW11-DG | MSSW21-DG |
| Purple          | MSSW11-PR | MSSW21-PR |



MSSW11-Y

ANGIOGRAPHY

MEDALLION® FROSTED FIELD SYRINGES & PEN

The Medallion Frosted Field Syringe allows doctors or clinicians to write additional pertinent information on the barrel. The syringe features a clear polycarbonate barrel, white plunger, white frosted field, and fixed male Luer. Packaged 25 units per box, 4 boxes per case.



| Catalogue Number | 1 mL    | 3 mL    | 6 mL    | 10 mL   | 20 mL   | 30 mL   | 60 mL   |
|------------------|---------|---------|---------|---------|---------|---------|---------|
|                  | MSSF011 | MSSF031 | MSSF061 | MSSF111 | MSSF121 | MSSF131 | MSSF160 |

PEN for labeling Medallion Frosted Field Syringes.



Catalogue Number K13-00476


Packaged 25 units per box, 4 boxes per case.

# CUSTOM MEDALLION® SYRINGES


Merit Medical’s signature Medallion Syringes can be custom ordered to your specifications. Medallion Syringes come with a clear polycarbonate barrel, coloured plunger, customised medication printing, and Luer options including fixed male or slip Luer styles.

Select one option from each category and identify your custom medication to be printed on the barrel. Your Merit Representative will provide you with the corresponding catalogue number.

Custom Medallion Syringes are packaged 25 units per box, 4 boxes per case.



SIZE  
OPTIONS



PLUNGER COLOUR OPTIONS:

- White
- Light Blue
- Light Green
- Dark Green
- Yellow
- Red
- Purple

\*60 mL plunger is only available in white, light blue or red.

PRINT COLOUR OPTIONS:

- Black
- White

LUER OPTIONS:

- Fixed Male Luer
- Slip Luer



## VACLOK® VACUUM PRESSURE SYRINGES

The VacLok vacuum pressure syringe comes with a clear polycarbonate barrel, white plunger, four- or six-position locking mechanism and fixed male Luer. Packaged 20 or 25 units per box, 4 boxes per case.



**10 mL**  
**four position**  
**25/box**

**20 mL**  
**four position**  
**20/box**

**30 mL**  
**six position**  
**20/box**

**60 mL**  
**six position**  
**25/box**

| Catalogue Number | K01-07736 | K01-07738 | K01-07739 | K01-07740 |
|------------------|-----------|-----------|-----------|-----------|
|------------------|-----------|-----------|-----------|-----------|

# INTERVENTION

INTERVENTION





**DRAINAGE CATHETERS & ACCESSORIES**

|                                             |    |
|---------------------------------------------|----|
| MAK-NV™ Introducer System                   | 59 |
| Valve Adapter for MAK-NV                    | 60 |
| ReSolve® Biliary Locking Drainage Catheters | 61 |
| ReSolve Locking Drainage Catheters          | 62 |
| ReSolve+™ Locking Drainage Catheters        | 63 |
| Resolve Locking Drainage Catheter Trays     | 64 |
| ReSolve Non-Locking Drainage Catheters      | 65 |
| One-Step™ Centesis Catheters                | 66 |
| Safety Paracentesis Procedure Trays         | 67 |
| Thoracentesis and Paracentesis Sets         | 68 |

**CATHETER ACCESSORIES**

|                                        |    |
|----------------------------------------|----|
| Revolution™ Catheter Securement Device | 69 |
| StayFIX® Fixation Device               | 69 |

**DRAINAGE ACCESSORIES**

|                                     |    |
|-------------------------------------|----|
| Merit Drainage Depot™ Drainage Bags | 70 |
| Abscess Drainage Kit                | 70 |
| Drainage Kits                       | 70 |
| VacLok® Vacuum Pressure Syringes    | 71 |
| Marquis® Series Stopcocks           | 72 |
| Drainage Tubing                     | 72 |
| Connecting Tubes                    | 72 |

**SUPPORT CATHETERS**

|                                    |    |
|------------------------------------|----|
| Merit SureCross® Support Catheters | 73 |
|------------------------------------|----|

**INFLATION DEVICES**

|                                |    |
|--------------------------------|----|
| BasixCOMPAK™ Inflation Device  | 74 |
| BasixTOUCH™ Inflation Device   | 74 |
| BIG60™ Inflation Device        | 75 |
| Blue Diamond™ Inflation Device | 75 |

**SNARES & ACCESSORIES**

|                                       |    |
|---------------------------------------|----|
| EN Snare® Endovascular Snare Systems  | 76 |
| FLO 30™ Tuohy Borst Valved Adapter    | 76 |
| ONE Snare® Endovascular Snare Systems | 77 |

**HAEMODIALYSIS & PERITONEAL DIALYSIS CATHETERS & ACCESSORIES**

|                                                        |    |
|--------------------------------------------------------|----|
| Merit Advance® Curved Needles                          | 78 |
| Prelude® Short Sheath Introducers                      | 79 |
| Impress® 30 cm Catheters                               | 80 |
| Centros® & CentrosFLO® Catheters                       | 81 |
| ProGuide™ Chronic Dialysis Catheters                   | 82 |
| ProGuide Basic Kits                                    | 82 |
| ProGuide Complete Kits                                 | 83 |
| ProGuide Complete Kits with Mini Access Kit            | 84 |
| OuTake® Catheter Extraction Tool                       | 84 |
| Peritoneal Dialysis Catheters                          | 85 |
| Peritoneal Dialysis Accessories & Implantation Systems | 86 |
| Slip-Not® Suture Retention Device                      | 87 |

**THERAPEUTIC INFUSION SYSTEMS**

|                                     |       |
|-------------------------------------|-------|
| 4 French Fountain® Infusion Systems | 88    |
| 5 French Fountain Infusion Systems  | 89    |
| Fountain Infusion Catheters         | 90    |
| Fountain Occluding Wires            | 91    |
| Squirt® Fluid Dispensing System     | 91    |
| Pulse Infusion Kits                 | 91-92 |
| Mistique® Infusion Catheters        | 92    |




## MAK-NV™ (MINI ACCESS KIT, NON-VASCULAR) INTRODUCER SYSTEMS


The MAK-NV introducer system is designed for easy visualisation and quick access into the drainage area. For enhanced visibility, the device features an echo-enhanced needle and radiopaque marker tip on the introducer. Excellent transitions decrease buckling for a smooth insertion. Packaged 5 or 10 units per box.




Coaxial Introducer with Dilator and Stiffening Cannula



.018" (0.46 mm) Guide Wire with Platinum Tip



Introducer Needle with Trocar Stylet



Introducer Needle with Chiba Stylet



0.038" (0.97 mm) 3 mm J Guide Wire  
Heavy Duty Double Ended

| Catalogue Number | Introducer | Dilator | Guide Wire<br>0.018" (0.46 mm)<br>x 60 cm | Guide Wire<br>Heavy Duty/Double Ended<br>0.038" (0.97 mm) 3mm J | Needle             |
|------------------|------------|---------|-------------------------------------------|-----------------------------------------------------------------|--------------------|
| MAK-NV-001       | 6F x 20 cm | 4F      | SS/PT                                     | 150 cm                                                          | 21G x 15 cm Trocar |
| MAK-NV-002       | 6F x 20 cm | 4F      | NT/PT                                     | 150 cm                                                          | 21G x 15 cm Trocar |
| MAK-NV-003       | 6F x 20 cm | 4F      | SS/PT                                     | –                                                               | 21G x 15 cm Trocar |
| MAK-NV-004       | 6F x 20 cm | 4F      | NT/PT                                     | –                                                               | 21G x 15 cm Trocar |
| MAK-NV-005*      | –          | –       | –                                         | –                                                               | 21G x 15 cm Trocar |
| MAK-NV-006*      | 6F x 20 cm | 4F      | –                                         | –                                                               | 21G x 15 cm Trocar |
| MAK-NV-007*      | 6F x 20 cm | 4F      | –                                         | –                                                               | –                  |
| MAK-NV-008       | 6F x 20 cm | 4F      | SS/PT                                     | 80 cm                                                           | 21G x 15 cm Trocar |
| MAK-NV-009       | 6F x 20 cm | 4F      | NT/PT                                     | 80 cm                                                           | 21G x 15 cm Trocar |
| MAK-NV-010       | 6F x 20 cm | 4F      | SS/PT                                     | 150 cm                                                          | 21G x 15 cm Chiba  |
| MAK-NV-011       | 6F x 20 cm | 4F      | NT/PT                                     | 150 cm                                                          | 21G x 15 cm Chiba  |
| MAK-NV-012       | 6F x 20 cm | 4F      | SS/PT                                     | –                                                               | 21G x 15 cm Chiba  |
| MAK-NV-013       | 6F x 20 cm | 4F      | NT/PT                                     | –                                                               | 21G x 15 cm Chiba  |
| MAK-NV-014*      | –          | –       | –                                         | –                                                               | 21G x 15 cm Chiba  |
| MAK-NV-015*      | 6F x 20 cm | 4F      | –                                         | –                                                               | 21G x 15 cm Chiba  |
| MAK-NV-016       | 6F x 20 cm | 4F      | SS/PT                                     | 80 cm                                                           | 21G x 15 cm Chiba  |
| MAK-NV-017       | 6F x 20 cm | 4F      | NT/PT                                     | 80 cm                                                           | 21G x 15 cm Chiba  |
| MAK-NV-018       | 6F x 20 cm | 4F      | SS/PT                                     | 150 cm                                                          | 21G x 20 cm Trocar |
| MAK-NV-019       | 6F x 20 cm | 4F      | NT/PT                                     | 150 cm                                                          | 21G x 20 cm Trocar |
| MAK-NV-020*      | –          | –       | –                                         | –                                                               | 21G x 20 cm Trocar |
| MAK-NV-021*      | –          | –       | –                                         | –                                                               | 21G x 20 cm Chiba  |

SS = Stainless Steel PT = Platinum Tip NT = Nitinol


Packaged 10 per box.

\*Packaged 5 per box.

## VALVE ADAPTER FOR MAK-NV™ INTRODUCER SYSTEM

Designed to be back-loaded over a guide wire and attached to the MAK-NV Introducer System to facilitate aspiration or infusion. Will accept devices up to 4F. Packaged 10 per box.

**Catalogue Number** VA-40



## RESOLVE® BILIARY LOCKING DRAINAGE CATHETERS

The Resolve® Biliary Catheter's polyurethane material allows for long-term indwelling time; large drainage holes help maximise unimpeded drainage. Depth markers and radiopaque marker band help with fast and accurate positioning. Pigtail straightener allows for easy insertion of the stiffening cannula. Hydrophilic coating facilitates smooth insertion. Packaged 5 per box.

| Catalogue Number | French Size | Drainage Location | Pigtail to Distal Shaft Drainage Hole | Drainage Holes |
|------------------|-------------|-------------------|---------------------------------------|----------------|
| RBC-8-038        | 8.5         | 14 cm             | 5 cm                                  | 17             |
| RBC-10-038       | 10          | 14 cm             | 5 cm                                  | 17             |
| RBC-12-038       | 12          | 14 cm             | 5 cm                                  | 18             |
| RBC-14-038       | 14          | 14 cm             | 5 cm                                  | 18             |
| RBDC-8-038       | 8.5         | 11 cm             | 2 cm                                  | 17             |
| RBDC-10-038      | 10          | 11 cm             | 2 cm                                  | 17             |
| RBDC-12-038      | 12          | 11 cm             | 2 cm                                  | 18             |
| RBDC-14-038      | 14          | 11 cm             | 2 cm                                  | 18             |

### WITH REVOLUTION™ CATHETER SECUREMENT DEVICE

|             |     |       |      |    |
|-------------|-----|-------|------|----|
| RBC-8-REV   | 8.5 | 14 cm | 5 cm | 17 |
| RBC-10-REV  | 10  | 14 cm | 5 cm | 17 |
| RBC-12-REV  | 12  | 14 cm | 5 cm | 18 |
| RBC-14-REV  | 14  | 14 cm | 5 cm | 18 |
| RBDC-8-REV  | 8.5 | 11 cm | 2 cm | 17 |
| RBDC-10-REV | 10  | 11 cm | 2 cm | 17 |
| RBDC-12-REV | 12  | 11 cm | 2 cm | 18 |
| RBDC-14-REV | 14  | 11 cm | 2 cm | 18 |

### WITH STAYFIX® FIXATION DEVICE

|             |     |       |      |    |
|-------------|-----|-------|------|----|
| RBC-8-SFX   | 8.5 | 14 cm | 5 cm | 17 |
| RBC-10-SFX  | 10  | 14 cm | 5 cm | 17 |
| RBC-12-SFX  | 12  | 14 cm | 5 cm | 18 |
| RBC-14-SFX  | 14  | 14 cm | 5 cm | 18 |
| RBDC-8-SFX  | 8.5 | 11 cm | 2 cm | 17 |
| RBDC-10-SFX | 10  | 11 cm | 2 cm | 17 |
| RBDC-12-SFX | 12  | 11 cm | 2 cm | 18 |
| RBDC-14-SFX | 14  | 11 cm | 2 cm | 18 |



#### Components:


- ReSolve Biliary Locking Drainage Catheter
- Metal Stiffening Cannula
- Flexible Stiffening Cannula
- Repositioning Tool

## RESOLVE® LOCKING DRAINAGE CATHETERS

The ReSolve Locking Drainage Catheters have a hydrophilic coating and tapered tip for smooth insertion. Maximum drainage is achieved via the large drainage holes. Features manual release with or without marker band. Packaged 5 per box.

### Components:

- ReSolve Locking Catheter
- Metal Stiffening Cannula
- Trocar Stylet
- Plastic Stiffening Cannula (not included with 6.5F or 7.5F catheters)
- Repositioning Tool





| Catalogue Number | French Size | Catheter Length | Accepts Guide Wire | Drainage Holes | Marker Band | Tip Configuration |
|------------------|-------------|-----------------|--------------------|----------------|-------------|-------------------|
| RLC-6-038        | 6.5         | 25 cm           | 0.038" (0.97 mm)   | 8              | -           | pigtail           |
| RLC-7-038        | 7.5         | 25 cm           | 0.038" (0.97 mm)   | 8              | -           | pigtail           |
| RLC-8-038        | 8.5         | 25 cm           | 0.038" (0.97 mm)   | 8              | -           | pigtail           |
| RLC-10-038       | 10          | 25 cm           | 0.038" (0.97 mm)   | 8              | -           | pigtail           |
| RLC-12-038       | 12          | 25 cm           | 0.038" (0.97 mm)   | 9              | -           | pigtail           |
| RLC-14-038       | 14          | 25 cm           | 0.038" (0.97 mm)   | 9              | -           | pigtail           |
| RLC15-6-038MB    | 6.5         | 15 cm           | 0.038" (0.97 mm)   | 8              | yes         | pigtail           |
| RLC15-7-038MB    | 7.5         | 15 cm           | 0.038" (0.97 mm)   | 8              | yes         | pigtail           |
| RLC15-8-038MB    | 8.5         | 15 cm           | 0.038" (0.97 mm)   | 8              | yes         | pigtail           |
| RLC15-10-038MB   | 10          | 15 cm           | 0.038" (0.97 mm)   | 8              | yes         | pigtail           |
| RLC15-12-038MB   | 12          | 15 cm           | 0.038" (0.97 mm)   | 9              | yes         | pigtail           |
| RLC15-14-038MB   | 14          | 15 cm           | 0.038" (0.97 mm)   | 9              | yes         | pigtail           |
| RLC-6-038MB      | 6.5         | 25 cm           | 0.038" (0.97 mm)   | 8              | yes         | pigtail           |
| RLC-7-038MB      | 7.5         | 25 cm           | 0.038" (0.97 mm)   | 8              | yes         | pigtail           |
| RLC-8-038MB      | 8.5         | 25 cm           | 0.038" (0.97 mm)   | 8              | yes         | pigtail           |
| RLC-10-038MB     | 10          | 25 cm           | 0.038" (0.97 mm)   | 8              | yes         | pigtail           |
| RLC-12-038MB     | 12          | 25 cm           | 0.038" (0.97 mm)   | 9              | yes         | pigtail           |
| RLC-14-038MB     | 14          | 25 cm           | 0.038" (0.97 mm)   | 9              | yes         | pigtail           |
| RLC40-6-038MB    | 6.5         | 40 cm           | 0.038" (0.97 mm)   | 8              | yes         | pigtail           |
| RLC40-7-038MB    | 7.5         | 40 cm           | 0.038" (0.97 mm)   | 8              | yes         | pigtail           |
| RLC40-8-038MB    | 8.5         | 40 cm           | 0.038" (0.97 mm)   | 8              | yes         | pigtail           |
| RLC40-10-038MB   | 10          | 40 cm           | 0.038" (0.97 mm)   | 8              | yes         | pigtail           |
| RLC40-12-038MB   | 12          | 40 cm           | 0.038" (0.97 mm)   | 9              | yes         | pigtail           |
| RLC40-14-038MB   | 14          | 40 cm           | 0.038" (0.97 mm)   | 9              | yes         | pigtail           |




## RESOLVE+™ LOCKING DRAINAGE CATHETERS


The ReSolve+ Locking Drainage Catheter provides the convenience of having the ReSolve Locking Drainage Catheter packaged with either the Revolution™ or StayFIX® catheter fixation devices. Packaged 5 per box.



Revolution



StayFIX Small




StayFIX Large

| Catalogue Number | French Size | Marker Band | Catheter Fixation Device |
|------------------|-------------|-------------|--------------------------|
| RLC-6-REV        | 6.5         | no          | Revolution               |
| RLCMB-6-REV      | 6.5         | yes         | Revolution               |
| RLC-7-REV        | 7.5         | no          | Revolution               |
| RLCMB-7-REV      | 7.5         | yes         | Revolution               |
| RLC-8-REV        | 8.5         | no          | Revolution               |
| RLCMB-8-REV      | 8.5         | yes         | Revolution               |
| RLC-10-REV       | 10          | no          | Revolution               |
| RLCMB-10-REV     | 10          | yes         | Revolution               |
| RLC-12-REV       | 12          | no          | Revolution               |
| RLCMB-12-REV     | 12          | yes         | Revolution               |
| RLC-14-REV       | 14          | no          | Revolution               |
| RLCMB-14-REV     | 14          | yes         | Revolution               |
| RLC-6-SFX        | 6.5         | no          | StayFIX (small)          |
| RLCMB-6-SFX      | 6.5         | yes         | StayFIX (small)          |
| RLC-7-SFX        | 7.5         | no          | StayFIX (small)          |
| RLCMB-7-SFX      | 7.5         | yes         | StayFIX (small)          |
| RLC-8-SFX        | 8.5         | no          | StayFIX (small)          |
| RLCMB-8-SFX      | 8.5         | yes         | StayFIX (small)          |
| RLC-10-SFX       | 10          | no          | StayFIX (small)          |
| RLCMB-10-SFX     | 10          | yes         | StayFIX (small)          |
| RLC-12-SFX       | 12          | no          | StayFIX (small)          |
| RLCMB-12-SFX     | 12          | yes         | StayFIX (small)          |
| RLC-14-SFX       | 14          | no          | StayFIX (large)          |
| RLCMB-14-SFX     | 14          | yes         | StayFIX (large)          |

## RESOLVE® LOCKING DRAINAGE CATHETER TRAYS

The trays conveniently contain the ReSolve Locking Drainage Catheter, MAK-NV™ introducer system, Merit Drainage Depot™ drainage bag, and dilators.



| Catalogue Number | French Size | 20 cm Dilator French Size | Marker Band | Securement Device |
|------------------|-------------|---------------------------|-------------|-------------------|
| RLC-NV-6         | 6.5         | -                         | no          | -                 |
| RLC-NV-8         | 8.5         | 8F                        | no          | -                 |
| RLC-NV-10        | 10          | 8F, 10F                   | no          | -                 |
| RLC-NV-12        | 12          | 8F, 10F, 12F              | no          | -                 |
| RLC-NV-14        | 14          | 8F, 10F, 12F, 14F         | no          | -                 |
| RLCMB-NV-6       | 6.5         | -                         | yes         | -                 |
| RLCMB-NV-8       | 8.5         | 8F                        | yes         | -                 |
| RLCMB-NV-10      | 10          | 8F, 10F                   | yes         | -                 |
| RLCMB-NV-12      | 12          | 8F, 10F, 12F              | yes         | -                 |
| RLCMB-NV-14      | 14          | 8F, 10F, 12F, 14F         | yes         | -                 |
| RLC-NV-6-REV     | 6.5         | -                         | no          | Revolution        |
| RLC-NV-8-REV     | 8.5         | 8F                        | no          | Revolution        |
| RLC-NV-10-REV    | 10          | 8F, 10F                   | no          | Revolution        |
| RLC-NV-12-REV    | 12          | 8F, 10F, 12F              | no          | Revolution        |
| RLC-NV-14-REV    | 14          | 8F, 10F, 12F, 14F         | no          | Revolution        |
| RLCMB-NV-6-REV   | 6.5         | -                         | yes         | Revolution        |
| RLCMB-NV-8-REV   | 8.5         | 8F                        | yes         | Revolution        |
| RLCMB-NV-10-REV  | 10          | 8F, 10F                   | yes         | Revolution        |
| RLCMB-NV-12-REV  | 12          | 8F, 10F, 12F              | yes         | Revolution        |
| RLCMB-NV-14-REV  | 14          | 8F, 10F, 12F, 14F         | yes         | Revolution        |
| RLC-NV-6-SFX     | 6.5         | -                         | no          | StayFIX (small)   |
| RLC-NV-8-SFX     | 8.5         | 8F                        | no          | StayFIX (small)   |
| RLC-NV-10-SFX    | 10          | 8F, 10F                   | no          | StayFIX (small)   |
| RLC-NV-12-SFX    | 12          | 8F, 10F, 12F              | no          | StayFIX (small)   |
| RLC-NV-14-SFX    | 14          | 8F, 10F, 12F, 14F         | no          | StayFIX (large)   |
| RLCMB-NV-6-SFX   | 6.5         | -                         | yes         | StayFIX (small)   |
| RLCMB-NV-8-SFX   | 8.5         | 8F                        | yes         | StayFIX (small)   |
| RLCMB-NV-10-SFX  | 10          | 8F, 10F                   | yes         | StayFIX (small)   |
| RLCMB-NV-12-SFX  | 12          | 8F, 10F, 12F              | yes         | StayFIX (small)   |
| RLCMB-NV-14-SFX  | 14          | 8F, 10F, 12F, 14F         | yes         | StayFIX (large)   |

# RESOLVE® NON-LOCKING DRAINAGE CATHETERS

For a smooth insertion, ReSolve catheters have a tapered tip and hydrophilic coating. Maximum drainage is achieved via the large drainage holes. Packaged individually with catheter, metal stiffening cannula and trocar stylet. Packaged 5 per box.




| Catalogue Number | French Size | Catheter Length | Accepts Guide Wire | Drainage Holes | Tip Configuration |
|------------------|-------------|-----------------|--------------------|----------------|-------------------|
| RNL-6-038S       | 6.5         | 20 cm           | 0.038" (0.97 mm)   | 4              | straight          |
| RNL-7-038S       | 7.5         | 25 cm           | 0.038" (0.97 mm)   | 4              | straight          |
| RNL-8-038S       | 8.5         | 25 cm           | 0.038" (0.97 mm)   | 4              | straight          |
| RNL-10-038S      | 10          | 25 cm           | 0.038" (0.97 mm)   | 4              | straight          |
| RNL-12-038S      | 12          | 25 cm           | 0.038" (0.97 mm)   | 5              | straight          |
| RNL-6-038J       | 6.5         | 20 cm           | 0.038" (0.97 mm)   | 4              | J curve           |
| RNL-7-038J       | 7.5         | 25 cm           | 0.038" (0.97 mm)   | 4              | J curve           |
| RNL-8-038J       | 8.5         | 25 cm           | 0.038" (0.97 mm)   | 4              | J curve           |
| RNL-10-038J      | 10          | 25 cm           | 0.038" (0.97 mm)   | 4              | J curve           |
| RNL-12-038J      | 12          | 25 cm           | 0.038" (0.97 mm)   | 5              | J curve           |

## ONE-STEP™ CENTESIS CATHETERS

The Valved One-Step has been designed to improve the comfort, efficiency, and safety of your aspiration, paracentesis, and thoracentesis procedures. The self-closing valve reduces the risk of pneumothorax and fluid leakage. The low profile, tapered tip and smooth transitions help decrease resistance and patient discomfort. An echo-enhanced needle ensures more accurate placement and four large drainage holes spiral around the catheter for more effective drainage. Available valved and non-valved. Packaged 5 units per box.



*The Valved One-Step Centesis Catheter is designed with an integrated self-sealing valve to minimise the risk of air entering the pleural space.*



OSC-4F-7L    OSC-5F-7T

### 4F WITH 20G INTRODUCER NEEDLE

| Catalogue Number | 4F 7 cm     | 4F 10 cm     | Description              |
|------------------|-------------|--------------|--------------------------|
|                  | OSC-4F-7L   | OSC-4F-10L   | Fixed Luer               |
|                  | OSC-4F-7LNH | OSC-4F-10LNH | Fixed Luer no side holes |
|                  | OSC-4F-7S   | OSC-4F-10S   | Slip Fit                 |
|                  | OSC-4F-7T   | OSC-4F-10T   | Slip Fit with valve      |
|                  | OSC-4F-7LT  | OSC-4F-10LT  | Fixed Luer with valve    |

### 5F WITH 19G INTRODUCER NEEDLE

| Catalogue Number | 5F 7 cm     | 5F 10 cm     | 5F 15 cm     | Description              |
|------------------|-------------|--------------|--------------|--------------------------|
|                  | OSC-5F-7L   | OSC-5F-10L   | OSC-5F-15L   | Fixed Luer               |
|                  | OSC-5F-7LNH | OSC-5F-10LNH | OSC-5F-15LNH | Fixed Luer no side holes |
|                  | OSC-5F-7S   | OSC-5F-10S   | OSC-5F-15S   | Slip Fit                 |
|                  | OSC-5F-7T   | OSC-5F-10T   | OSC-5F-15T   | Slip Fit with valve      |
|                  | OSC-5F-7LT  | OSC-5F-10LT  | OSC-5F-15LT  | Fixed Luer with valve    |



## SAFETY PARACENTESIS PROCEDURE TRAY

The Safety Paracentesis Procedure Tray is designed to fulfill clinical needs safely, easily, and in a time-saving way. The tray comes with or without a One-Step™ Centesis Catheter, as well as necessary products to complete a paracentesis procedure and contains three safety needles to ensure a safe working environment.

### Quantity Description:

|    |                                                                   |
|----|-------------------------------------------------------------------|
| 1  | One-Step centesis catheter<br>(not included in SPPT-100)          |
| 1  | Fenestrated Drape with Adhesive Backing                           |
| 1  | Drape Tri Layer (18" x 26" )                                      |
| 1  | 20 mL Lidocaine HCl Injection USP 1%                              |
| 1  | 18G x 1" (25.4 mm) Shielded Needle                                |
| 1  | 25G x 1" (25.4 mm) Shielded Needle                                |
| 1  | 22G x 1.5" (38.1 mm) Shielded Needle                              |
| 1  | 10 mL Luer Lock Syringe                                           |
| 10 | Gauze Pads 4" x 4" (10 cm x 10 cm)                                |
| 1  | #11 Futura® Safety Scalpel                                        |
| 1  | 60 mL Luer Lock Syringe                                           |
| 2  | Specimen Vials (10 mL)                                            |
| 1  | Non-vented Universal Cap                                          |
| 1  | Large Bore Stopcock (3-way)                                       |
| 1  | Tubing set, 48" (122 cm)<br>(with Pinch Clamp & Non-vented Spike) |
| 1  | Bandage Dressing (1"x3")                                          |
| 1  | Kinguard wrap                                                     |
| 1  | 10 mL Medallion® Syringe                                          |
| 1  | 3 mL ChloraPrep® brand tinted                                     |
| 1  | Lidocaine Label                                                   |



Packaged 5 per box.

| Catalogue Number | Catheter Included | Length | Description                 |
|------------------|-------------------|--------|-----------------------------|
| SPPT-100         | -                 | -      | without a centesis catheter |
| SPPT-5F-7L       | 5F                | 7 cm   | fixed Luer                  |
| SPPT-5F-10L      | 5F                | 10 cm  | fixed Luer                  |
| SPPT-5F-7S       | 5F                | 7 cm   | slip fit                    |
| SPPT-5F-10S      | 5F                | 10 cm  | slip fit                    |

Safety Paracentesis Procedure Trays do not have CE Marking.  
ChloraPrep® is a registered trademark of CareFusion 2200, Inc.


## THORACENTESIS AND PARACENTESIS SET

The Thoracentesis and Paracentesis Set from Merit Medical combines all the necessary components for centesis procedures in a convenient all-in-one set. Set includes the low-profile Valved One-Step™ Centesis Catheter and the components needed for drainage of fluid and specimen collection for diagnostic purposes. Merit Medical's Valved One-Step Centesis Catheter is designed with an integrated self-sealing valve to minimise the risk of air entering the pleural space and to prevent fluid leakage during thoracentesis and paracentesis.

### Quantity Description:

|    |                                                                     |
|----|---------------------------------------------------------------------|
| 1  | Valved One-Step™ Centesis Catheter<br>(not included in TAPS-100)    |
| 1  | Fenestrated Drape with Adhesive Backing                             |
| 1  | Drape Tri Layer (18" x 26" )                                        |
| 1  | 20 mL Lidocaine HCl Injection USP 1%                                |
| 1  | 18G x 1" (25.4 mm) Shielded Needle                                  |
| 1  | 25G x 1" (25.4 mm) Shielded Needle                                  |
| 1  | 22G x 1.5" (38.1 mm) Shielded Needle                                |
| 1  | 10 mL Luer Lock Syringe                                             |
| 10 | Gauze Pads 4" x 4" (10 cm x 10 cm)                                  |
| 1  | #11 Futura® Safety Scalpel                                          |
| 1  | 60 mL Luer Lock Syringe                                             |
| 2  | Specimen Vials (10 mL)                                              |
| 1  | Non-vented Female Cap                                               |
| 1  | Large Bore Stopcock (3-way)                                         |
| 1  | Tubing set, 48" (122 cm)<br>(with Pinch Clamp & Non-vented Spike)   |
| 1  | Tubing Set, 48" (122 cm)<br>(with Roller Clamp & 16G X 1.5" needle) |
| 1  | Bandage Dressing (1"x 3")                                           |
| 1  | CSR wrap                                                            |
| 1  | 10 mL Medallion® Syringe                                            |
| 1  | 3 mL ChloraPrep® brand tinted                                       |
| 1  | Lidocaine Label                                                     |

Packaged 5 per box.



| Catalogue Number | Catheter Included | Length | Description                 |
|------------------|-------------------|--------|-----------------------------|
| TAPS-100         | -                 | -      | without a centesis catheter |
| TAPS-5F-7LT      | 5                 | 7 cm   | fixed Luer                  |
| TAPS-5F-10LT     | 5                 | 10 cm  | fixed Luer                  |
| TAPS-5F-7T       | 5                 | 7 cm   | slip fit                    |
| TAPS-5F-10T      | 5                 | 10 cm  | slip fit                    |

Thoracentesis and Paracentesis Sets do not have CE Marking.  
ChloraPrep® is a registered trademark of CareFusion 2200, Inc.

## REVOLUTION™ CATHETER SECUREMENT DEVICE

The Revolution catheter securement device provides safe and secure fixation for up to seven days. Its efficient needleless design saves time (requires only four steps for securement) and provides an unobstructed view of the catheter site. Includes cap for added protection while showering.



**Catalogue Number** CFG624

Packaged 25 units per box.




## STAYFIX® FIXATION DEVICE

The StayFIX fixation device is a cost-effective, time-saving, needleless device designed to stop migration, movement, and accidental removal of a percutaneous catheter.



| Catalogue Number | Product Size | Catheter Or Tube Size | Quantity Per Box |
|------------------|--------------|-----------------------|------------------|
| 680ME            | SMALL        | 5F - 14F              | 25               |
| 685ME            | LARGE        | 12F - 22F             | 20               |



685ME

## MERIT DRAINAGE DEPOT™ DRAINAGE BAGS

The Merit Drainage Depot drainage bags have easy-to-read markings to identify fluid volume, a twist valve for easy disposal of fluids, and an internal anti-reflux valve. Available with adjustable length tubing and a VELCRO® brand leg strap to fit a variety of patient sizes. Packaged 20 units per box, 4 boxes per case.

### Catalogue Number

|        |                                  |
|--------|----------------------------------|
| MDD600 | 600 mL                           |
| FZ624  | 600 mL - with soft cloth backing |




MDD600

## ABSCCESS DRAINAGE KIT

Includes 1400 mL Merit Drainage Depot drainage bag, tubing and check relief valve. Packaged 15 units per box, 4 boxes to case.


### Catalogue Number

K10-00230B




## DRAINAGE KITS

16" (41 cm) connection tube with barbed male Luer.



Jackson-Pratt®  
100 mL bulb



Tubing Kit with  
Barbed Male Luer

### Catalogue Number

|           |                                  |                                             |
|-----------|----------------------------------|---------------------------------------------|
| K08-01907 | Jackson-Pratt® 100 mL Bulb       | Packaged 10 units per box, 4 boxes per case |
| K08-02027 | Tubing Kit with Barbed Male Luer | Packaged 25 units per box, 4 boxes per case |


### DRAINAGE KIT

MDD600 Drainage Bag with Jackson-Pratt 100 mL Bulb, 12" (30.5 cm) connection tube with barbed male Luer, 24" (61 cm) kink-resistant tubing, VELCRO® brand fasteners strap and additional barbed male Luer connector. Packaged 10 units per box, 4 boxes per case.

### Catalogue Number

K10-03450

Velcro® is a registered trademark of Velcro Industries B.V.  
Jackson-Pratt® is a registered trademark of Allegiance Corporation.



## VACLOK® VACUUM PRESSURE SYRINGES

The VacLok vacuum pressure syringe comes with a clear polycarbonate barrel, white plunger, four- or six-position locking mechanism and fixed male Luer. Packaged 20 or 25 units per box, 4 boxes per case.



**10 mL**  
four position  
25/box

**20 mL**  
four position  
20/box

**30 mL**  
six position  
20/box

**60 mL**  
six position  
25/box

---

### Catalogue Number

K01-07736

K01-07738

K01-07739

K01-07740

# MARQUIS® SERIES STOPCOCKS

Merit Medical's larger, easy-grip handle makes a Marquis stopcock effortless to grip and turn. The large bore stopcock with swivel nut Luer is available in 50 psi pressure rating. Packaged 50 units per box, 4 boxes per case.

### Catalogue Number

|       |        |       |
|-------|--------|-------|
| L3SNC | 50 psi | 3-way |
| L4SNC | 50 psi | 4-way |


More options available through Merit's Cardiac Intervention catalogue. Ask for more details.



L3SNC

# DRAINAGE TUBING

Packaged 25 units per box, 4 boxes per case.




### Catalogue Number

|         |                                                                 |
|---------|-----------------------------------------------------------------|
| FAS5248 | 48" length (122 cm) large bore tubing set with non-vented spike |
|---------|-----------------------------------------------------------------|



FAS5248





### Catalogue Number

|           |                                                                            |
|-----------|----------------------------------------------------------------------------|
| K10-04750 | 48" length (122 cm) large bore tubing set with 16G x 1.5" (38.1 mm) needle |
|-----------|----------------------------------------------------------------------------|

# CONNECTING TUBES

Packaged 25 units per box, 4 boxes per case.




### Catalogue Number

|           |               |           |                                   |
|-----------|---------------|-----------|-----------------------------------|
| K10-04129 | 12" (30 cm)   | K10-04131 | 12" (30 cm) with 1-way stopcock   |
| K10-04130 | 16.5" (42 cm) | K10-04132 | 16.5" (42 cm) with 1-way stopcock |

## MERIT SURECROSS® SUPPORT CATHETERS

The Merit SureCross support catheter is engineered to optimise pushability and flexibility which maximises guide wire support, trackability, and lesion crossing. The SureCross has a translucent shaft for visualisation of blood to verify placement, three platinum marker bands to confirm position, 40 cm distal hydrophilic coating, and comes in multiple lengths.



| Catalogue Number | Guide Wire Compatibility | Minimum Guiding Catheter | Minimum Sheath Introducer | Working Length | 2nd & 3rd Marker Bands Spacing | Hydrophilic Coating Length | Strain Relief Colour | Crossing Profile     |
|------------------|--------------------------|--------------------------|---------------------------|----------------|--------------------------------|----------------------------|----------------------|----------------------|
| SC1465           | 0.014"                   | 5F                       | 4F                        | 65 cm          | 15 mm                          | 40 cm                      | Blue                 | 1.5F (.020"/0.51 mm) |
| SC1490           | 0.014"                   | 5F                       | 4F                        | 90 cm          | 5 mm                           | 40 cm                      | Blue                 | 1.5F (.020"/0.51 mm) |
| SC14135          | 0.014"                   | 5F                       | 4F                        | 135 cm         | 15 mm                          | 40 cm                      | Blue                 | 1.5F (.020"/0.51 mm) |
| SC14150          | 0.014"                   | 5F                       | 4F                        | 150 cm         | 15 mm                          | 40 cm                      | Blue                 | 1.5F (.020"/0.51 mm) |
| SC1865           | 0.018"                   | 5F                       | 4F                        | 65 cm          | 15 mm                          | 40 cm                      | Purple               | 1.7F (.022"/0.58 mm) |
| SC1890           | 0.018"                   | 5F                       | 4F                        | 90 cm          | 15 mm                          | 40 cm                      | Purple               | 1.7F (.022"/0.58 mm) |
| SC18135          | 0.018"                   | 5F                       | 4F                        | 135 cm         | 15 mm                          | 40 cm                      | Purple               | 1.7F (.022"/0.58 mm) |
| SC18150          | 0.018"                   | 5F                       | 4F                        | 150 cm         | 15 mm                          | 40 cm                      | Purple               | 1.7F (.022"/0.58 mm) |
| SC3565           | 0.035"                   | 6F                       | 5F                        | 65 cm          | 50 mm                          | 40 cm                      | Green                | 3.1F (.040"/1.04 mm) |
| SC3590           | 0.035"                   | 6F                       | 5F                        | 90 cm          | 50 mm                          | 40 cm                      | Green                | 3.1F (.040"/1.04 mm) |
| SC35135          | 0.035"                   | 6F                       | 5F                        | 135 cm         | 50 mm                          | 40 cm                      | Green                | 3.1F (.040"/1.04 mm) |
| SC35150          | 0.035"                   | 6F                       | 5F                        | 150 cm         | 50 mm                          | 40 cm                      | Green                | 3.1F (.040"/1.04 mm) |

BowTie™ Guide Wire Insertion Device included in 0.014" and 0.018" configurations.  
Packaged 5 per box.

## BASIXCOMPAK™ INFLATION DEVICE

The BasixCOMPAK is a 30 atm analogue inflation device that features an angled gauge for better viewing of pressure readings and a luminescent dial for low-light procedures. The 5 mL of safety space is intended to minimise air bubbles introduced into the balloon. Includes 13" (33 cm) extension tubing and 3-way stopcock. Packaged 5 units per box, 4 boxes per case.

**Catalogue Number** IN4130



## BASIXTOUCH™ INFLATION DEVICE

The BasixTOUCH inflation device is an innovative device with an ergonomic handle that enables one-handed preparation and priming, 35 atm pressure capability and 30 mL fluid capacity. Features a quick-release handle for easy release even from high-pressure inflations, accelerating deflation time. Reaches high pressures rapidly—with less than three rotations of the handle. Comes with high pressure stopcock. Packaged 5 per box.

**Catalogue Number** IN8130





## BIG60® INFLATION DEVICE

The BIG60 inflation device is designed to rapidly inflate and deflate non-vascular balloon dilators while accurately monitoring and displaying crucial inflation pressures. The ergonomically designed 60 mL inflation device is a one-piece, easy-to-use disposable device that pairs Merit Medical's market-leading inflation device experience with our non-vascular stent technology.

**Catalogue Number** ENDO-AN6012



## BLUE DIAMOND™ INFLATION DEVICE

The 30 atm Blue Diamond inflation device combines the accuracy of a digital device with the simplicity of analogue systems. Features include one-button functionality for simplicity, a large dial face with oversized digits to enhance visibility, and last inflation marks to recall the highest pressure of the previous inflation. Comes with 13" (33 cm) extension tubing and 3-way stopcock. Packaged 5 units per box, 4 boxes per case.

**Catalogue Number** IN7130



## EN SNARE® ENDOVASCULAR SNARE SYSTEMS

The EN Snare Endovascular Snare System features three interlaced loops to retrieve and manipulate foreign objects in the body. The EN Snare is designed to rotate and expand for excellent coverage and retrieval within a variety of vessel sizes. Platinum strands are incorporated into the EN Snare loops for excellent visualisation under fluoroscopy.




| Catalogue Number          | Snare Length | Snare Working Diameter | Snare Shaft Diameter | Snare Collapsed Diameter | Catheter Length | Catheter French Size | Catheter Inside Diameter |
|---------------------------|--------------|------------------------|----------------------|--------------------------|-----------------|----------------------|--------------------------|
| <b>STANDARD SNARE KIT</b> |              |                        |                      |                          |                 |                      |                          |
| EN2006010                 | 120 cm       | 6 mm - 10 mm           | 0.66 mm              | 1.14 mm                  | 100 cm          | 6F                   | 1.58 mm                  |
| EN2006015                 | 120 cm       | 9 mm - 15 mm           | 0.66 mm              | 1.40 mm                  | 100 cm          | 6F                   | 1.58 mm                  |
| EN2006020                 | 120 cm       | 12 mm - 20 mm          | 0.66 mm              | 1.40 mm                  | 100 cm          | 6F                   | 1.58 mm                  |
| EN2007030                 | 120 cm       | 18 mm - 30 mm          | 0.66 mm              | 1.40 mm                  | 100 cm          | 7F                   | 1.88 mm                  |
| EN2007045                 | 120 cm       | 27 mm - 45 mm          | 0.66 mm              | 1.40 mm                  | 100 cm          | 7F                   | 1.88 mm                  |

### MINI SNARE KIT

|           |        |             |         |         |        |      |         |
|-----------|--------|-------------|---------|---------|--------|------|---------|
| EN1003004 | 175 cm | 2 mm - 4 mm | 0.46 mm | 0.71 mm | 150 cm | 3.2F | 0.76 mm |
| EN1003008 | 175 cm | 4 mm - 8 mm | 0.46 mm | 0.71 mm | 150 cm | 3.2F | 0.76 mm |

### Components:

- EN Snare
- Snare Delivery Catheter
- Torque Device
- Introducer



Snare systems sold individually.

## FLO 30™ TUOHY BORST VALVED ADAPTER

Merit Medical's FLO 30 Tuohy Borst is a single-use, proprietary valved adapter which provides a leak-proof seal during interventional and diagnostic procedures. Packaged 25 units per box.



| Catalogue Number | Description                 |
|------------------|-----------------------------|
| FLO30            | FLO 30 Tuohy Borst Size: 9F |

# ONE SNARE® ENDOVASCULAR SNARE SYSTEMS

The ONE Snare Endovascular Snare System is a single-loop snare designed to provide both accuracy and reliability for effective foreign body manipulation and retrieval. Superelastic Nitinol provides flexibility and kink resistance. Gold-plated tungsten is wrapped around the Nitinol loop for excellent visualisation under fluoroscopy. The ONE Snare is available in multiple configurations to provide retrieval options within a variety of vessel sizes.



| Catalogue Number          | Snare Length | Snare Working Diameter | Snare Shaft Diameter | Snare Collapsed Diameter | Catheter Length | Catheter French Size | Catheter Inside Diameter |
|---------------------------|--------------|------------------------|----------------------|--------------------------|-----------------|----------------------|--------------------------|
| <b>STANDARD SNARE KIT</b> |              |                        |                      |                          |                 |                      |                          |
| ONE500                    | 120 cm       | 5 mm                   | 0.81 mm              | –                        | 100 cm          | 4F                   | 1.02 mm                  |
| ONE1000                   | 120 cm       | 10 mm                  | 0.81 mm              | –                        | 100 cm          | 4F                   | 1.02 mm                  |
| ONE1500                   | 120 cm       | 15 mm                  | 0.89 mm              | –                        | 100 cm          | 6F                   | 1.42 mm                  |
| ONE2000                   | 120 cm       | 20 mm                  | 0.89 mm              | –                        | 100 cm          | 6F                   | 1.42 mm                  |
| ONE2500                   | 120 cm       | 25 mm                  | 0.89 mm              | –                        | 100 cm          | 6F                   | 1.42 mm                  |
| ONE3000                   | 120 cm       | 30 mm                  | 0.89 mm              | –                        | 100 cm          | 6F                   | 1.42 mm                  |
| ONE3500                   | 120 cm       | 35 mm                  | 0.89 mm              | –                        | 100 cm          | 6F                   | 1.42 mm                  |

## PETITE SNARE KIT

|         |       |       |         |   |       |    |         |
|---------|-------|-------|---------|---|-------|----|---------|
| ONE1001 | 65 cm | 10 mm | 0.81 mm | – | 48 cm | 4F | 1.02 mm |
| ONE2501 | 65 cm | 25 mm | 0.89 mm | – | 48 cm | 6F | 1.42 mm |

## MICROSNARE KIT

|        |        |      |         |   |        |        |         |
|--------|--------|------|---------|---|--------|--------|---------|
| ONE200 | 175 cm | 2 mm | 0.41 mm | – | 150 cm | 2.3-3F | 0.48 mm |
| ONE201 | 200 cm | 2 mm | 0.41 mm | – | 175 cm | 2.3-3F | 0.48 mm |
| ONE400 | 175 cm | 4 mm | 0.41 mm | – | 150 cm | 2.3-3F | 0.48 mm |
| ONE401 | 200 cm | 4 mm | 0.41 mm | – | 175 cm | 2.3-3F | 0.48 mm |
| ONE700 | 175 cm | 7 mm | 0.41 mm | – | 150 cm | 2.3-3F | 0.48 mm |
| ONE701 | 200 cm | 7 mm | 0.41 mm | – | 175 cm | 2.3-3F | 0.48 mm |


## CATHETER REPLACEMENTS

|         |   |   |   |   |        |    |         |
|---------|---|---|---|---|--------|----|---------|
| ONE4000 | – | – | – | – | 100 cm | 4F | 1.02 mm |
| ONE6000 | – | – | – | – | 100 cm | 6F | 1.42 mm |

### Components:

- ONE Snare
- Snare Delivery Catheter
- Torque Device
- Introducer

Snare systems sold individually.



## MERIT ADVANCE® CURVED NEEDLES

The Merit Advance Curved needle is used to aid clinicians who want to place a tunneled dialysis catheter over a wire with a single stick.


| Catalogue Number | Gauge | Wall Thickness | Accepts Guide Wire | Length (cm) | Length (Inch) | Finish |
|------------------|-------|----------------|--------------------|-------------|---------------|--------|
| AD21T91R         | 21    | Thin           | 0.021" (0.53 mm)   | 9           | 3.5           | Smooth |
| AD21T91RE        | 21    | Thin           | 0.021" (0.53 mm)   | 9           | 3.5           | Echo   |

Packaged 10 per box, 4 boxes per case.



## PRELUDE® SHORT SHEATH INTRODUCERS

The Prelude Short Sheath Introducer provides access to dialysis fistulas and grafts. Can be used for declot, angioplasty, and thrombolysis procedures, as well as temporary haemodialysis. Will accommodate flow rates up to 600 mL/min. Includes removable stopcock.



PSS-5F-4-018MT

| Catalogue Number | French Size | Length | Guide Wire Diameter/Length | Needle Gauge/Length | Hub Colour | Qty/box |
|------------------|-------------|--------|----------------------------|---------------------|------------|---------|
| PSS-5F-4-018MT*  | 5           | 4 cm   | 0.018" (0.46 mm) x 40 cm   | 21G x 4 cm          | gray       | 5       |
| PSS-6F-4-018MT   | 6           | 4 cm   | 0.018" (0.46 mm) x 40 cm   | 21G x 4 cm          | green      | 5       |
| PSS-7F-4-018MT   | 7           | 4 cm   | 0.018" (0.46 mm) x 40 cm   | 21G x 4 cm          | orange     | 5       |
| PSS-8F-4-018MT   | 8           | 4 cm   | 0.018" (0.46 mm) x 40 cm   | 21G x 4 cm          | blue       | 5       |
| PSS-5F-4-035MT** | 5           | 4 cm   | 0.035" (0.89 mm) x 50 cm   | —                   | gray       | 5       |
| PSS-6F-4-035MT   | 6           | 4 cm   | 0.035" (0.89 mm) x 50 cm   | —                   | green      | 5       |
| PSS-7F-4-035MT   | 7           | 4 cm   | 0.035" (0.89 mm) x 50 cm   | —                   | orange     | 5       |
| PSS-8F-4-035MT   | 8           | 4 cm   | 0.035" (0.89 mm) x 50 cm   | —                   | blue       | 5       |
| PSS-5F-4-038MT** | 5           | 4 cm   | 0.038" (0.97 mm) x 50 cm   | —                   | gray       | 5       |
| PSS-6F-4-038MT   | 6           | 4 cm   | 0.038" (0.97 mm) x 50 cm   | —                   | green      | 5       |
| PSS-7F-4-038MT   | 7           | 4 cm   | 0.038" (0.97 mm) x 50 cm   | —                   | orange     | 5       |
| PSS-8F-4-038MT   | 8           | 4 cm   | 0.038" (0.97 mm) x 50 cm   | —                   | blue       | 5       |
| PSS-5F-4MT       | 5           | 4 cm   | N/A                        | —                   | gray       | 5       |
| PSS-6F-4MT       | 6           | 4 cm   | N/A                        | —                   | green      | 5       |
| PSS-7F-4MT       | 7           | 4 cm   | N/A                        | —                   | orange     | 5       |
| PSS-8F-4MT       | 8           | 4 cm   | N/A                        | —                   | blue       | 5       |


\* 0.018" Guide wire is stainless steel with straight stainless steel flexible tip.

\*\* 0.035" and 0.038" Guide wires are stainless steel; double ended (3 mm J and floppy).

## IMPRESS® 30 CM CATHETERS

Shorter catheter lengths enable the clinician to be closer to the working site on the forearm while providing excellent torque. Impress catheters feature tapered tips to minimise vessel trauma, accordion hubs to minimise kinking, and a proprietary braid pattern shaft to provide maximum flexibility without compromising steerability. Packaged 5 units per box.

| Catalogue Number | French Size | Internal Diameter | Length | # of Side Ports | Description | Recommended Guide Wire |
|------------------|-------------|-------------------|--------|-----------------|-------------|------------------------|
| 43035MODCB1      | 4           | .040"/1.02 mm     | 30 cm  | -               |             | 0.035" (0.089 mm)      |
| 43035BER         | 4           | .040"/1.02 mm     | 30 cm  | -               |             | 0.035" (0.089 mm)      |
| 43035KA2         | 4           | .040"/1.02 mm     | 30 cm  | -               |             | 0.035" (0.089 mm)      |
| 43035STR         | 4           | .040"/1.02 mm     | 30 cm  | -               |             | 0.035" (0.089 mm)      |
| 43035RIM         | 4           | .040"/1.02 mm     | 30 cm  | -               |             | 0.035" (0.089 mm)      |
| 4303510PIG-NB    | 4           | .040"/1.02 mm     | 30 cm  | 10              | non-braided | 0.035" (0.089 mm)      |
| 53035MODCB1      | 5           | .046"/1.17 mm     | 30 cm  | -               |             | 0.035" (0.089 mm)      |
| 53035BER         | 5           | .046"/1.17 mm     | 30 cm  | -               |             | 0.035" (0.089 mm)      |
| 53035KA2         | 5           | .046"/1.17 mm     | 30 cm  | -               |             | 0.035" (0.089 mm)      |
| 53035STR         | 5           | .046"/1.17 mm     | 30 cm  | -               |             | 0.035" (0.089 mm)      |
| 53035RIM         | 5           | .046"/1.17 mm     | 30 cm  | -               |             | 0.035" (0.089 mm)      |
| 5303510PIG-NB    | 5           | .049"/1.25 mm     | 30 cm  | 10              | non-braided | 0.035" (0.089 mm)      |



BERENSTEIN

STRAIGHT

PIGTAIL

MOD. COBRA 1

RIM

KA2

MINI RIM SHORT TIP

## CENTROS® & CENTROSFLO® CATHETERS

The highly innovative catheter design features preformed curved tips which automatically center the catheter ports within the middle of the vessel to maintain optimal blood flow and minimal recirculation rates, enhancing overall catheter performance.



CENFP19K

| Catalogue Number | Description | Catheter Length<br>Tip to Hub (cm) | Catheter Length<br>Tip to Cuff (cm) | Side<br>Holes |
|------------------|-------------|------------------------------------|-------------------------------------|---------------|
|------------------|-------------|------------------------------------|-------------------------------------|---------------|

### CENTROSFLO

|          |               |    |    |     |
|----------|---------------|----|----|-----|
| CENFP15K | Complete Kit  | 20 | 15 | yes |
| CENFP17K | Complete Kit  | 22 | 17 | yes |
| CENFP19K | Complete Kit  | 24 | 19 | yes |
| CENFP23K | Complete Kit  | 28 | 23 | yes |
| CENFP27K | Complete Kit  | 32 | 27 | yes |
| CENFP31K | Complete Kit  | 36 | 31 | yes |
| CENFP15C | Catheter Only | 20 | 15 | yes |
| CENFP17C | Catheter Only | 22 | 17 | yes |
| CENFP19C | Catheter Only | 24 | 19 | yes |
| CENFP23C | Catheter Only | 28 | 23 | yes |
| CENFP27C | Catheter Only | 32 | 27 | yes |
| CENFP31C | Catheter Only | 36 | 31 | yes |

### CENTROS

|        |               |    |    |   |
|--------|---------------|----|----|---|
| CEN15K | Complete Kit  | 20 | 15 | - |
| CEN17K | Complete Kit  | 22 | 17 | - |
| CEN19K | Complete Kit  | 24 | 19 | - |
| CEN23K | Complete Kit  | 28 | 23 | - |
| CEN27K | Complete Kit  | 32 | 27 | - |
| CEN31K | Complete Kit  | 36 | 31 | - |
| CEN15C | Catheter Only | 20 | 15 | - |
| CEN17C | Catheter Only | 22 | 17 | - |
| CEN19C | Catheter Only | 24 | 19 | - |
| CEN23C | Catheter Only | 28 | 23 | - |
| CEN27C | Catheter Only | 32 | 27 | - |
| CEN31C | Catheter Only | 36 | 31 | - |

Centros and CentrosFLO catheters do not have CE Marking.

### COMPLETE KIT INCLUDES:

- 1 15F Long-Term Haemodialysis Catheter
- 1 Stiffening Stylet
- 1 16F Valved Peelaway Sheath and Dilator
- 1 18G x 2.75" (7 cm) Introducer Needle
- 1 #11 Futura® Safety Scalpel
- 1 0.038" x 80 cm J-Tipped Guide Wire
- 2 Adhesive Dressings
- 2 Injection Caps
- 1 12F Vessel Dilator
- 1 14F Vessel Dilator
- 1 Tunneler with Sleeve

## PROGUIDE™ CHRONIC DIALYSIS CATHETERS

The ProGuide chronic dialysis catheter is designed for optimal patient comfort, ease of insertion and low maintenance. Multiple kit options are available for insertions through a valved peel-away sheath or over-the-wire placements. The ProGuide is available in various catheter lengths.

| Catalogue Number | Catheter Length Tip to Hub (cm) | Catheter Length Tip to Cuff (cm) | Side Holes |
|------------------|---------------------------------|----------------------------------|------------|
| 63124            | 24                              | 19                               | yes        |
| 63128            | 28                              | 23                               | yes        |
| 63132            | 32                              | 27                               | yes        |
| 63136            | 36                              | 31                               | yes        |
| 63140            | 40                              | 35                               | yes        |
| 64124            | 24                              | 19                               | no         |
| 64128            | 28                              | 23                               | no         |
| 64132            | 32                              | 27                               | no         |
| 64136            | 36                              | 31                               | no         |
| 64140            | 40                              | 35                               | no         |

Packaged 5 per box.

### CATHETER ONLY INCLUDES:

- 1 14.5F ProGuide Chronic Dialysis Catheter
- 1 Guide Wire Stylet
- 2 Injection Caps



## PROGUIDE™ CHRONIC DIALYSIS CATHETER - BASIC KITS

| Catalogue Number | Catheter Length Tip to Hub (cm) | Catheter Length Tip to Cuff (cm) | Side Holes |
|------------------|---------------------------------|----------------------------------|------------|
| 61124            | 24                              | 19                               | yes        |
| 61128            | 28                              | 23                               | yes        |
| 61132            | 32                              | 27                               | yes        |
| 61136            | 36                              | 31                               | yes        |
| 61140            | 40                              | 35                               | yes        |
| 62124            | 24                              | 19                               | no         |
| 62128            | 28                              | 23                               | no         |
| 62132            | 32                              | 27                               | no         |
| 62136            | 36                              | 31                               | no         |
| 62140            | 40                              | 35                               | no         |

Packaged 5 per box.

### BASIC KIT INCLUDES:

- 1 14.5F ProGuide Chronic Dialysis Catheter
- 1 Guide Wire Stylet
- 2 Injection Caps
- 1 12F Vessel Dilator
- 1 14F Vessel Dilator
- 1 Tunneler with Sleeve





## PROGUIDE™ CHRONIC DIALYSIS CATHETER - COMPLETE KITS

| Catalogue Number | Catheter Length Tip to Hub (cm) | Catheter Length Tip to Cuff (cm) | Side Holes |
|------------------|---------------------------------|----------------------------------|------------|
| DC21452419       | 24                              | 19                               | yes        |
| DC21452823       | 28                              | 23                               | yes        |
| DC21453227       | 32                              | 27                               | yes        |
| DC21453631       | 36                              | 31                               | yes        |
| DC21454035       | 40                              | 35                               | yes        |
| DC21455550       | 55                              | 50                               | yes        |
| DC01452419       | 24                              | 19                               | no         |
| DC01452823       | 28                              | 23                               | no         |
| DC01453227       | 32                              | 27                               | no         |
| DC01453631       | 36                              | 31                               | no         |
| DC01454035       | 40                              | 35                               | no         |
| DC01455550       | 55                              | 50                               | no         |

Packaged 5 per box.

### COMPLETE KIT INCLUDES:

- 1 14.5F ProGuide Chronic Dialysis Catheter
- 1 Guide Wire Stylet
- 1 15F Valved Peel-away Sheath and Dilator
- 1 18G x 2.75" (7 cm) Introducer Needle
- 1 #11 Futura® Safety Scalpel
- 1 0.038" (0.97 mm) J-Tipped Marker Guide Wire
- 2 Adhesive Dressings
- 2 Injection Caps
- 1 12F Vessel Dilator
- 1 14F Vessel Dilator
- 1 Tri-Ball Tunneler with Sleeve



PROGUIDE™ CHRONIC DIALYSIS CATHETER - COMPLETE KITS  
(INCLUDES MINI ACCESS KIT)

| Catalogue Number | Catheter Length<br>Tip to Hub (cm) | Catheter Length<br>Tip to Cuff (cm) | Side<br>Holes |
|------------------|------------------------------------|-------------------------------------|---------------|
| DC21452419-NE5   | 24                                 | 19                                  | yes           |
| DC21452823-NE5   | 28                                 | 23                                  | yes           |
| DC21453227-NE5   | 32                                 | 27                                  | yes           |
| DC01452419-NE5   | 24                                 | 19                                  | no            |
| DC01452823-NE5   | 28                                 | 23                                  | no            |
| DC01453227-NE5   | 32                                 | 27                                  | no            |

Packed 5 per box.

COMPLETE KIT INCLUDES:

- 1 14.5F ProGuide Chronic Dialysis Catheter
- 1 Guide Wire Stylet
- 1 15F Valved Peel-away Sheath and Dilator
- 1 18G x 2.75" (7 cm) Introducer Needle
- 1 #11 Futura® Safety Scalpel
- 1 0.038" (0.97 mm) J-Tipped Marker Guide Wire
- 2 Adhesive Dressings
- 2 Injection Caps
- 1 12F Vessel Dilator
- 1 14F Vessel Dilator
- 1 Tri-Ball Tunneler with Sleeve



MINI ACCESS KIT (MAK) INCLUDES:

- 1 5F (1.7 mm) x 10 cm Coaxial Introducer
- 1 21G x 7 cm Echo-Enhanced Needle
- 1 0.018" (0.46 mm) x 40 cm Nitinol Wire with Platinum Tip

OUTAKE® CATHETER EXTRACTION TOOL

The OuTake catheter extraction tool is a convenient, simple, and cost-effective device used to remove tunneled, double lumen haemodialysis catheters with an in-growth cuff.

Packed 5 per box.

Catalogue Number

|        |                                        |
|--------|----------------------------------------|
| CET100 | Standalone OuTake Catheter Extractor   |
| CET200 | Catheter Extraction Kit with OuTake    |
| CET300 | Catheter Extraction Kit without OuTake |

Catheter Extraction Kits CET200 and CET300 do not have CE Marking.




## PERITONEAL DIALYSIS CATHETERS

Merit Medical's line of Flex-Neck® Adult, Adolescent and Paediatric Peritoneal Dialysis (PD) Catheters have an internal diameter (ID) that is 35% larger than some competing catheters. Infant catheters are available in one- and two- cuff configurations. Each catheter kit contains a unique stenciling system for improved placement accuracy. Packaged 1 unit per box.



Flex-Neck® Classic



Flex-Neck ARC™


| Catalogue Number                         | O.D. (mm) | I.D. (mm) | Distance Between Cuffs (cm) | Distance From Distal Cuff To Coil (cm) | Overall Length Straightened (cm) | Description                             |
|------------------------------------------|-----------|-----------|-----------------------------|----------------------------------------|----------------------------------|-----------------------------------------|
| <b>FLEX-NECK® INFANT COILED</b>          |           |           |                             |                                        |                                  |                                         |
| CF-4230                                  | 3.7       | 2.5       | 3                           | 4.5                                    | 42                               | Classic, 2 cuffs                        |
| CF-4235                                  | 3.7       | 2.5       | -                           | 4.5                                    | 42                               | Classic, 1 cuff                         |
| CF-4430                                  | 3.7       | 2.5       | 3                           | 4.5                                    | 42                               | ARC, 2 cuffs                            |
| <b>FLEX-NECK PAEDIATRIC COILED</b>       |           |           |                             |                                        |                                  |                                         |
| CF-5242                                  | 5.3       | 3.5       | 4                           | 6.5                                    | 52                               | Classic, 2 cuffs                        |
| CF-5247                                  | 5.3       | 3.5       | -                           | 6.5                                    | 52                               | Classic, 1 cuff                         |
| CF-5442                                  | 5.3       | 3.5       | 4.5                         | 6.5                                    | 52                               | ARC, 2 cuffs                            |
| <b>FLEX-NECK ADOLESCENT COILED</b>       |           |           |                             |                                        |                                  |                                         |
| CF-5243                                  | 5.3       | 3.5       | 4.5                         | 9.5                                    | 62                               | Classic Standard, 2 cuffs               |
| CF-5244                                  | 5.3       | 3.5       | -                           | 9.5                                    | 62                               | Classic Standard, 1 cuff                |
| CF-5249                                  | 5.3       | 3.5       | -                           | 13.5                                   | 62                               | Classic Large, 1 cuff                   |
| CF-5443                                  | 5.3       | 3.5       | 4.5                         | 9.5                                    | 52                               | ARC, 2 cuffs                            |
| <b>FLEX-NECK CLASSIC ADULT COILED</b>    |           |           |                             |                                        |                                  |                                         |
| CF-5250                                  | 5.3       | 3.5       | 5                           | 14                                     | 62                               | Small, 2 cuffs                          |
| CF-5260                                  | 5.3       | 3.5       | 6                           | 15.5                                   | 62                               | Standard, 2 cuffs                       |
| CF-5270                                  | 5.3       | 3.5       | 7                           | 16.5                                   | 62                               | Large, 2 cuffs                          |
| <b>FLEX-NECK CLASSIC ADULT STRAIGHT</b>  |           |           |                             |                                        |                                  |                                         |
| CF-5161                                  | 5.3       | 3.5       | 6                           | 15.5                                   | 52                               | Standard, cuffs<br>(Distal Cuff to Tip) |
| <b>FLEX-NECK ARC™ ADULT COILED</b>       |           |           |                             |                                        |                                  |                                         |
| CF-5450                                  | 5.3       | 3.5       | 6                           | 14                                     | 62                               | Small, 2 cuffs                          |
| CF-5460                                  | 5.3       | 3.5       | 6                           | 15.5                                   | 62                               | Standard, 2 cuffs                       |
| CF-5470                                  | 5.3       | 3.5       | 6                           | 16.5                                   | 62                               | Large, 2 cuffs                          |
| <b>FLEX-NECK EXXTENDED™ COILED ADULT</b> |           |           |                             |                                        |                                  |                                         |
| CF-5560                                  | 5.3       | 3.5       | -                           | 16                                     | 62                               |                                         |

## PERITONEAL DIALYSIS ACCESSORIES & IMPLANTATION SYSTEMS


Merit Medical offers a comprehensive line of Peritoneal Dialysis (PD) catheters, accessories, implantation systems, and an embedding tool to streamline your PD placement procedures.

| Catalogue Number | Description                                                                     | Quantity Per Box |
|------------------|---------------------------------------------------------------------------------|------------------|
| CC-1301          | PD Accessories, Plastic Catheter Connector and Cap, Adult/Adolescent/Paediatric | 5                |
| CC-1360          | PD Accessories, Plastic Catheter Connector and Cap, Infant Only                 | 5                |
| CC-2300          | PD Accessories, Titanium Catheter Connector, Adult                              | 1                |
| CE-1400          | PD Accessories, Catheter Extender/Repair Kit, All Catheter Types                | 1                |
| CS-242           | PD Accessories, Catheter Implantation Stylet, Infant, Stainless Steel           | 1                |
| CS-352           | PD Accessories, Catheter Implantation Stylet, Adult Straight/Paediatric         | 1                |
| CS-362           | PD Accessories, Catheter Implantation Stylet, Adolescent/Adult                  | 1                |
| FT-1100          | PD Accessories, Faller Trocar, Stainless Steel                                  | 1                |
| IA-102           | PD Accessories, Insufflation Kit                                                | 5                |
| TE-1000          | PD Accessories, Embedding® Tool                                                 | 1                |
| VP-210           | Peritoneoscopic and Laparoscopic Implantation System                            | 1                |
| VP-511           | Peritoneoscopic Implantation System                                             | 1                |

VP-210 Implantation System



VP-511 Peritoneoscopic Implantation System




## SLIP-NOT® SUTURE RETENTION DEVICE

The Slip-Not suture retention device helps manage bleeding by utilising a novel method to secure your purse-string suture. Suture tension adjustments are achieved at the push of a button. The Slip-Not provides clear visibility of the access site and enhanced patient comfort. Packaged 1 or 2 units per pouch, 10 pouches per box.


### Easy, Step-by-Step Instructions



Place purse-string suture around the sheath; feed free ends of the suture through the snare loop of the device.



Depress the white button; pull the green tab to thread the free ends of the suture through the device. Discard green pull tab.



Depress the white button and slide the Slip-Not® forward to produce tension. Release the white button to secure the suture within the device.



### Catalogue Number

|        |             |
|--------|-------------|
| SRD100 | 1 per pouch |
| SRD200 | 2 per pouch |

## 4 FRENCH FOUNTAIN® INFUSION SYSTEMS


The Fountain Infusion System consists of the 4 French Fountain Infusion Catheter, matching occluding wire, high pressure check relief valve, AccessPLUS™ haemostasis valve, 1 mL infusion syringe and 20 mL reservoir syringe. Packaged and sold individually in tray, 5 units per box.



| Catheter Length | Infusion Length 5 cm | Infusion Length 10 cm | Infusion Length 20 cm | Infusion Length 30 cm | Infusion Length 40 cm | Infusion Length 50 cm |
|-----------------|----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 45 cm           |                      | FIS4-45-10            | FIS4-45-20            |                       |                       |                       |
| 90 cm           | FIS4-90-5            | FIS4-90-10            | FIS4-90-20            | FIS4-90-30            | FIS4-90-40            | FIS4-90-50            |
| 135 cm          | FIS4-135-5           | FIS4-135-10           | FIS4-135-20           | FIS4-135-30           | FIS4-135-40           | FIS4-135-50           |

## 4 FRENCH FOUNTAIN® INFUSION SYSTEMS WITH SQUIRT®


The Fountain Infusion System with Squirt consists of the 4 French Fountain Infusion Catheter, matching occluding wire, AccessPLUS haemostasis valve, 20 mL reservoir syringe and Squirt® fluid dispensing system. Packaged and sold individually in tray, 5 units per box.



| Catheter Length | Infusion Length 5 cm | Infusion Length 10 cm | Infusion Length 20 cm | Infusion Length 30 cm | Infusion Length 40 cm | Infusion Length 50 cm |
|-----------------|----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 45 cm           |                      | FIS4-45-10SQ          | FIS4-45-20SQ          |                       |                       |                       |
| 90 cm           | FIS4-90-5SQ          | FIS4-90-10SQ          | FIS4-90-20SQ          | FIS4-90-30SQ          | FIS4-90-40SQ          | FIS4-90-50SQ          |
| 135 cm          | FIS4-135-5SQ         | FIS4-135-10SQ         | FIS4-135-20SQ         | FIS4-135-30SQ         | FIS4-135-40SQ         | FIS4-135-50SQ         |

## 5 FRENCH FOUNTAIN® INFUSION SYSTEMS


The Fountain Infusion System consists of the 5 French Fountain Infusion Catheter, matching occluding wire, high pressure check relief valve, AccessPLUS™ haemostasis valve, wire protector cap, 1 mL infusion syringe and 20 mL reservoir syringe. Packaged and sold individually in tray, 5 units per box.



| Catheter Length | Infusion Length 5 cm | Infusion Length 10 cm | Infusion Length 20 cm | Infusion Length 30 cm | Infusion Length 40 cm | Infusion Length 50 cm |
|-----------------|----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 45 cm           |                      | FIS5-45-10            | FIS5-45-20            |                       |                       |                       |
| 90 cm           | FIS5-90-5            | FIS5-90-10            | FIS5-90-20            | FIS5-90-30            | FIS5-90-40            | FIS5-90-50            |
| 135 cm          | FIS5-135-5           | FIS5-135-10           | FIS5-135-20           | FIS5-135-30           | FIS5-135-40           | FIS5-135-50           |

## 5 FRENCH FOUNTAIN® INFUSION SYSTEMS WITH SQUIRT®


The Fountain Infusion System with Squirt consists of the 5 French Fountain Infusion Catheter, matching occluding wire, AccessPLUS haemostasis valve, wire protector cap, 20 mL reservoir syringe and Squirt® fluid dispensing system. Packaged and sold individually in tray, 5 units per box.



| Catheter Length | Infusion Length 5 cm | Infusion Length 10 cm | Infusion Length 20 cm | Infusion length 30 cm | Infusion Length 40 cm | Infusion Length 50 cm |
|-----------------|----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 45 cm           |                      | FIS5-45-10SQ          | FIS5-45-20SQ          |                       |                       |                       |
| 90 cm           | FIS5-90-5SQ          | FIS5-90-10SQ          | FIS5-90-20SQ          | FIS5-90-30SQ          | FIS5-90-40SQ          | FIS5-90-50SQ          |
| 135 cm          | FIS5-135-5SQ         | FIS5-135-10SQ         | FIS5-135-20SQ         | FIS5-135-30SQ         | FIS5-135-40SQ         | FIS5-135-50SQ         |


## FOUNTAIN® INFUSION CATHETERS

**FOUNTAIN INFUSION CATHETER (4 FRENCH)** matching occluding wire and AccessPLUS™ haemostasis valve.  
Packaged and sold individually in a pouch, 5 units per box.



| Catheter Length | Infusion Length 5 cm | Infusion Length 10 cm | Infusion Length 20 cm | Infusion Length 30 cm | Infusion Length 40 cm | Infusion Length 50 cm |
|-----------------|----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 45 cm           |                      | IS4-45-10             | IS4-45-20             |                       |                       |                       |
| 90 cm           | IS4-90-5             | IS4-90-10             | IS4-90-20             | IS4-90-30             | IS4-90-40             | IS4-90-50             |
| 135 cm          | IS4-135-5            | IS4-135-10            | IS4-135-20            | IS4-135-30            | IS4-135-40            | IS4-135-50            |

**FOUNTAIN INFUSION CATHETER (5 FRENCH)** matching occluding wire, AccessPLUS haemostasis valve, and wire protector cap. Packaged and sold individually in a pouch, 5 units per box.




| Catheter Length | Infusion Length 5 cm | Infusion Length 10 cm | Infusion Length 20 cm | Infusion Length 30 cm | Infusion Length 40 cm | Infusion Length 50 cm |
|-----------------|----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 45 cm           |                      | IS5-45-10             | IS5-45-20             |                       |                       |                       |
| 90 cm           | IS5-90-5             | IS5-90-10             | IS5-90-20             | IS5-90-30             | IS5-90-40             | IS5-90-50             |
| 135 cm          | IS5-135-5            | IS5-135-10            | IS5-135-20            | IS5-135-30            | IS5-135-40            | IS5-135-50            |



## FOUNTAIN® OCCLUDING WIRES

The Fountain occluding wire effectively blocks off the end hole of the catheter so the therapeutic agent is directed out the side holes into the thrombus. Packaged and sold individually in a pouch, 5 units per box.




|         | Length 45 cm | Length 90 cm | Length 135 cm |
|---------|--------------|--------------|---------------|
| 4F Wire | FW4-45       | FW4-90       | FW4-135       |
| 5F Wire | FW5-45       | FW5-90       | FW5-135       |

## SQUIRT® FLUID DISPENSING SYSTEM

The Squirt fluid dispensing system for the pulsed injection of multiple-dose therapy. Packaged 10 units per box.

**Catalogue Number** FDS100




## PULSE INFUSION KITS

Pulse Infusion Kits are designed to be used with the Fountain® and Mistique® infusion catheters. Products are available with 1 mL infusion syringe, 20 mL reservoir syringe, and check relief valve; some kits also contain a haemostasis valve.


**PULSE INFUSION KIT** consists of in-line check relief valve, AccessPLUS™ haemostasis valve, 1 mL infusion syringe and 20 mL reservoir syringe. Packaged 5 units per box.

**Catalogue Number** K12-00462



**PULSE INFUSION KIT** consists of in-line check relief valve, 1 mL infusion syringe and 20 mL reservoir syringe. Packaged 5 units per box.


**Catalogue Number** K12-00463



# PULSE INFUSION KITS

**PULSE INFUSION KIT** consists of check relief valve, 1 mL infusion syringe and 20 mL reservoir syringe. Packaged 5 units per box.


Catalogue Number            K12-00262



# MISTIQUE® INFUSION CATHETERS

The Mistique infusion catheter is a 5 French catheter with side holes rotating around the catheter for a more uniform distribution of therapeutic solutions. One configuration to accommodate 0.035" (0.89 mm) guide wire. Packaged and sold individually, 5 units per box.

| Catheter Length                     | Infusion Length 5 cm | Infusion Length 10 cm |
|-------------------------------------|----------------------|-----------------------|
| MAXIMUM GUIDE WIRE 0.035" (0.89 mm) |                      |                       |
| 45 cm                               | MIC5-45-5-035        | MIC5-45-10-035        |
| 90 cm                               | MIC5-90-5-035        | MIC5-90-10-035        |
| 135 cm                              | MIC5-135-5-035       | MIC5-135-10-035       |



INTERVENTION

# EMBOLOTHERAPY



## **MICROSPHERES**

|                                       |    |
|---------------------------------------|----|
| EmboGold® Microspheres                | 95 |
| Embosphere® Microspheres              | 95 |
| Bearing nsPVA® Embolisation Particles | 96 |

## **DELIVERY SYSTEMS**

|                                  |    |
|----------------------------------|----|
| Merit Maestro® Microcatheters    | 97 |
| Tenor® Steerable Guide Wires     | 98 |
| Impress® Uterine Artery Catheter | 98 |


## EMBOGOLD® MICROSPHERES

EmboGold Microspheres bring visibility to Merit Medical's proven microsphere technology. Provided in a prefilled syringe for easy handling, procedural efficiency, and safety in the treatment of hypervascular tumours or arteriovenous malformations. EmboGold Microspheres are made from trisacryl cross-linked with gelatin and impregnated with 2% elemental gold for visibility. The microspheres can compress up to 33% to facilitate passage through various microcatheters and may minimise unwanted proximal embolisation and unpredictable distal embolisation.

| Size Range (µm) | Colour Code | Pre-Filled Syringe 1 mL* | Pre-Filled Syringe 2 mL* |
|-----------------|-------------|--------------------------|--------------------------|
| 40 - 120        | Orange      | -                        | S120EG                   |
| 100 - 300       | Yellow      | S210EG                   | S220EG                   |
| 300 - 500       | Blue        | S410EG                   | S420EG                   |
| 500 - 700       | Red         | S610EG                   | S620EG                   |
| 700 - 900       | Green       | S810EG                   | S820EG                   |
| 900 - 1200      | Purple      | S1010EG                  | S1020EG                  |

Packaged 1 per box.

\* Volume of microspheres supplied in sterile saline.




## EMBOSPHERE® MICROSPHERES

Embosphere Microspheres, the most clinically studied round embolic, provide results for effective embolisation in the treatment of uterine fibroids, hypervascular tumours or arteriovenous malformations. Embosphere Microspheres are made from trisacryl cross-linked with gelatin and can compress up to 33% to facilitate passage through various microcatheters and may minimise unwanted proximal embolisation and unpredictable distal embolisation.

| Size Range (µm) | Colour Code | Pre-Filled Syringe 1 mL* | Pre-Filled Syringe 2 mL* | Vials 1 mL* | Vials 2 mL* |
|-----------------|-------------|--------------------------|--------------------------|-------------|-------------|
| 40 - 120        | Orange      | -                        | S120GH                   | V110GH      | V120GH      |
| 100 - 300       | Yellow      | S210GH                   | S220GH                   | V210GH      | V220GH      |
| 300 - 500       | Blue        | S410GH                   | S420GH                   | V410GH      | V420GH      |
| 500 - 700       | Red         | S610GH                   | S620GH                   | V610GH      | V620GH      |
| 700 - 900       | Green       | S810GH                   | S820GH                   | V810GH      | V820GH      |
| 900 - 1200      | Purple      | S1010GH                  | S1020GH                  | V1010GH     | V1020GH     |

Packaged 1 per box.

\*Volume of microspheres supplied in sterile saline.



## BEARING NSPVA® EMBOLISATION PARTICLES

Bearing nsPVA Embolisation Particles are irregularly-shaped, biocompatible, hydrophilic, nonresorbable particles produced from polyvinyl alcohol. These embolisation particles are intended to provide vascular occlusion or reduction of blood flow within target vessels upon selective placement through a variety of catheters.



| Catalogue Number | Size Range (µm) | Vial Content |
|------------------|-----------------|--------------|
| V100EP           | 45 - 150        | 100 mg       |
| V200EP           | 150 - 250       | 100 mg       |
| V300EP           | 250 - 355       | 100 mg       |
| V400EP           | 355 - 500       | 100 mg       |
| V600EP           | 500 - 710       | 100 mg       |
| V800EP           | 710 - 1000      | 100 mg       |
| V1100EP          | 1000 - 1180     | 100 mg       |

Packaged 5 units per box.

## MERIT MAESTRO® MICROCATHETERS

The Merit Maestro is a multipurpose microcatheter designed for use in peripheral and coronary vasculature. It features a hydrophilic coating for smooth traction through tortuous anatomy, a radiopaque marker for easy identification of the distal tip, and an exclusive swan neck design to help seat the catheter in the vessel reducing the recoiling effect as the embolic agent is introduced.



The Merit Maestro Swan Neck configuration is designed to access and maintain position in arteries with acute angles such as the hepatic artery.

SWAN NECK

45 DEGREE

STRAIGHT

Custom kits with Merit Maestro® Microcatheters and Tenor Steerable Guide Wires, along with additional products such as syringes and haemostasis valves, are available. Contact your Merit Medical Representative for more information.

| Catalogue Number | Proximal | Distal | Length cm | Tip | Minimum Inner Diameter | Recommended Guide Wire | Recommended Guiding Catheter |
|------------------|----------|--------|-----------|-----|------------------------|------------------------|------------------------------|
|------------------|----------|--------|-----------|-----|------------------------|------------------------|------------------------------|

### 2.8F TAPERED TO 2.4F

|             |     |     |     |           |                 |                 |                 |
|-------------|-----|-----|-----|-----------|-----------------|-----------------|-----------------|
| 28MC24110ST | 2.8 | 2.4 | 110 | Straight  | .020" (0.52 mm) | .018" (0.46 mm) | .040" (1.02 mm) |
| 28MC24130ST | 2.8 | 2.4 | 130 | Straight  | .020" (0.52 mm) | .018" (0.46 mm) | .040" (1.02 mm) |
| 28MC24150ST | 2.8 | 2.4 | 150 | Straight  | .020" (0.52 mm) | .018" (0.46 mm) | .040" (1.02 mm) |
| 28MC2411045 | 2.8 | 2.4 | 110 | 45 degree | .020" (0.52 mm) | .018" (0.46 mm) | .040" (1.02 mm) |
| 28MC2413045 | 2.8 | 2.4 | 130 | 45 degree | .020" (0.52 mm) | .018" (0.46 mm) | .040" (1.02 mm) |
| 28MC2415045 | 2.8 | 2.4 | 150 | 45 degree | .020" (0.52 mm) | .018" (0.46 mm) | .040" (1.02 mm) |
| 28MC24110SN | 2.8 | 2.4 | 110 | Swan Neck | .020" (0.52 mm) | .018" (0.46 mm) | .040" (1.02 mm) |
| 28MC24130SN | 2.8 | 2.4 | 130 | Swan Neck | .020" (0.52 mm) | .018" (0.46 mm) | .040" (1.02 mm) |
| 28MC24150SN | 2.8 | 2.4 | 150 | Swan Neck | .020" (0.52 mm) | .018" (0.46 mm) | .040" (1.02 mm) |

### 2.8F NO TAPER

|             |     |     |     |           |                 |                 |                 |
|-------------|-----|-----|-----|-----------|-----------------|-----------------|-----------------|
| 28MC28110ST | 2.8 | 2.8 | 110 | Straight  | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC28130ST | 2.8 | 2.8 | 130 | Straight  | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC28150ST | 2.8 | 2.8 | 150 | Straight  | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC2811045 | 2.8 | 2.8 | 110 | 45 degree | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC2813045 | 2.8 | 2.8 | 130 | 45 degree | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC2815045 | 2.8 | 2.8 | 150 | 45 degree | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC28110SN | 2.8 | 2.8 | 110 | Swan Neck | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC28130SN | 2.8 | 2.8 | 130 | Swan Neck | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |
| 28MC28150SN | 2.8 | 2.8 | 150 | Swan Neck | .024" (0.62 mm) | .021" (0.53 mm) | .040" (1.02 mm) |

### 2.9F NO TAPER

|             |     |     |     |           |                 |                 |                 |
|-------------|-----|-----|-----|-----------|-----------------|-----------------|-----------------|
| 29MC29110ST | 2.9 | 2.9 | 110 | Straight  | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC29130ST | 2.9 | 2.9 | 130 | Straight  | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC29150ST | 2.9 | 2.9 | 150 | Straight  | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC2911045 | 2.9 | 2.9 | 110 | 45 degree | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC2913045 | 2.9 | 2.9 | 130 | 45 degree | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC2915045 | 2.9 | 2.9 | 150 | 45 degree | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC29110SN | 2.9 | 2.9 | 110 | Swan Neck | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC29130SN | 2.9 | 2.9 | 130 | Swan Neck | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |
| 29MC29150SN | 2.9 | 2.9 | 150 | Swan Neck | .027" (0.68 mm) | .021" (0.53 mm) | .042" (1.07 mm) |

All Merit Maestro Microcatheters are rated to 800 psi infusion dynamic pressure.

(2) 3 mL Medallion® syringes are included for ease of mixing embolics/spheres.


Microcatheters sold individually; 1 per box.



## TENOR® STEERABLE GUIDE WIRES

The Tenor Steerable Guide Wire is designed to offer excellent pushability and torqueability to facilitate precise navigation in challenging anatomy during embolisation procedures. Packaged with an insertion tool and torque device.

| Catalogue Number | Description  | Size             | Length cm | Tip Material    | Core | # Per Box |
|------------------|--------------|------------------|-----------|-----------------|------|-----------|
| TNR2411          | Angled Tip   | 0.014" (0.36 mm) | 165       | Platinum Coiled | F    | 1         |
| TNR2412          | Straight Tip | 0.014" (0.36 mm) | 165       | Platinum Coiled | F    | 1         |
| TNR2811          | Angled Tip   | 0.018" (0.46 mm) | 165       | Platinum Coiled | F    | 1         |
| TNR2812          | Straight Tip | 0.018" (0.46 mm) | 165       | Platinum Coiled | F    | 1         |



TNR2411

## IMPRESS® UTERINE ARTERY CATHETER

Designed to deliver radiopaque media, Impress catheters feature tapered tips to minimise vessel trauma, an accordion designed hub to minimise kinking, and a proprietary braid pattern shaft to provide maximum flexibility without compromising steerability.

| Catalogue Number | French Size | Internal Diameter | Recommended Guide Wire | Length | Quantity Per Box |
|------------------|-------------|-------------------|------------------------|--------|------------------|
| 59038UAC         | 5           | .046"/1.17 mm     | .038" (0.97 mm)        | 90 cm  | 5                |



59038UAC



# ONCOLOGY



# HEPASPHERE™ MICROSPHERES


Doxorubicin-loaded HepaSphere Microspheres have demonstrated success in the treatment of Hepatocellular Carcinoma (HCC) with high-objective tumour response while minimising the impact to underlying healthy liver function.<sup>1</sup> HepaSphere Microspheres are reconstituted with saline or non-ionic contrast media and swell to approximately 4X their dry state diameter. These highly compressible microspheres facilitate outstanding contact with the vessel intima.



| Catalogue Number | Size Range Dry Particles (µm) | Size Range When Expanded (µm) | Colour Code | Quantity (mg) |
|------------------|-------------------------------|-------------------------------|-------------|---------------|
| V225HS           | 30 - 60                       | 120 - 240                     | Orange      | 25 mg         |
| V325HS           | 50 - 100                      | 200 - 400                     | Yellow      | 25 mg         |
| V525HS           | 100 - 150                     | 400 - 600                     | Blue        | 25 mg         |
| V725HS           | 150 - 200                     | 600 - 800                     | Red         | 25 mg         |

Packaged 1 per box.  
HepaSphere Microspheres are not approved or available for sale in the United States.

<sup>1</sup>Data on file.



*At the level of occlusion, the conforming nature of HepaSphere Microspheres allows them to adapt to the tortuous anatomy of the vessel lumen providing permanent occlusion.*



PERIPHERAL INTERVENTION

# COMPLETE PROCEDURAL SOLUTIONS



COMPLETE PROCEDURAL  
SOLUTIONS

## PROCEDURAL TRAYS, PACKS & KITS

|                                          |     |
|------------------------------------------|-----|
| Biopsy Centesis Kits                     | 103 |
| Medication Delivery Pack 1               | 104 |
| Medication Delivery Pack 2               | 104 |
| Myelogram Tray                           | 105 |
| Vein Closure Tray                        | 106 |
| Vein Closure Syringe                     | 106 |
| Patient Cover                            | 107 |
| Drape Armour® - Scatter Radiation Drapes | 107 |

## SAFETY & WASTE MANAGEMENT

|                                  |         |
|----------------------------------|---------|
| Merit Disposal Depot™ Waste Bags | 108-110 |
|----------------------------------|---------|

## HAEMOSTASIS ACCESSORIES

|                                                   |     |
|---------------------------------------------------|-----|
| Clo-Sur P.A.D.® & Clo-Sur <sup>PLUS</sup> P.A.D.™ | 111 |
| Haemostasis Valve Adapter                         | 111 |
| SafeGuard® Pressure Assisted Devices              | 112 |


## BIOPSY CENTESIS KITS

### BIOPSY/CENTESIS - COMPLETE KIT

The complete kit is designed to provide many of the products needed for biopsy procedures.

Includes

| Quantity | Description                                    |
|----------|------------------------------------------------|
| 1        | Lidocaine, 2% 20 mL MDV (plastic)              |
| 1        | Bandage, 0.75" x 3" Sheer                      |
| 1        | Medallion® Syringe 10 mL L/L                   |
| 1        | Medallion Syringe 20 mL L/L                    |
| 1        | Safety Needle 25G x 1.5"                       |
| 1        | Chloraprep®, 3 mL Tinted/Orange                |
| 1        | Ruler, 6"                                      |
| 1        | Drape, 22" x 22" w/3.5" Fenestration & Ripline |
| 1        | Tray, 3-Compartment                            |
| 1        | ShortStop® Temporary Sharps Holder             |
| 1        | #11 Futura® Safety Scalpel                     |
| 1        | Safety Needle 18G x 1.5"                       |
| 1        | Towel                                          |
| 1        | Lidocaine, Label, 0.5 x 1.75                   |
| 10       | Sponge Gauzes 4" X 4" 12 ply                   |



Packaged 10 per case.


**Catalogue Number** K12T-04322

### BIOPSY/CENTESIS - BASIC KIT

The basic kit is designed to provide commonly used products needed for biopsy procedures.

Includes

| Quantity | Description                                    |
|----------|------------------------------------------------|
| 1        | Bandage, 0.75" x 3"                            |
| 1        | Medallion® Syringe 10 mL L/L                   |
| 1        | Medallion Syringe 20 mL L/L                    |
| 1        | Chloraprep®, 3 mL Tinted/Orange                |
| 1        | Drape, 22" x 22" w/3.5" Fenestration & Ripline |
| 1        | Tray, 9" x 5" x 1"                             |
| 1        | Safety Needle 22G x 1.5"                       |
| 1        | Safety Needle 18G x 1"                         |
| 1        | Label, Lidocaine (blue)                        |
| 10       | Sponge Gauzes 4" X 4" 12 ply                   |



Packaged 30 per case.

**Catalogue Number** K12T-04321


Biopsy Centesis Kits do not have CE Marking.

Chloraprep® is a registered trademark of CareFusion 2200, Inc.

## MEDICATION DELIVERY PACK 1

Includes

| Quantity | Description                                         |
|----------|-----------------------------------------------------|
| 1        | Marquis® Series Stopcock<br>3-Way, Rotator, 500 PSI |
| 1        | PAL™ (Pen and Labels)<br>Blank Label Set of 12      |
| 1        | Ultra Fine Point Permanent Marker                   |
| 1        | 250 mL Solution Bowl                                |
| 1        | Tray 9" x 10" x 2"                                  |
| 1        | Table Cover 44" x 78"                               |
| 1        | 3-Way Metal Stopcock                                |
| 2        | Syringes (Glass) 10 mL L/L                          |
| 3        | Syringes (Glass) 5 mL L/L                           |
| 1        | Half Drape 44"x 55"                                 |




Packaged 6 per case.

**Catalogue Number** K12T-02843

## MEDICATION DELIVERY PACK 2

Includes

| Quantity | Description                                                   |
|----------|---------------------------------------------------------------|
| 1        | 250 mL Solution Bowl                                          |
| 1        | Table Cover 44" x 78"                                         |
| 1        | Ultra Fine Point Permanent Marker                             |
| 3        | Medallion® Syringes, 3 mL, L/L,<br>Red with Frosted Cliché    |
| 2        | Medallion Syringes, 10 mL, L/L,<br>Yellow with Frosted Cliché |
| 1        | Marquis® Series Stopcock 3-Way,<br>Rotator, 500 PSI           |
| 1        | 3-Way Metal Stopcock                                          |
| 1        | Half Drape 44" x 55"                                          |



Packaged 6 per case.

**Catalogue Number** K12T-02844

Medication Delivery Packs do not have CE Marking.



# MYELOGRAM TRAY

The tray is designed with all the necessary components to streamline myelogram procedures. Components are strategically placed in a clear form-fitted tray for easy access.



Includes

| Quantity | Description                            |
|----------|----------------------------------------|
| 1        | Lidocaine, 1% 5 mL                     |
| 1        | 3 Swabsticks Package, PVP Solution     |
| 1        | Bandage, 0.75" x 3"                    |
| 2        | Syringes 5 mL, L/L                     |
| 1        | Syringe 20 mL, L/L                     |
| 2        | Needles 19G x 1.5" Filtered            |
| 1        | Needle 22G x 1.5"                      |
| 1        | Needle 25G x.625"                      |
| 1        | Needle, Spinal 22 G x 3.5"             |
| 2        | Towels, 17" x 19" White                |
| 1        | Fenestrated Drape w/Adhesive 18" x 26" |
| 5        | Sponges, Gauze 3" x 3" (12 Ply)        |
| 1        | Tubing Set 20" M/F L/S                 |
| 1        | Tubing Set 6" M/F L/S                  |
| 3        | Transport Tubes 10 mL                  |
| 3        | Specimen Labels (White)                |

Packaged 10 per case.

**Catalogue Number** K12T-02045

Myelogram tray does not have CE Marking.




## VEIN CLOSURE TRAY

A convenient tray designed to streamline vein closure procedures, improve efficiency, and save money.

Includes

| Quantity | Description                             |
|----------|-----------------------------------------|
| 1        | Band Bag 50" x 50"                      |
| 1        | BD Syringe 5 mL L/L                     |
| 1        | BD Syringe 10 mL L/L                    |
| 1        | BD Syringe 20 mL L/L                    |
| 1        | BD Syringe 3 mL L/L                     |
| 1        | Needle 18G x 1.5"                       |
| 1        | Needle 20G x 1.5"                       |
| 1        | Needle 22G x 1.5"                       |
| 1        | Needle 25G x 1.5"                       |
| 1        | #11 Futura® Safety Scalpel              |
| 1        | Clear Setup Cover 44" x 77"             |
| 1        | Skin Marker                             |
| 1        | Bowl 8oz, 250 mL                        |
| 1        | Bowl 16oz, 500 mL                       |
| 1        | Bowl 32oz, 1000 mL                      |
| 1        | Tray 9" x 5" x 2"                       |
| 1        | Probe Cover 6" x 48" w/Gel              |
| 1        | Steri Strip .5" x 4", 3's               |
| 2        | Aquasonic Gels 20 mg                    |
| 1        | White Polylined Drape 18" x 26"         |
| 1        | Curved Forceps Mosq. 5"                 |
| 40       | 4" x 4" Gauze Pads (12 Ply)             |
| 4        | Cloth Towels (Blue)                     |
| 1        | XL Shoe Covers (Pair)                   |
| 2        | Towel Clamps                            |
| 3        | Sponge Sticks 6"                        |
| 1        | XL (NRF) Gown                           |
| 1        | Table Cover 44" x 78"                   |
| 1        | Split Drape 77" x 117", 3.5" x 43"      |
| 1        | Half Drape 44" x 55"                    |
| 1        | Vein Closure Syringe                    |
| 1        | ShortStop® Sharps Holder                |
| 1        | Fluid Administration Set 108" Drip Pack |



Packaged 3 per case.


**Catalogue Number** K12T-01822

## VEIN CLOSURE SYRINGE

This proprietary valved system allows for controlled delivery with less hand fatigue.

Packaged 15 per box, 60 per case.

**Catalogue Number** K12-01575






## PATIENT COVER

The Patient Cover is a standalone convenience product that Merit Medical has made available for clinical settings where a fenestrated drape outside of the procedure pack is necessary or desired.

Packaged 10 per case.

**Catalogue Number** K12T-06756




## DRAPE ARMOUR® - SCATTER RADIATION DRAPES


These positional protection shields are designed to protect at the procedure site where scatter radiation is most prevalent. They can help protect surgeons and other members of the clinical staff, and offer substantial attenuation as demonstrated by direct beam studies.

| Catalogue Number | Description                   |
|------------------|-------------------------------|
| K12T-07302       | 16 x 10 Radiation Pad         |
| K12T-07303       | 16 x 14 Radiation Pad         |
| K12T-07304       | 16 x 16 Radiation Pad         |
| K12T-07362       | 16 x 10 Radiation Pad LOW     |
| K12T-07363       | 16 x 14 Radiation Pad LOW     |
| K12T-07364       | 16 x 16 Radiation Pad LOW     |
| K12T-07361       | 16 x 13 x 9 "L" Radiation Pad |


Packaged 10 per case.




K12T-07302




K12T-07303




K12T-07304




K12T-07362



K12T-07363



K12T-07364



K12T-07361

Drapes Armour® - Scatter Radiation Drapes do not have CE Marking.  
Drape Armour is a registered trademark of Microtek Medical, Inc.

## MERIT DISPOSAL DEPOT™ WASTE BAGS

Available in many configurations, the Merit Disposal Depot waste bags fully contain fluid waste for easy disposal.


Clear 1400 mL PVC bag, 72" (183 cm) large bore tubing and fixed male Luer. Packaged 20 units per box, 4 boxes per case.

**Catalogue Number** MDD100




Clear 1400 mL PVC bag, 72" (183 cm) large bore tubing, drape clip and one-way check valve with female Luer. Packaged 20 units per box, 4 boxes per case.

**Catalogue Number** MDD110




Clear 1400 mL PVC bag, 48" (122 cm) large bore tubing and drape clip. Includes check relief valve with female Luer and a fluid administration set with 72" (183 cm) large bore tubing, roller clamp and user selectable vented spike. Packaged 20 units per box, 4 boxes per case.

**Catalogue Number** MDD220 (With optional reflux valve)




Clear 1400 mL PVC bag, 48" (122 cm) large bore tubing and drape clip. Includes check relief valve with female Luer and a fluid administration set with 72" (183 cm) large bore tubing, roller clamp and user selectable vented spike. Packaged 20 units per box, 4 boxes per case.

**Catalogue Number** MDD200H  
MDD220H (With optional reflux valve)



Clear 1400 mL PVC bag and 48" (122 cm) large bore tubing. Includes check relief valve with rotating Luer and a fluid administration set with 72" (183 cm) large bore tubing, roller clamp and user-selectable vented spike. Packaged 20 units per box, 4 boxes per case.

**Catalogue Number** MDD300H



## MERIT DISPOSAL DEPOT™ WASTE BAGS


Clear 1400 mL PVC bag and 48" (122 cm) large bore tubing. Includes check relief valve with rotating Luer and a fluid administration set with 72" (183 cm) small bore tubing, roller clamp and user-selectable vented drip chamber with micro filter. Packaged 20 units per box, 4 boxes per case.

**Catalogue Number** MDD400H



Clear 1400 mL PVC bag, 48" (122 cm) large bore tubing and drape clip. Includes check relief valve and standard pressure 3-way Marquis® Stopcock, two fluid administration sets with 72" (183 cm) large bore tubing (green striped contrast line), roller clamps and user-selectable vented spikes. Packaged 20 units per box, 4 boxes per case.

**Catalogue Number** MDD500H  
MDD520H (With optional reflux valve)



Clear 1400 mL PVC bag, 48" (122 cm) large bore tubing and drape clip. Includes check relief valve, standard pressure 3-way Marquis® Stopcock, one fluid administration set with 72" (183 cm) large bore tubing, roller clamp and user-selectable vented spike. Also includes a bonded Miser® Contrast Management System. Packaged 4 units per box, 4 boxes per case.


**Catalogue Number** K10-00576



## MERIT DISPOSAL DEPOT® WASTE BAGS

Clear 1400 mL PVC bag, 48" (122 cm) large bore tubing and drape clip. Includes check relief valve, standard pressure 3-way Marquis® Stopcock, one fluid administration set with 72" (183 cm) large bore tubing, roller clamp and user-selectable vented spike. Also includes a bonded In-Line Contrast Management System (CMS). Packaged 15 units per box, 4 boxes per case.

**Catalogue Number** K10-00577




Clear 1400 mL PVC bag, 12" (30.5 cm) bifurcated large bore tubing, (right) 60" (152 cm) large bore tubing with check relief valve and male rotating Luer, (left) 60" (152 cm) large bore peel-away tubing with check relief valve, female Luer reflux valve and drape clip. Both lines connect to 12" (30.5 cm) large bore FAS line with roller clamp and user-selectable vented spike. Packaged 15 units per box, 4 boxes per case.

**Catalogue Number** K10-01103



Clear 1400 mL PVC bag, 48" (122 cm) large bore tubing and drape clip. Includes check relief valve with female Luer and 15" (38 cm) large bore tubing, and fixed male Luer. Packaged 20 units per box, 4 boxes per case.

**Catalogue Number** K10-01555



## CLO-SUR P.A.D.<sup>®</sup> & CLO-SUR PLUS P.A.D.<sup>™</sup>

Clo-Sur P.A.D. and Clo-Sur <sup>PLUS</sup> P.A.D. are non-woven topical pads made with a proprietary polypropylate, a positively-charged material that reacts with negatively-charged red blood cells to accelerate clotting. The Clo-Sur P.A.D. promotes haemostasis and the Clo-Sur <sup>PLUS</sup> P.A.D. promotes haemostasis and is an antimicrobial barrier. Packaged 10 units per box.

| Catalogue Number | Description                                                                           |
|------------------|---------------------------------------------------------------------------------------|
| MVP44            | 4 cm x 4 cm Clo-Sur P.A.D. Haemostasis Dressing                                       |
| SCV22P-AB        | 4 cm x 4 cm Clo-Sur <sup>PLUS</sup> P.A.D. Haemostasis Dressing/Antimicrobial Barrier |
| HPAD22           | SCV22P-AB with 3M <sup>™</sup> Tegaderm <sup>™</sup> Transparent Film*                |

\* 3M and Tegaderm are trademarks of 3M.



## HAEMOSTASIS VALVE ADAPTER

Minimises blood loss during the introduction of catheters or devices into the vasculature. Provides a side arm and three way stopcock to facilitate aspiration or infusion. May be used with devices that are 8F or smaller. Packaged 10 per box.

|                  |         |
|------------------|---------|
| Catalogue Number | HVA-100 |
|------------------|---------|



## SAFEGUARD® PRESSURE ASSISTED DEVICES

The SafeGuard pressure assisted device delivers passive compression and enables immediate pressure adjustment. It also maintains consistent pressure on the site when obtaining haemostasis with manual compression, and during patient recovery, positioning and transport. The SafeGuard pressure assisted device reduces demands on the clinical staff, maximises valuable resources, and enhances patient comfort.



82050

82000

| Catalogue Number | Size  | Description                                     |
|------------------|-------|-------------------------------------------------|
| 82000            | 24 cm | SafeGuard Pressure Assisted Device              |
| 82050            | 12 cm | SafeGuard Pressure Assisted Device              |
| 0684-00-0504     | 24 cm | SafeGuard Pressure Assisted Device (Japan Only) |

Packaged 10 units per box.



# CATALOGUE NUMBER INDEX

|              |               |     |             |               |    |
|--------------|---------------|-----|-------------|---------------|----|
| 61124        | INTERVENTION  | 82  | 28MC24150ST | EMBOLOThERAPY | 97 |
| 61128        | INTERVENTION  | 82  | 28MC2811045 | ANGIOGRAPHY   | 52 |
| 61132        | INTERVENTION  | 82  | 28MC2811045 | EMBOLOThERAPY | 97 |
| 61136        | INTERVENTION  | 82  | 28MC28110SN | ANGIOGRAPHY   | 52 |
| 61140        | INTERVENTION  | 82  | 28MC28110SN | EMBOLOThERAPY | 97 |
| 62124        | INTERVENTION  | 82  | 28MC28110ST | ANGIOGRAPHY   | 52 |
| 62128        | INTERVENTION  | 82  | 28MC28110ST | EMBOLOThERAPY | 97 |
| 62132        | INTERVENTION  | 82  | 28MC2813045 | ANGIOGRAPHY   | 52 |
| 62136        | INTERVENTION  | 82  | 28MC2813045 | EMBOLOThERAPY | 97 |
| 62140        | INTERVENTION  | 82  | 28MC28130SN | ANGIOGRAPHY   | 52 |
| 63124        | INTERVENTION  | 82  | 28MC28130SN | EMBOLOThERAPY | 97 |
| 63128        | INTERVENTION  | 82  | 28MC28130ST | ANGIOGRAPHY   | 52 |
| 63132        | INTERVENTION  | 82  | 28MC28130ST | EMBOLOThERAPY | 97 |
| 63136        | INTERVENTION  | 82  | 28MC2815045 | ANGIOGRAPHY   | 52 |
| 63140        | INTERVENTION  | 82  | 28MC2815045 | EMBOLOThERAPY | 97 |
| 64124        | INTERVENTION  | 82  | 28MC28150SN | ANGIOGRAPHY   | 52 |
| 64128        | INTERVENTION  | 82  | 28MC28150SN | EMBOLOThERAPY | 97 |
| 64132        | INTERVENTION  | 82  | 28MC28150ST | ANGIOGRAPHY   | 52 |
| 64136        | INTERVENTION  | 82  | 28MC28150ST | EMBOLOThERAPY | 97 |
| 64140        | INTERVENTION  | 82  | 29MC2911045 | ANGIOGRAPHY   | 52 |
| 82000        | CPS           | 112 | 29MC2911045 | EMBOLOThERAPY | 97 |
| 82050        | CPS           | 112 | 29MC29110SN | ANGIOGRAPHY   | 52 |
| 0684-00-0504 | CPS           | 112 | 29MC29110SN | EMBOLOThERAPY | 97 |
| 28MC2411045  | ANGIOGRAPHY   | 52  | 29MC29110ST | ANGIOGRAPHY   | 52 |
| 28MC2411045  | EMBOLOThERAPY | 97  | 29MC29110ST | EMBOLOThERAPY | 97 |
| 28MC24110SN  | ANGIOGRAPHY   | 52  | 29MC2913045 | ANGIOGRAPHY   | 52 |
| 28MC24110SN  | EMBOLOThERAPY | 97  | 29MC2913045 | EMBOLOThERAPY | 97 |
| 28MC24110ST  | ANGIOGRAPHY   | 52  | 29MC29130SN | ANGIOGRAPHY   | 52 |
| 28MC24110ST  | EMBOLOThERAPY | 97  | 29MC29130SN | EMBOLOThERAPY | 97 |
| 28MC2413045  | ANGIOGRAPHY   | 52  | 29MC29130ST | ANGIOGRAPHY   | 52 |
| 28MC2413045  | EMBOLOThERAPY | 97  | 29MC29130ST | EMBOLOThERAPY | 97 |
| 28MC24130SN  | ANGIOGRAPHY   | 52  | 29MC2915045 | ANGIOGRAPHY   | 52 |
| 28MC24130SN  | EMBOLOThERAPY | 97  | 29MC2915045 | EMBOLOThERAPY | 97 |
| 28MC24130ST  | ANGIOGRAPHY   | 52  | 29MC29150SN | ANGIOGRAPHY   | 52 |
| 28MC24130ST  | EMBOLOThERAPY | 97  | 29MC29150SN | EMBOLOThERAPY | 97 |
| 28MC2415045  | ANGIOGRAPHY   | 52  | 29MC29150ST | ANGIOGRAPHY   | 52 |
| 28MC2415045  | EMBOLOThERAPY | 97  | 29MC29150ST | EMBOLOThERAPY | 97 |
| 28MC24150SN  | ANGIOGRAPHY   | 52  | 3339-21     | ACCESS        | 7  |
| 28MC24150SN  | EMBOLOThERAPY | 97  | 3339-31     | ACCESS        | 7  |
| 28MC24150ST  | ANGIOGRAPHY   | 52  | 3339-41     | ACCESS        | 7  |

|                       |             |    |                       |              |    |
|-----------------------|-------------|----|-----------------------|--------------|----|
| <b>3339-51</b>        | ACCESS      | 7  | <b>412538BER-H</b>    | ANGIOGRAPHY  | 33 |
| <b>410035B1</b>       | ANGIOGRAPHY | 24 | <b>412538HH1-H</b>    | ANGIOGRAPHY  | 34 |
| <b>410035B2</b>       | ANGIOGRAPHY | 24 | <b>412538MPA1</b>     | ANGIOGRAPHY  | 30 |
| <b>410035BER</b>      | ANGIOGRAPHY | 25 | <b>412538STS-H</b>    | ANGIOGRAPHY  | 36 |
| <b>410035HH1</b>      | ANGIOGRAPHY | 23 | <b>4303510PIG-NB</b>  | ANGIOGRAPHY  | 30 |
| <b>410035HH3</b>      | ANGIOGRAPHY | 23 | <b>4303510PIG-NB</b>  | ANGIOGRAPHY  | 31 |
| <b>410035MANI</b>     | ANGIOGRAPHY | 24 | <b>4303510PIG-NB</b>  | INTERVENTION | 80 |
| <b>410035MC</b>       | ANGIOGRAPHY | 24 | <b>43035BER</b>       | ANGIOGRAPHY  | 30 |
| <b>410035MOT</b>      | ANGIOGRAPHY | 27 | <b>43035BER</b>       | INTERVENTION | 80 |
| <b>410035MOTC</b>     | ANGIOGRAPHY | 27 | <b>43035KA2</b>       | ANGIOGRAPHY  | 30 |
| <b>410035OSB1</b>     | ANGIOGRAPHY | 30 | <b>43035KA2</b>       | INTERVENTION | 80 |
| <b>410035SIM1</b>     | ANGIOGRAPHY | 25 | <b>43035MODCB1</b>    | ANGIOGRAPHY  | 30 |
| <b>410035SIM2</b>     | ANGIOGRAPHY | 25 | <b>43035MODCB1</b>    | INTERVENTION | 80 |
| <b>410035VER</b>      | ANGIOGRAPHY | 24 | <b>43035RIM</b>       | ANGIOGRAPHY  | 30 |
| <b>410038B1</b>       | ANGIOGRAPHY | 24 | <b>43035RIM</b>       | INTERVENTION | 80 |
| <b>410038B1-H</b>     | ANGIOGRAPHY | 33 | <b>43035STR</b>       | ANGIOGRAPHY  | 30 |
| <b>410038B2-H</b>     | ANGIOGRAPHY | 33 | <b>43035STR</b>       | INTERVENTION | 80 |
| <b>410038BER</b>      | ANGIOGRAPHY | 25 | <b>44035STS</b>       | ANGIOGRAPHY  | 29 |
| <b>410038BER-H</b>    | ANGIOGRAPHY | 33 | <b>44038KA2</b>       | ANGIOGRAPHY  | 28 |
| <b>410038CB1</b>      | ANGIOGRAPHY | 26 | <b>44038KA2-H</b>     | ANGIOGRAPHY  | 34 |
| <b>410038CB2</b>      | ANGIOGRAPHY | 26 | <b>44038MW2</b>       | ANGIOGRAPHY  | 25 |
| <b>410038CB2-H</b>    | ANGIOGRAPHY | 33 | <b>4653510PIG-NB</b>  | ANGIOGRAPHY  | 31 |
| <b>410038HH1</b>      | ANGIOGRAPHY | 23 | <b>4653510STF-NB</b>  | ANGIOGRAPHY  | 32 |
| <b>410038HH1-H</b>    | ANGIOGRAPHY | 34 | <b>4653510UBF-NB</b>  | ANGIOGRAPHY  | 31 |
| <b>410038HH3</b>      | ANGIOGRAPHY | 23 | <b>465352CB1</b>      | ANGIOGRAPHY  | 26 |
| <b>410038HS</b>       | ANGIOGRAPHY | 28 | <b>465352CB2</b>      | ANGIOGRAPHY  | 26 |
| <b>410038MANI</b>     | ANGIOGRAPHY | 24 | <b>465352HK0-8</b>    | ANGIOGRAPHY  | 26 |
| <b>410038MANI-H</b>   | ANGIOGRAPHY | 34 | <b>465352HK1-0</b>    | ANGIOGRAPHY  | 26 |
| <b>410038MC</b>       | ANGIOGRAPHY | 24 | <b>465352RC</b>       | ANGIOGRAPHY  | 27 |
| <b>410038MPA1</b>     | ANGIOGRAPHY | 30 | <b>465352SH0-8</b>    | ANGIOGRAPHY  | 27 |
| <b>410038MPA1-H</b>   | ANGIOGRAPHY | 34 | <b>465352SH1-0</b>    | ANGIOGRAPHY  | 27 |
| <b>410038N1</b>       | ANGIOGRAPHY | 23 | <b>465354RBI</b>      | ANGIOGRAPHY  | 29 |
| <b>410038N2</b>       | ANGIOGRAPHY | 23 | <b>465356MHK-NB</b>   | ANGIOGRAPHY  | 32 |
| <b>410038N3</b>       | ANGIOGRAPHY | 23 | <b>465356SHP-NB</b>   | ANGIOGRAPHY  | 30 |
| <b>410038N4</b>       | ANGIOGRAPHY | 23 | <b>46535AVS20MHK</b>  | ANGIOGRAPHY  | 50 |
| <b>410038SIM1</b>     | ANGIOGRAPHY | 25 | <b>46535B1</b>        | ANGIOGRAPHY  | 24 |
| <b>410038SIM1-H</b>   | ANGIOGRAPHY | 35 | <b>46535BER</b>       | ANGIOGRAPHY  | 25 |
| <b>410038SIM2</b>     | ANGIOGRAPHY | 25 | <b>46535CB2</b>       | ANGIOGRAPHY  | 26 |
| <b>410038SIM2-H</b>   | ANGIOGRAPHY | 35 | <b>46535MOT</b>       | ANGIOGRAPHY  | 27 |
| <b>410038STS-H</b>    | ANGIOGRAPHY | 36 | <b>46535MOTC</b>      | ANGIOGRAPHY  | 27 |
| <b>410038VER</b>      | ANGIOGRAPHY | 24 | <b>46535RC</b>        | ANGIOGRAPHY  | 27 |
| <b>410038VER-H</b>    | ANGIOGRAPHY | 36 | <b>46535RIM</b>       | ANGIOGRAPHY  | 29 |
| <b>41103510PIG-NB</b> | ANGIOGRAPHY | 31 | <b>46535SIM1</b>      | ANGIOGRAPHY  | 25 |
| <b>411035STS</b>      | ANGIOGRAPHY | 29 | <b>4653810MUBF-NB</b> | ANGIOGRAPHY  | 31 |
| <b>411038STS</b>      | ANGIOGRAPHY | 29 | <b>465382CB1</b>      | ANGIOGRAPHY  | 26 |
| <b>412535HH1</b>      | ANGIOGRAPHY | 23 | <b>465382CB2</b>      | ANGIOGRAPHY  | 26 |
| <b>412535VER</b>      | ANGIOGRAPHY | 24 | <b>46538BER</b>       | ANGIOGRAPHY  | 25 |
| <b>412538BER</b>      | ANGIOGRAPHY | 25 | <b>46538BER-H</b>     | ANGIOGRAPHY  | 33 |



|                |             |    |
|----------------|-------------|----|
| 46538CB1       | ANGIOGRAPHY | 26 |
| 46538CB1-H     | ANGIOGRAPHY | 33 |
| 46538CB2       | ANGIOGRAPHY | 26 |
| 46538CB2-H     | ANGIOGRAPHY | 33 |
| 46538KA2       | ANGIOGRAPHY | 28 |
| 46538KA2-H     | ANGIOGRAPHY | 34 |
| 46538SIM1      | ANGIOGRAPHY | 25 |
| 46538SIM2      | ANGIOGRAPHY | 25 |
| 46538STS       | ANGIOGRAPHY | 29 |
| 46538STS-H     | ANGIOGRAPHY | 36 |
| 46538VER       | ANGIOGRAPHY | 24 |
| 46538VER-H     | ANGIOGRAPHY | 36 |
| 48035MHK1      | ANGIOGRAPHY | 29 |
| 48035MHK2      | ANGIOGRAPHY | 29 |
| 48035MHK3      | ANGIOGRAPHY | 29 |
| 48035MODS      | ANGIOGRAPHY | 25 |
| 48038MHK1-H    | ANGIOGRAPHY | 35 |
| 48038MHK2-H    | ANGIOGRAPHY | 35 |
| 48038MHK3-H    | ANGIOGRAPHY | 35 |
| 48038MIK       | ANGIOGRAPHY | 28 |
| 48038MODS      | ANGIOGRAPHY | 25 |
| 48038RE        | ANGIOGRAPHY | 28 |
| 4903510PIG-NB  | ANGIOGRAPHY | 31 |
| 4903510STF-NB  | ANGIOGRAPHY | 32 |
| 4903510UBF-NB  | ANGIOGRAPHY | 31 |
| 490356MHK-NB   | ANGIOGRAPHY | 32 |
| 490356SHP-NB   | ANGIOGRAPHY | 30 |
| 5100354RBI     | ANGIOGRAPHY | 29 |
| 510035AVS20MHK | ANGIOGRAPHY | 50 |
| 510035AVS20PIG | ANGIOGRAPHY | 50 |
| 510035AVS20MHK | ANGIOGRAPHY | 50 |
| 510035AVS20PIG | ANGIOGRAPHY | 50 |
| 510035AVS2STR  | ANGIOGRAPHY | 50 |
| 510035B1       | ANGIOGRAPHY | 24 |
| 510035B2       | ANGIOGRAPHY | 24 |
| 510035BER      | ANGIOGRAPHY | 25 |
| 510035HH1      | ANGIOGRAPHY | 23 |
| 510035HH3      | ANGIOGRAPHY | 23 |
| 510035MANI     | ANGIOGRAPHY | 24 |
| 510035MC       | ANGIOGRAPHY | 24 |
| 510035MOT      | ANGIOGRAPHY | 27 |
| 510035OSB1     | ANGIOGRAPHY | 30 |
| 510035RBI      | ANGIOGRAPHY | 29 |
| 510035SIM1     | ANGIOGRAPHY | 25 |
| 510035SIM2     | ANGIOGRAPHY | 25 |
| 510035VER      | ANGIOGRAPHY | 24 |
| 510038B1       | ANGIOGRAPHY | 24 |
| 510038B1-H     | ANGIOGRAPHY | 33 |

|                |              |    |
|----------------|--------------|----|
| 510038B2-H     | ANGIOGRAPHY  | 33 |
| 510038BER      | ANGIOGRAPHY  | 25 |
| 510038BER-H    | ANGIOGRAPHY  | 33 |
| 510038CB1      | ANGIOGRAPHY  | 26 |
| 510038CB2      | ANGIOGRAPHY  | 26 |
| 510038CB2-H    | ANGIOGRAPHY  | 33 |
| 510038HH1      | ANGIOGRAPHY  | 23 |
| 510038HH1-H    | ANGIOGRAPHY  | 34 |
| 510038HH3      | ANGIOGRAPHY  | 23 |
| 510038HS       | ANGIOGRAPHY  | 28 |
| 510038MANI     | ANGIOGRAPHY  | 24 |
| 510038MANI-H   | ANGIOGRAPHY  | 34 |
| 510038MC       | ANGIOGRAPHY  | 24 |
| 510038MPA1     | ANGIOGRAPHY  | 30 |
| 510038MPA1-H   | ANGIOGRAPHY  | 34 |
| 510038N1       | ANGIOGRAPHY  | 23 |
| 510038N2       | ANGIOGRAPHY  | 23 |
| 510038N3       | ANGIOGRAPHY  | 23 |
| 510038N4       | ANGIOGRAPHY  | 23 |
| 510038SIM1     | ANGIOGRAPHY  | 25 |
| 510038SIM1-H   | ANGIOGRAPHY  | 35 |
| 510038SIM2     | ANGIOGRAPHY  | 25 |
| 510038SIM2-H   | ANGIOGRAPHY  | 35 |
| 510038STS-H    | ANGIOGRAPHY  | 36 |
| 510038VER      | ANGIOGRAPHY  | 24 |
| 510038VER-H    | ANGIOGRAPHY  | 36 |
| 51103510PIG-NB | ANGIOGRAPHY  | 31 |
| 511035STS      | ANGIOGRAPHY  | 29 |
| 51103810PIG-NB | ANGIOGRAPHY  | 31 |
| 511038STS      | ANGIOGRAPHY  | 29 |
| 512535HH1      | ANGIOGRAPHY  | 23 |
| 512535VER      | ANGIOGRAPHY  | 24 |
| 512538BER      | ANGIOGRAPHY  | 25 |
| 512538BER-H    | ANGIOGRAPHY  | 33 |
| 512538HH1      | ANGIOGRAPHY  | 23 |
| 512538HH1-H    | ANGIOGRAPHY  | 34 |
| 512538MPA1     | ANGIOGRAPHY  | 30 |
| 5303510PIG-NB  | ANGIOGRAPHY  | 30 |
| 5303510PIG-NB  | ANGIOGRAPHY  | 31 |
| 5303510PIG-NB  | INTERVENTION | 80 |
| 53035BER       | ANGIOGRAPHY  | 30 |
| 53035BER       | INTERVENTION | 80 |
| 53035KA2       | ANGIOGRAPHY  | 30 |
| 53035KA2       | INTERVENTION | 80 |
| 53035MODCB1    | ANGIOGRAPHY  | 30 |
| 53035MODCB1    | INTERVENTION | 80 |
| 53035RIM       | ANGIOGRAPHY  | 30 |
| 53035RIM       | INTERVENTION | 80 |

|                   |              |    |
|-------------------|--------------|----|
| <b>53035STR</b>   | ANGIOGRAPHY  | 30 |
| <b>53035STR</b>   | INTERVENTION | 80 |
| <b>54038KA2</b>   | ANGIOGRAPHY  | 28 |
| <b>54038KA2-H</b> | ANGIOGRAPHY  | 34 |
| <b>54038STS</b>   | ANGIOGRAPHY  | 29 |
| <b>5575-13</b>    | ANGIOGRAPHY  | 37 |
| <b>5575-23</b>    | ANGIOGRAPHY  | 37 |
| <b>5575-33</b>    | ANGIOGRAPHY  | 37 |
| <b>5575-43</b>    | ANGIOGRAPHY  | 37 |
| <b>5575-A3</b>    | ANGIOGRAPHY  | 37 |
| <b>5575-B3</b>    | ANGIOGRAPHY  | 37 |
| <b>5575-C3</b>    | ANGIOGRAPHY  | 37 |
| <b>5575-D3</b>    | ANGIOGRAPHY  | 37 |
| <b>5576-13</b>    | ANGIOGRAPHY  | 42 |
| <b>5576-23</b>    | ANGIOGRAPHY  | 42 |
| <b>5576-33</b>    | ANGIOGRAPHY  | 42 |
| <b>5576-43</b>    | ANGIOGRAPHY  | 42 |
| <b>5576-A3</b>    | ANGIOGRAPHY  | 42 |
| <b>5576-B3</b>    | ANGIOGRAPHY  | 42 |
| <b>5576-C3</b>    | ANGIOGRAPHY  | 42 |
| <b>5576-D3</b>    | ANGIOGRAPHY  | 42 |
| <b>5576-E3</b>    | ANGIOGRAPHY  | 42 |
| <b>5576-F3</b>    | ANGIOGRAPHY  | 42 |
| <b>5576-G3</b>    | ANGIOGRAPHY  | 42 |
| <b>5577-13</b>    | ANGIOGRAPHY  | 38 |
| <b>5577-23</b>    | ANGIOGRAPHY  | 38 |
| <b>5577-33</b>    | ANGIOGRAPHY  | 38 |
| <b>5577-43</b>    | ANGIOGRAPHY  | 38 |
| <b>5577-53</b>    | ANGIOGRAPHY  | 38 |
| <b>5577-A3</b>    | ANGIOGRAPHY  | 38 |
| <b>5577-B3</b>    | ANGIOGRAPHY  | 38 |
| <b>5577-C3</b>    | ANGIOGRAPHY  | 38 |
| <b>5577-D3</b>    | ANGIOGRAPHY  | 38 |
| <b>5577-E3</b>    | ANGIOGRAPHY  | 38 |
| <b>5578-13</b>    | ANGIOGRAPHY  | 39 |
| <b>5578-23</b>    | ANGIOGRAPHY  | 39 |
| <b>5578-33</b>    | ANGIOGRAPHY  | 39 |
| <b>5578-A3</b>    | ANGIOGRAPHY  | 39 |
| <b>5578-B3</b>    | ANGIOGRAPHY  | 39 |
| <b>5578-C3</b>    | ANGIOGRAPHY  | 39 |
| <b>5579-13</b>    | ANGIOGRAPHY  | 39 |
| <b>5579-A3</b>    | ANGIOGRAPHY  | 39 |
| <b>5582-13</b>    | ANGIOGRAPHY  | 46 |
| <b>5582-23</b>    | ANGIOGRAPHY  | 46 |
| <b>5582-33</b>    | ANGIOGRAPHY  | 46 |
| <b>5582-43</b>    | ANGIOGRAPHY  | 46 |
| <b>5583-13</b>    | ANGIOGRAPHY  | 39 |
| <b>5583-23</b>    | ANGIOGRAPHY  | 39 |

|                |             |    |
|----------------|-------------|----|
| <b>5583-A3</b> | ANGIOGRAPHY | 39 |
| <b>5583-B3</b> | ANGIOGRAPHY | 39 |
| <b>5584-13</b> | ANGIOGRAPHY | 43 |
| <b>5584-23</b> | ANGIOGRAPHY | 43 |
| <b>5584-33</b> | ANGIOGRAPHY | 43 |
| <b>5584-43</b> | ANGIOGRAPHY | 43 |
| <b>5584-53</b> | ANGIOGRAPHY | 43 |
| <b>5584-63</b> | ANGIOGRAPHY | 43 |
| <b>5584-A3</b> | ANGIOGRAPHY | 43 |
| <b>5584-B3</b> | ANGIOGRAPHY | 43 |
| <b>5584-C3</b> | ANGIOGRAPHY | 43 |
| <b>5584-D3</b> | ANGIOGRAPHY | 43 |
| <b>5584-E3</b> | ANGIOGRAPHY | 43 |
| <b>5584-F3</b> | ANGIOGRAPHY | 43 |
| <b>5585-13</b> | ANGIOGRAPHY | 41 |
| <b>5585-23</b> | ANGIOGRAPHY | 41 |
| <b>5585-A3</b> | ANGIOGRAPHY | 41 |
| <b>5585-B3</b> | ANGIOGRAPHY | 41 |
| <b>5585-C3</b> | ANGIOGRAPHY | 42 |
| <b>5585-D3</b> | ANGIOGRAPHY | 42 |
| <b>5585-E3</b> | ANGIOGRAPHY | 42 |
| <b>5586-13</b> | ANGIOGRAPHY | 44 |
| <b>5586-23</b> | ANGIOGRAPHY | 44 |
| <b>5586-43</b> | ANGIOGRAPHY | 44 |
| <b>5586-A3</b> | ANGIOGRAPHY | 44 |
| <b>5586-B3</b> | ANGIOGRAPHY | 44 |
| <b>5587-13</b> | ANGIOGRAPHY | 44 |
| <b>5587-23</b> | ANGIOGRAPHY | 44 |
| <b>5587-A3</b> | ANGIOGRAPHY | 44 |
| <b>5588-13</b> | ANGIOGRAPHY | 40 |
| <b>5588-A3</b> | ANGIOGRAPHY | 40 |
| <b>5589-13</b> | ANGIOGRAPHY | 45 |
| <b>5589-23</b> | ANGIOGRAPHY | 45 |
| <b>5589-A3</b> | ANGIOGRAPHY | 45 |
| <b>5589-B3</b> | ANGIOGRAPHY | 45 |
| <b>5590-13</b> | ANGIOGRAPHY | 41 |
| <b>5590-23</b> | ANGIOGRAPHY | 41 |
| <b>5590-33</b> | ANGIOGRAPHY | 41 |
| <b>5591-A3</b> | ANGIOGRAPHY | 45 |
| <b>5591-B3</b> | ANGIOGRAPHY | 45 |
| <b>5591-C3</b> | ANGIOGRAPHY | 45 |
| <b>5591-D3</b> | ANGIOGRAPHY | 45 |
| <b>5591-E3</b> | ANGIOGRAPHY | 45 |
| <b>5591-F3</b> | ANGIOGRAPHY | 45 |
| <b>5592-13</b> | ANGIOGRAPHY | 40 |
| <b>5592-23</b> | ANGIOGRAPHY | 40 |
| <b>5592-33</b> | ANGIOGRAPHY | 40 |
| <b>5592-A3</b> | ANGIOGRAPHY | 40 |

|                |             |    |
|----------------|-------------|----|
| 5592-B3        | ANGIOGRAPHY | 40 |
| 5592-C3        | ANGIOGRAPHY | 40 |
| 5594-13        | ANGIOGRAPHY | 46 |
| 5595-13        | ANGIOGRAPHY | 46 |
| 5595-23        | ANGIOGRAPHY | 46 |
| 5595-33        | ANGIOGRAPHY | 46 |
| 5595-43        | ANGIOGRAPHY | 46 |
| 5595-A3        | ANGIOGRAPHY | 46 |
| 5595-B3        | ANGIOGRAPHY | 46 |
| 5595-C3        | ANGIOGRAPHY | 46 |
| 5595-D3        | ANGIOGRAPHY | 46 |
| 5653510PIG-NB  | ANGIOGRAPHY | 31 |
| 5653510STF-NB  | ANGIOGRAPHY | 32 |
| 5653510UBF-NB  | ANGIOGRAPHY | 31 |
| 565352CB1      | ANGIOGRAPHY | 26 |
| 565352CB2      | ANGIOGRAPHY | 26 |
| 565352HK0-8    | ANGIOGRAPHY | 26 |
| 565352HK1-0    | ANGIOGRAPHY | 26 |
| 565352RC       | ANGIOGRAPHY | 27 |
| 565352SH0-8    | ANGIOGRAPHY | 27 |
| 565352SH1-0    | ANGIOGRAPHY | 27 |
| 565354RBI      | ANGIOGRAPHY | 29 |
| 565356SHP-NB   | ANGIOGRAPHY | 30 |
| 56535AVS20MHK  | ANGIOGRAPHY | 50 |
| 56535AVS20PIG  | ANGIOGRAPHY | 50 |
| 56535AVS2MHK   | ANGIOGRAPHY | 50 |
| 56535AVS2PIG   | ANGIOGRAPHY | 50 |
| 56535AVS2STR   | ANGIOGRAPHY | 50 |
| 56535B1        | ANGIOGRAPHY | 24 |
| 56535BER       | ANGIOGRAPHY | 25 |
| 56535MOT       | ANGIOGRAPHY | 27 |
| 56535MRIMST    | ANGIOGRAPHY | 29 |
| 56535RBI       | ANGIOGRAPHY | 29 |
| 56535RIM       | ANGIOGRAPHY | 29 |
| 56535SIM1      | ANGIOGRAPHY | 25 |
| 5653810MUBF-NB | ANGIOGRAPHY | 31 |
| 5653810PIG-NB  | ANGIOGRAPHY | 31 |
| 565382CB1      | ANGIOGRAPHY | 26 |
| 565382CB2      | ANGIOGRAPHY | 26 |
| 56538BER       | ANGIOGRAPHY | 25 |
| 56538BER-H     | ANGIOGRAPHY | 33 |
| 56538CB1       | ANGIOGRAPHY | 26 |
| 56538CB1-H     | ANGIOGRAPHY | 33 |
| 56538CB2       | ANGIOGRAPHY | 26 |
| 56538CB2-H     | ANGIOGRAPHY | 33 |
| 56538KA2       | ANGIOGRAPHY | 28 |
| 56538KA2-H     | ANGIOGRAPHY | 34 |
| 56538MPA1      | ANGIOGRAPHY | 30 |

|               |               |    |
|---------------|---------------|----|
| 56538MW2      | ANGIOGRAPHY   | 25 |
| 56538RBI-H    | ANGIOGRAPHY   | 35 |
| 56538SIM1     | ANGIOGRAPHY   | 25 |
| 56538SIM2     | ANGIOGRAPHY   | 25 |
| 56538STS      | ANGIOGRAPHY   | 29 |
| 56538STS-H    | ANGIOGRAPHY   | 36 |
| 56538VER      | ANGIOGRAPHY   | 24 |
| 56538VER-H    | ANGIOGRAPHY   | 36 |
| 58035MHK1     | ANGIOGRAPHY   | 29 |
| 58035MHK2     | ANGIOGRAPHY   | 29 |
| 58035MHK3     | ANGIOGRAPHY   | 29 |
| 58035RE       | ANGIOGRAPHY   | 28 |
| 58038MHK1-H   | ANGIOGRAPHY   | 35 |
| 58038MHK2-H   | ANGIOGRAPHY   | 35 |
| 58038MHK3-H   | ANGIOGRAPHY   | 35 |
| 58038MIK      | ANGIOGRAPHY   | 28 |
| 58038RE       | ANGIOGRAPHY   | 28 |
| 5903510PIG-NB | ANGIOGRAPHY   | 31 |
| 5903510STF-NB | ANGIOGRAPHY   | 32 |
| 5903510UBF-NB | ANGIOGRAPHY   | 31 |
| 5903810PIG-NB | ANGIOGRAPHY   | 31 |
| 59038UAC      | ANGIOGRAPHY   | 28 |
| 59038UAC      | EMBOLOTHERAPY | 98 |
| 6609-33       | ANGIOGRAPHY   | 13 |
| 6647-11       | ANGIOGRAPHY   | 14 |
| 6676-A1       | ANGIOGRAPHY   | 13 |
| 6676-B3       | ANGIOGRAPHY   | 13 |
| 6676-C1       | ANGIOGRAPHY   | 13 |
| 6676-D3       | ANGIOGRAPHY   | 13 |
| 6677-B1       | ANGIOGRAPHY   | 13 |
| 6680-11       | ANGIOGRAPHY   | 13 |
| 6680-23       | ANGIOGRAPHY   | 13 |
| 6680-31       | ANGIOGRAPHY   | 13 |
| 6680-43       | ANGIOGRAPHY   | 13 |
| 6680-51       | ANGIOGRAPHY   | 13 |
| 6680-61       | ANGIOGRAPHY   | 13 |
| 6680-71       | ANGIOGRAPHY   | 13 |
| 6682-E1       | ANGIOGRAPHY   | 14 |
| 6682-K1       | ANGIOGRAPHY   | 14 |
| 6682-L3       | ANGIOGRAPHY   | 14 |
| 6682-M1       | ANGIOGRAPHY   | 14 |
| 6682-N3       | ANGIOGRAPHY   | 14 |
| 6684-61       | ANGIOGRAPHY   | 14 |
| 6690-41       | ANGIOGRAPHY   | 13 |
| 6690-61       | ANGIOGRAPHY   | 13 |
| 6693-41       | ANGIOGRAPHY   | 14 |
| 6693-61       | ANGIOGRAPHY   | 14 |
| 6693-71       | ANGIOGRAPHY   | 14 |

|               |              |    |
|---------------|--------------|----|
| 6693-A1       | ANGIOGRAPHY  | 14 |
| 6694-21       | ANGIOGRAPHY  | 14 |
| 680ME         | INTERVENTION | 69 |
| 685ME         | INTERVENTION | 69 |
| 7514-13       | ANGIOGRAPHY  | 46 |
| 7514-23       | ANGIOGRAPHY  | 46 |
| 7541-13       | ANGIOGRAPHY  | 44 |
| 7543-13       | ANGIOGRAPHY  | 44 |
| 7602-11M      | ANGIOGRAPHY  | 49 |
| 7602-11M65    | ANGIOGRAPHY  | 49 |
| 7602-20M      | ANGIOGRAPHY  | 49 |
| 7602-20M100SH | ANGIOGRAPHY  | 49 |
| 7602-20M65    | ANGIOGRAPHY  | 49 |
| 7602-20M65SH  | ANGIOGRAPHY  | 49 |
| 7602-2M       | ANGIOGRAPHY  | 49 |
| 7602-2M65     | ANGIOGRAPHY  | 49 |
| 7602-41       | ANGIOGRAPHY  | 47 |
| 7602-51       | ANGIOGRAPHY  | 47 |
| 7602-61       | ANGIOGRAPHY  | 47 |
| 7602-71       | ANGIOGRAPHY  | 47 |
| 7602-81       | ANGIOGRAPHY  | 47 |
| 7602-91       | ANGIOGRAPHY  | 47 |
| 7602-A1       | ANGIOGRAPHY  | 47 |
| 7602-B1       | ANGIOGRAPHY  | 47 |
| 7602-C1       | ANGIOGRAPHY  | 47 |
| 7602-D1       | ANGIOGRAPHY  | 47 |
| 7603-11M100   | ANGIOGRAPHY  | 49 |
| 7603-11M65    | ANGIOGRAPHY  | 49 |
| 7603-20M100SH | ANGIOGRAPHY  | 49 |
| 7603-20M65SH  | ANGIOGRAPHY  | 49 |
| 7603-2M100    | ANGIOGRAPHY  | 49 |
| 7603-2M65     | ANGIOGRAPHY  | 49 |
| 7603-A1       | ANGIOGRAPHY  | 48 |
| 7603-B1       | ANGIOGRAPHY  | 48 |
| 7603-C1       | ANGIOGRAPHY  | 48 |
| 7603-D1       | ANGIOGRAPHY  | 48 |
| 7673-11       | ANGIOGRAPHY  | 48 |
| 7673-11M100SH | ANGIOGRAPHY  | 49 |
| 7673-11M65SH  | ANGIOGRAPHY  | 49 |
| 7673-20M100SH | ANGIOGRAPHY  | 49 |
| 7673-20M65SH  | ANGIOGRAPHY  | 49 |
| 7673-21       | ANGIOGRAPHY  | 48 |
| 7673-2M       | ANGIOGRAPHY  | 49 |
| 7673-2M65     | ANGIOGRAPHY  | 49 |
| 7673-31       | ANGIOGRAPHY  | 48 |
| 7673-41       | ANGIOGRAPHY  | 48 |
| 7673-51       | ANGIOGRAPHY  | 48 |
| 7673-61       | ANGIOGRAPHY  | 48 |

|           |             |    |
|-----------|-------------|----|
| 7674-11   | ANGIOGRAPHY | 47 |
| 7674-21   | ANGIOGRAPHY | 47 |
| 7674-2M   | ANGIOGRAPHY | 49 |
| 7674-2M65 | ANGIOGRAPHY | 49 |
| 7674-31   | ANGIOGRAPHY | 47 |
| 7674-41   | ANGIOGRAPHY | 47 |
| 7710-10   | ANGIOGRAPHY | 43 |
| 7710-20   | ANGIOGRAPHY | 43 |
| 7710-30   | ANGIOGRAPHY | 43 |
| 7710-40   | ANGIOGRAPHY | 43 |
| 7710-50   | ANGIOGRAPHY | 43 |
| 7710-60   | ANGIOGRAPHY | 43 |
| 7710-A0   | ANGIOGRAPHY | 43 |
| 7710-B0   | ANGIOGRAPHY | 43 |
| 7710-C0   | ANGIOGRAPHY | 43 |
| 7710-D0   | ANGIOGRAPHY | 43 |
| 7710-E0   | ANGIOGRAPHY | 43 |
| 7710-F0   | ANGIOGRAPHY | 43 |
| 7711-10   | ANGIOGRAPHY | 41 |
| 7711-20   | ANGIOGRAPHY | 41 |
| 7711-A0   | ANGIOGRAPHY | 41 |
| 7711-B0   | ANGIOGRAPHY | 41 |
| 7712-10   | ANGIOGRAPHY | 44 |
| 7712-20   | ANGIOGRAPHY | 44 |
| 7712-30   | ANGIOGRAPHY | 44 |
| 7712-40   | ANGIOGRAPHY | 44 |
| 7712-A0   | ANGIOGRAPHY | 44 |
| 7712-B0   | ANGIOGRAPHY | 44 |
| 7712-C0   | ANGIOGRAPHY | 44 |
| 7712-D0   | ANGIOGRAPHY | 44 |
| 7713-10   | ANGIOGRAPHY | 44 |
| 7713-20   | ANGIOGRAPHY | 44 |
| 7713-A0   | ANGIOGRAPHY | 44 |
| 7713-B0   | ANGIOGRAPHY | 44 |
| 7714-10   | ANGIOGRAPHY | 45 |
| 7714-20   | ANGIOGRAPHY | 45 |
| 7714-A0   | ANGIOGRAPHY | 45 |
| 7714-B0   | ANGIOGRAPHY | 45 |
| 7715-10   | ANGIOGRAPHY | 37 |
| 7715-30   | ANGIOGRAPHY | 37 |
| 7715-50   | ANGIOGRAPHY | 37 |
| 7715-60   | ANGIOGRAPHY | 37 |
| 7715-A0   | ANGIOGRAPHY | 37 |
| 7715-B0   | ANGIOGRAPHY | 37 |
| 7715-C0   | ANGIOGRAPHY | 37 |
| 7715-D0   | ANGIOGRAPHY | 37 |
| 7716-10   | ANGIOGRAPHY | 39 |
| 7716-A0   | ANGIOGRAPHY | 39 |

|               |             |    |
|---------------|-------------|----|
| 7717-10       | ANGIOGRAPHY | 39 |
| 7717-20       | ANGIOGRAPHY | 39 |
| 7717-30       | ANGIOGRAPHY | 39 |
| 7717-A0       | ANGIOGRAPHY | 39 |
| 7717-B0       | ANGIOGRAPHY | 39 |
| 7717-C0       | ANGIOGRAPHY | 39 |
| 7718-10       | ANGIOGRAPHY | 40 |
| 7718-20       | ANGIOGRAPHY | 40 |
| 7718-30       | ANGIOGRAPHY | 40 |
| 7718-A0       | ANGIOGRAPHY | 40 |
| 7718-B0       | ANGIOGRAPHY | 40 |
| 7718-C0       | ANGIOGRAPHY | 40 |
| 7719-10       | ANGIOGRAPHY | 46 |
| 7719-A0       | ANGIOGRAPHY | 46 |
| 7720-10       | ANGIOGRAPHY | 42 |
| 7720-20       | ANGIOGRAPHY | 42 |
| 7720-30       | ANGIOGRAPHY | 42 |
| 7720-40       | ANGIOGRAPHY | 42 |
| 7720-53       | ANGIOGRAPHY | 42 |
| 7720-70       | ANGIOGRAPHY | 42 |
| 7720-80       | ANGIOGRAPHY | 42 |
| 7720-A0       | ANGIOGRAPHY | 42 |
| 7720-B0       | ANGIOGRAPHY | 42 |
| 7720-C0       | ANGIOGRAPHY | 42 |
| 7720-D0       | ANGIOGRAPHY | 42 |
| 7720-E0       | ANGIOGRAPHY | 42 |
| 7720-F0       | ANGIOGRAPHY | 42 |
| 7721-10       | ANGIOGRAPHY | 39 |
| 7721-20       | ANGIOGRAPHY | 39 |
| 7721-30       | ANGIOGRAPHY | 39 |
| 7721-A0       | ANGIOGRAPHY | 39 |
| 7721-B0       | ANGIOGRAPHY | 39 |
| 7721-C0       | ANGIOGRAPHY | 39 |
| 7722-10       | ANGIOGRAPHY | 38 |
| 7722-20       | ANGIOGRAPHY | 38 |
| 7722-30       | ANGIOGRAPHY | 38 |
| 7722-40       | ANGIOGRAPHY | 38 |
| 7722-50       | ANGIOGRAPHY | 38 |
| 7722-A0       | ANGIOGRAPHY | 38 |
| 7722-B0       | ANGIOGRAPHY | 38 |
| 7722-C0       | ANGIOGRAPHY | 38 |
| 7722-D0       | ANGIOGRAPHY | 38 |
| 7722-E0       | ANGIOGRAPHY | 38 |
| 7723-10       | ANGIOGRAPHY | 40 |
| 7723-A0       | ANGIOGRAPHY | 40 |
| 7742-20M100SH | ANGIOGRAPHY | 49 |
| 7742-20M65SH  | ANGIOGRAPHY | 49 |
| 7742-2M100SH  | ANGIOGRAPHY | 49 |

|              |             |    |
|--------------|-------------|----|
| 7742-2M65SH  | ANGIOGRAPHY | 49 |
| 7743-2M100SH | ANGIOGRAPHY | 49 |
| 7743-2M65SH  | ANGIOGRAPHY | 49 |
| 7744-2M100SH | ANGIOGRAPHY | 49 |
| 7744-2M65SH  | ANGIOGRAPHY | 49 |
| 7745-10      | ANGIOGRAPHY | 41 |
| 7745-A0      | ANGIOGRAPHY | 41 |
| 7745-B0      | ANGIOGRAPHY | 41 |
| 7745-C0      | ANGIOGRAPHY | 41 |
| 7746-10      | ANGIOGRAPHY | 41 |
| 7746-20      | ANGIOGRAPHY | 41 |
| 7746-30      | ANGIOGRAPHY | 41 |
| 7746-A0      | ANGIOGRAPHY | 41 |
| 7746-B0      | ANGIOGRAPHY | 41 |
| 7746-C0      | ANGIOGRAPHY | 41 |
| 7747-10      | ANGIOGRAPHY | 45 |
| 7747-20      | ANGIOGRAPHY | 45 |
| 7747-A0      | ANGIOGRAPHY | 45 |
| 7747-B0      | ANGIOGRAPHY | 45 |
| 7747-C0      | ANGIOGRAPHY | 45 |
| 7747-D0      | ANGIOGRAPHY | 45 |
| 7747-E0      | ANGIOGRAPHY | 45 |
| 7747-F0      | ANGIOGRAPHY | 45 |
| 7748-13      | ANGIOGRAPHY | 40 |
| 7748-A0      | ANGIOGRAPHY | 40 |
| 7749-A0      | ANGIOGRAPHY | 47 |
| 7752-10      | ANGIOGRAPHY | 44 |
| 7755-2M100   | ANGIOGRAPHY | 49 |
| 7755-2M65    | ANGIOGRAPHY | 49 |
| 8820-B1      | ANGIOGRAPHY | 14 |
| AD18N91W     | ACCESS      | 3  |
| AD18T51W     | ACCESS      | 3  |
| AD18T51WS    | ACCESS      | 3  |
| AD18T71W     | ACCESS      | 3  |
| AD18T71WC    | ACCESS      | 3  |
| AD18T71W-E   | ACCESS      | 3  |
| AD18T71WS    | ACCESS      | 3  |
| AD18T71WT    | ACCESS      | 3  |
| AD19U41W     | ACCESS      | 3  |
| AD19U41WC    | ACCESS      | 3  |
| AD19U51W     | ACCESS      | 3  |
| AD19U71W     | ACCESS      | 3  |
| AD19U71WC    | ACCESS      | 3  |
| AD19U71WS    | ACCESS      | 3  |
| AD20T41W     | ACCESS      | 3  |
| AD20T71W     | ACCESS      | 3  |
| AD21T21W     | ACCESS      | 3  |
| AD21T21W     | ACCESS      | 7  |

|            |              |    |
|------------|--------------|----|
| AD21T41W   | ACCESS       | 3  |
| AD21T41W   | ACCESS       | 7  |
| AD21T41WC  | ACCESS       | 3  |
| AD21T41W-E | ACCESS       | 3  |
| AD21T41W-E | ACCESS       | 7  |
| AD21T71W   | ACCESS       | 3  |
| AD21T71W   | ACCESS       | 7  |
| AD21T71W-E | ACCESS       | 3  |
| AD21T71W-E | ACCESS       | 7  |
| AD21T91R   | ACCESS       | 3  |
| AD21T91R   | INTERVENTION | 78 |
| AD21T91RE  | ACCESS       | 3  |
| AD21T91RE  | INTERVENTION | 78 |
| AD21T91W   | ACCESS       | 3  |
| AD21T91W   | ACCESS       | 7  |
| AD21T91W-E | ACCESS       | 3  |
| AD21T91W-E | ACCESS       | 7  |
| ASK200     | ACCESS       | 10 |
| BT01       | ACCESS       | 10 |
| CC-1301    | INTERVENTION | 86 |
| CC-1360    | INTERVENTION | 86 |
| CC-2300    | INTERVENTION | 86 |
| CE-1400    | INTERVENTION | 86 |
| CEN15C     | INTERVENTION | 81 |
| CEN15K     | INTERVENTION | 81 |
| CEN17C     | INTERVENTION | 81 |
| CEN17K     | INTERVENTION | 81 |
| CEN19C     | INTERVENTION | 81 |
| CEN19K     | INTERVENTION | 81 |
| CEN23C     | INTERVENTION | 81 |
| CEN23K     | INTERVENTION | 81 |
| CEN27C     | INTERVENTION | 81 |
| CEN27K     | INTERVENTION | 81 |
| CEN31C     | INTERVENTION | 81 |
| CEN31K     | INTERVENTION | 81 |
| CENFP15C   | INTERVENTION | 81 |
| CENFP15K   | INTERVENTION | 81 |
| CENFP17C   | INTERVENTION | 81 |
| CENFP17K   | INTERVENTION | 81 |
| CENFP19C   | INTERVENTION | 81 |
| CENFP19K   | INTERVENTION | 81 |
| CENFP23C   | INTERVENTION | 81 |
| CENFP23K   | INTERVENTION | 81 |
| CENFP27C   | INTERVENTION | 81 |
| CENFP27K   | INTERVENTION | 81 |
| CENFP31C   | INTERVENTION | 81 |
| CENFP31K   | INTERVENTION | 81 |
| CET100     | INTERVENTION | 84 |

|                |              |    |
|----------------|--------------|----|
| CET200         | INTERVENTION | 84 |
| CET300         | INTERVENTION | 84 |
| CF-4230        | INTERVENTION | 85 |
| CF-4235        | INTERVENTION | 85 |
| CF-4430        | INTERVENTION | 85 |
| CF-5161        | INTERVENTION | 85 |
| CF-5242        | INTERVENTION | 85 |
| CF-5243        | INTERVENTION | 85 |
| CF-5244        | INTERVENTION | 85 |
| CF-5247        | INTERVENTION | 85 |
| CF-5249        | INTERVENTION | 85 |
| CF-5250        | INTERVENTION | 85 |
| CF-5260        | INTERVENTION | 85 |
| CF-5270        | INTERVENTION | 85 |
| CF-5442        | INTERVENTION | 85 |
| CF-5443        | INTERVENTION | 85 |
| CF-5450        | INTERVENTION | 85 |
| CF-5460        | INTERVENTION | 85 |
| CF-5470        | INTERVENTION | 85 |
| CF-5560        | INTERVENTION | 85 |
| CFG624         | INTERVENTION | 69 |
| CS-242         | INTERVENTION | 86 |
| CS-352         | INTERVENTION | 86 |
| CS-362         | INTERVENTION | 86 |
| DC01452419     | INTERVENTION | 83 |
| DC01452419-NE5 | INTERVENTION | 84 |
| DC01452823     | INTERVENTION | 83 |
| DC01452823-NE5 | INTERVENTION | 84 |
| DC01453227     | INTERVENTION | 83 |
| DC01453227-NE5 | INTERVENTION | 84 |
| DC01453631     | INTERVENTION | 83 |
| DC01454035     | INTERVENTION | 83 |
| DC01455550     | INTERVENTION | 83 |
| DC21452419     | INTERVENTION | 83 |
| DC21452419-NE5 | INTERVENTION | 84 |
| DC21452823     | INTERVENTION | 83 |
| DC21452823-NE5 | INTERVENTION | 84 |
| DC21453227     | INTERVENTION | 83 |
| DC21453227-NE5 | INTERVENTION | 84 |
| DC21453631     | INTERVENTION | 83 |
| DC21454035     | INTERVENTION | 83 |
| DC21455550     | INTERVENTION | 83 |
| EN1003004      | INTERVENTION | 76 |
| EN1003008      | INTERVENTION | 76 |
| EN2006010      | INTERVENTION | 76 |
| EN2006015      | INTERVENTION | 76 |
| EN2006020      | INTERVENTION | 76 |
| EN2007030      | INTERVENTION | 76 |

|               |              |    |
|---------------|--------------|----|
| EN2007045     | INTERVENTION | 76 |
| ENDO-AN6012   | INTERVENTION | 75 |
| FAS5248       | INTERVENTION | 72 |
| FDS100        | INTERVENTION | 91 |
| FIS4-135-10   | INTERVENTION | 88 |
| FIS4-135-10SQ | INTERVENTION | 88 |
| FIS4-135-20   | INTERVENTION | 88 |
| FIS4-135-20SQ | INTERVENTION | 88 |
| FIS4-135-30   | INTERVENTION | 88 |
| FIS4-135-30SQ | INTERVENTION | 88 |
| FIS4-135-40   | INTERVENTION | 88 |
| FIS4-135-40SQ | INTERVENTION | 88 |
| FIS4-135-5    | INTERVENTION | 88 |
| FIS4-135-50   | INTERVENTION | 88 |
| FIS4-135-50SQ | INTERVENTION | 88 |
| FIS4-135-5SQ  | INTERVENTION | 88 |
| FIS4-45-10    | INTERVENTION | 88 |
| FIS4-45-10SQ  | INTERVENTION | 88 |
| FIS4-45-20    | INTERVENTION | 88 |
| FIS4-45-20SQ  | INTERVENTION | 88 |
| FIS4-90-10    | INTERVENTION | 88 |
| FIS4-90-10SQ  | INTERVENTION | 88 |
| FIS4-90-20    | INTERVENTION | 88 |
| FIS4-90-20SQ  | INTERVENTION | 88 |
| FIS4-90-30    | INTERVENTION | 88 |
| FIS4-90-30SQ  | INTERVENTION | 88 |
| FIS4-90-40    | INTERVENTION | 88 |
| FIS4-90-40SQ  | INTERVENTION | 88 |
| FIS4-90-5     | INTERVENTION | 88 |
| FIS4-90-50    | INTERVENTION | 88 |
| FIS4-90-50SQ  | INTERVENTION | 88 |
| FIS4-90-5SQ   | INTERVENTION | 88 |
| FIS5-135-10   | INTERVENTION | 89 |
| FIS5-135-10SQ | INTERVENTION | 89 |
| FIS5-135-20   | INTERVENTION | 89 |
| FIS5-135-20SQ | INTERVENTION | 89 |
| FIS5-135-30   | INTERVENTION | 89 |
| FIS5-135-30SQ | INTERVENTION | 89 |
| FIS5-135-40   | INTERVENTION | 89 |
| FIS5-135-40SQ | INTERVENTION | 89 |
| FIS5-135-5    | INTERVENTION | 89 |
| FIS5-135-50   | INTERVENTION | 89 |
| FIS5-135-50SQ | INTERVENTION | 89 |
| FIS5-135-5SQ  | INTERVENTION | 89 |
| FIS5-45-10    | INTERVENTION | 89 |
| FIS5-45-10SQ  | INTERVENTION | 89 |
| FIS5-45-20    | INTERVENTION | 89 |
| FIS5-45-20SQ  | INTERVENTION | 89 |
| FIS5-90-10    | INTERVENTION | 89 |

|                |              |     |
|----------------|--------------|-----|
| FIS5-90-10SQ   | INTERVENTION | 89  |
| FIS5-90-20     | INTERVENTION | 89  |
| FIS5-90-20SQ   | INTERVENTION | 89  |
| FIS5-90-30     | INTERVENTION | 89  |
| FIS5-90-30SQ   | INTERVENTION | 89  |
| FIS5-90-40     | INTERVENTION | 89  |
| FIS5-90-40SQ   | INTERVENTION | 89  |
| FIS5-90-5      | INTERVENTION | 89  |
| FIS5-90-50     | INTERVENTION | 89  |
| FIS5-90-50SQ   | INTERVENTION | 89  |
| FIS5-90-5SQ    | INTERVENTION | 89  |
| FLO30          | INTERVENTION | 76  |
| FT-1100        | INTERVENTION | 86  |
| FW4-135        | INTERVENTION | 91  |
| FW4-45         | INTERVENTION | 91  |
| FW4-90         | INTERVENTION | 91  |
| FW5-135        | INTERVENTION | 91  |
| FW5-45         | INTERVENTION | 91  |
| FW5-90         | INTERVENTION | 91  |
| FZ624          | INTERVENTION | 70  |
| HPAD22         | CPS          | 111 |
| HVA-100        | ACCESS       | 10  |
| HVA-100        | CPS          | 111 |
| IA-102         | INTERVENTION | 86  |
| IN4130         | INTERVENTION | 74  |
| IN7130         | INTERVENTION | 75  |
| IN8130         | INTERVENTION | 74  |
| IQ35F150B      | ANGIOGRAPHY  | 13  |
| IQ35F150BC     | ANGIOGRAPHY  | 13  |
| IQ35F80BC      | ANGIOGRAPHY  | 13  |
| IQ35F80J3SHD   | ANGIOGRAPHY  | 14  |
| IQ35F80J6      | ANGIOGRAPHY  | 14  |
| IQ35F100J15    | ANGIOGRAPHY  | 14  |
| IQ35F150BST    | ANGIOGRAPHY  | 13  |
| IQ35F150J105S  | ANGIOGRAPHY  | 14  |
| IQ35F150J15    | ANGIOGRAPHY  | 14  |
| IQ35F150J1O5   | ANGIOGRAPHY  | 14  |
| IQ35F150J1O5RS | ANGIOGRAPHY  | 13  |
| IQ35F150J3F    | ANGIOGRAPHY  | 14  |
| IQ35F150J3S    | ANGIOGRAPHY  | 14  |
| IQ35F150J3SHD  | ANGIOGRAPHY  | 14  |
| IQ35F150J6     | ANGIOGRAPHY  | 14  |
| IQ35F150NLLLT  | ANGIOGRAPHY  | 13  |
| IQ35F150NLLT   | ANGIOGRAPHY  | 13  |
| IQ35F150NLT    | ANGIOGRAPHY  | 13  |
| IQ35F150S      | ANGIOGRAPHY  | 13  |
| IQ35F180B      | ANGIOGRAPHY  | 13  |
| IQ35F180BC     | ANGIOGRAPHY  | 13  |



|                       |             |    |
|-----------------------|-------------|----|
| <b>IQ35F180BST</b>    | ANGIOGRAPHY | 13 |
| <b>IQ35F180J3S</b>    | ANGIOGRAPHY | 14 |
| <b>IQ35F180J6F</b>    | ANGIOGRAPHY | 14 |
| <b>IQ35F180J15</b>    | ANGIOGRAPHY | 14 |
| <b>IQ35F180J1O5</b>   | ANGIOGRAPHY | 14 |
| <b>IQ35F180J1O5RS</b> | ANGIOGRAPHY | 13 |
| <b>IQ35F180J3</b>     | ANGIOGRAPHY | 14 |
| <b>IQ35F180J3F</b>    | ANGIOGRAPHY | 14 |
| <b>IQ35F210J1O5</b>   | ANGIOGRAPHY | 14 |
| <b>IQ35F260B</b>      | ANGIOGRAPHY | 13 |
| <b>IQ35F260J1O5</b>   | ANGIOGRAPHY | 14 |
| <b>IQ35F260J1O5F</b>  | ANGIOGRAPHY | 14 |
| <b>IQ35F260J3</b>     | ANGIOGRAPHY | 14 |
| <b>IQ35F260S</b>      | ANGIOGRAPHY | 13 |
| <b>IQ35F80B</b>       | ANGIOGRAPHY | 13 |
| <b>IQ35F80J1O5RS</b>  | ANGIOGRAPHY | 13 |
| <b>IQ35F80J3</b>      | ANGIOGRAPHY | 14 |
| <b>IQ38F50J3</b>      | ANGIOGRAPHY | 14 |
| <b>IQ38F80J3</b>      | ANGIOGRAPHY | 14 |
| <b>IQ38F150B</b>      | ANGIOGRAPHY | 13 |
| <b>IQ38F150BC</b>     | ANGIOGRAPHY | 13 |
| <b>IQ38F150BST</b>    | ANGIOGRAPHY | 13 |
| <b>IQ38F150J15</b>    | ANGIOGRAPHY | 14 |
| <b>IQ38F150J1O5RS</b> | ANGIOGRAPHY | 13 |
| <b>IQ38F150J3</b>     | ANGIOGRAPHY | 14 |
| <b>IQ38F150J3S</b>    | ANGIOGRAPHY | 14 |
| <b>IQ38F150J3F</b>    | ANGIOGRAPHY | 14 |
| <b>IQ38F150J6</b>     | ANGIOGRAPHY | 14 |
| <b>IQ38F150S</b>      | ANGIOGRAPHY | 13 |
| <b>IQ38F180J3F</b>    | ANGIOGRAPHY | 14 |
| <b>IQ38F260J3</b>     | ANGIOGRAPHY | 14 |
| <b>IQ38F260J3F</b>    | ANGIOGRAPHY | 14 |
| <b>IQ38F260S</b>      | ANGIOGRAPHY | 13 |
| <b>IQH35F150B</b>     | ANGIOGRAPHY | 13 |
| <b>IQH35F150J15</b>   | ANGIOGRAPHY | 14 |
| <b>IQH35F150J1O5</b>  | ANGIOGRAPHY | 14 |
| <b>IQH35F150J3</b>    | ANGIOGRAPHY | 14 |
| <b>IQH35F150J3F</b>   | ANGIOGRAPHY | 14 |
| <b>IQH35F150J3S</b>   | ANGIOGRAPHY | 14 |
| <b>IQH35F150NLLT</b>  | ANGIOGRAPHY | 13 |
| <b>IQH35F150NLT</b>   | ANGIOGRAPHY | 13 |
| <b>IQH35F150S</b>     | ANGIOGRAPHY | 13 |
| <b>IQH35F180B</b>     | ANGIOGRAPHY | 13 |
| <b>IQH35F180J3F</b>   | ANGIOGRAPHY | 14 |
| <b>IQH35F70J6</b>     | ANGIOGRAPHY | 14 |
| <b>IQH38F150B</b>     | ANGIOGRAPHY | 13 |
| <b>IQH38F150J3</b>    | ANGIOGRAPHY | 14 |
| <b>IQH38F150J3F</b>   | ANGIOGRAPHY | 14 |

|                     |              |    |
|---------------------|--------------|----|
| <b>IQH38F70J6</b>   | ANGIOGRAPHY  | 14 |
| <b>IQR35F150B</b>   | ANGIOGRAPHY  | 15 |
| <b>IQR35F150BST</b> | ANGIOGRAPHY  | 15 |
| <b>IQR35F150J3</b>  | ANGIOGRAPHY  | 15 |
| <b>IQR35F150J3F</b> | ANGIOGRAPHY  | 15 |
| <b>IQR35F150J3S</b> | ANGIOGRAPHY  | 15 |
| <b>IQR35F260J3</b>  | ANGIOGRAPHY  | 15 |
| <b>IQR38F150J3</b>  | ANGIOGRAPHY  | 15 |
| <b>IQR38F150J3F</b> | ANGIOGRAPHY  | 15 |
| <b>IS4-135-10</b>   | INTERVENTION | 90 |
| <b>IS4-135-20</b>   | INTERVENTION | 90 |
| <b>IS4-135-30</b>   | INTERVENTION | 90 |
| <b>IS4-135-40</b>   | INTERVENTION | 90 |
| <b>IS4-135-5</b>    | INTERVENTION | 90 |
| <b>IS4-135-50</b>   | INTERVENTION | 90 |
| <b>IS4-45-10</b>    | INTERVENTION | 90 |
| <b>IS4-45-20</b>    | INTERVENTION | 90 |
| <b>IS4-90-10</b>    | INTERVENTION | 90 |
| <b>IS4-90-20</b>    | INTERVENTION | 90 |
| <b>IS4-90-30</b>    | INTERVENTION | 90 |
| <b>IS4-90-40</b>    | INTERVENTION | 90 |
| <b>IS4-90-5</b>     | INTERVENTION | 90 |
| <b>IS4-90-50</b>    | INTERVENTION | 90 |
| <b>IS5-135-10</b>   | INTERVENTION | 90 |
| <b>IS5-135-20</b>   | INTERVENTION | 90 |
| <b>IS5-135-30</b>   | INTERVENTION | 90 |
| <b>IS5-135-40</b>   | INTERVENTION | 90 |
| <b>IS5-135-5</b>    | INTERVENTION | 90 |
| <b>IS5-135-50</b>   | INTERVENTION | 90 |
| <b>IS5-45-10</b>    | INTERVENTION | 90 |
| <b>IS5-45-20</b>    | INTERVENTION | 90 |
| <b>IS5-90-10</b>    | INTERVENTION | 90 |
| <b>IS5-90-20</b>    | INTERVENTION | 90 |
| <b>IS5-90-30</b>    | INTERVENTION | 90 |
| <b>IS5-90-40</b>    | INTERVENTION | 90 |
| <b>IS5-90-5</b>     | INTERVENTION | 90 |
| <b>IS5-90-50</b>    | INTERVENTION | 90 |
| <b>K01-00786</b>    | ANGIOGRAPHY  | 53 |
| <b>K01-00917</b>    | ANGIOGRAPHY  | 53 |
| <b>K01-00953</b>    | ANGIOGRAPHY  | 53 |
| <b>K01-03243</b>    | ANGIOGRAPHY  | 53 |
| <b>K01-05093</b>    | ANGIOGRAPHY  | 53 |
| <b>K01-05185</b>    | ANGIOGRAPHY  | 53 |
| <b>K01-07736</b>    | ANGIOGRAPHY  | 56 |
| <b>K01-07736</b>    | INTERVENTION | 71 |
| <b>K01-07738</b>    | ANGIOGRAPHY  | 56 |
| <b>K01-07738</b>    | INTERVENTION | 71 |
| <b>K01-07739</b>    | ANGIOGRAPHY  | 56 |

|            |              |     |
|------------|--------------|-----|
| K01-07739  | INTERVENTION | 71  |
| K01-07740  | ANGIOGRAPHY  | 56  |
| K01-07740  | INTERVENTION | 71  |
| K01-60075  | ANGIOGRAPHY  | 53  |
| K01-60077  | ANGIOGRAPHY  | 53  |
| K01-60078  | ANGIOGRAPHY  | 53  |
| K01-60081  | ANGIOGRAPHY  | 53  |
| K01-60082  | ANGIOGRAPHY  | 53  |
| K01-60083  | ANGIOGRAPHY  | 53  |
| K01-60085  | ANGIOGRAPHY  | 53  |
| K01-60086  | ANGIOGRAPHY  | 53  |
| K01-60089  | ANGIOGRAPHY  | 53  |
| K01-60090  | ANGIOGRAPHY  | 53  |
| K01-60093  | ANGIOGRAPHY  | 53  |
| K01-60094  | ANGIOGRAPHY  | 53  |
| K01-60097  | ANGIOGRAPHY  | 53  |
| K01-60098  | ANGIOGRAPHY  | 53  |
| K01-60099  | ANGIOGRAPHY  | 53  |
| K01-60101  | ANGIOGRAPHY  | 53  |
| K01-60102  | ANGIOGRAPHY  | 53  |
| K01-60105  | ANGIOGRAPHY  | 53  |
| K01-60106  | ANGIOGRAPHY  | 53  |
| K01-60109  | ANGIOGRAPHY  | 53  |
| K01-60110  | ANGIOGRAPHY  | 53  |
| K08-01907  | INTERVENTION | 70  |
| K08-01961B | ANGIOGRAPHY  | 51  |
| K08-02027  | INTERVENTION | 70  |
| K08-02195A | ANGIOGRAPHY  | 51  |
| K10-00230B | INTERVENTION | 70  |
| K10-00576  | CPS          | 109 |
| K10-00577  | CPS          | 110 |
| K10-01103  | CPS          | 110 |
| K10-01555  | CPS          | 110 |
| K10-03450  | INTERVENTION | 70  |
| K10-04129  | INTERVENTION | 72  |
| K10-04130  | INTERVENTION | 72  |
| K10-04750  | INTERVENTION | 72  |
| K12-00262  | INTERVENTION | 92  |
| K12-00462  | INTERVENTION | 91  |
| K12-00463  | INTERVENTION | 91  |
| K12-01575  | CPS          | 106 |
| K12T-01822 | CPS          | 106 |
| K12T-02045 | CPS          | 105 |
| K12T-02843 | CPS          | 104 |
| K12T-02844 | CPS          | 104 |
| K12T-04321 | CPS          | 103 |
| K12T-04322 | CPS          | 103 |
| K12T-06756 | CPS          | 107 |
| K12T-07302 | CPS          | 107 |

|               |              |     |
|---------------|--------------|-----|
| K12T-07303    | CPS          | 107 |
| K12T-07304    | CPS          | 107 |
| K12T-07361    | CPS          | 107 |
| K12T-07362    | CPS          | 107 |
| K12T-07363    | CPS          | 107 |
| K12T-07364    | CPS          | 107 |
| K13-00476     | ANGIOGRAPHY  | 54  |
| L3SNC         | INTERVENTION | 72  |
| L4SNC         | INTERVENTION | 72  |
| LWSTDA18150   | ANGIOGRAPHY  | 16  |
| LWSTDA18180   | ANGIOGRAPHY  | 16  |
| LWSTDA18260EX | ANGIOGRAPHY  | 16  |
| LWSTDA1880    | ANGIOGRAPHY  | 16  |
| LWSTDA25150   | ANGIOGRAPHY  | 16  |
| LWSTDA25180   | ANGIOGRAPHY  | 16  |
| LWSTDA25260EX | ANGIOGRAPHY  | 16  |
| LWSTDA35150   | ANGIOGRAPHY  | 15  |
| LWSTDA35180   | ANGIOGRAPHY  | 15  |
| LWSTDA35260EX | ANGIOGRAPHY  | 15  |
| LWSTDA38120   | ANGIOGRAPHY  | 15  |
| LWSTDA38150   | ANGIOGRAPHY  | 15  |
| LWSTDA38180   | ANGIOGRAPHY  | 15  |
| LWSTDA38260EX | ANGIOGRAPHY  | 15  |
| LWSTDA3880    | ANGIOGRAPHY  | 15  |
| LWSTDS18150   | ANGIOGRAPHY  | 16  |
| LWSTDS18180   | ANGIOGRAPHY  | 16  |
| LWSTDS18260EX | ANGIOGRAPHY  | 16  |
| LWSTDS25150   | ANGIOGRAPHY  | 16  |
| LWSTDS25180   | ANGIOGRAPHY  | 16  |
| LWSTDS25260EX | ANGIOGRAPHY  | 16  |
| LWSTDS35150   | ANGIOGRAPHY  | 15  |
| LWSTDS35180   | ANGIOGRAPHY  | 15  |
| LWSTDS35220   | ANGIOGRAPHY  | 15  |
| LWSTDS35260EX | ANGIOGRAPHY  | 15  |
| LWSTDS3580    | ANGIOGRAPHY  | 15  |
| LWSTDS38150   | ANGIOGRAPHY  | 15  |
| LWSTDS38180   | ANGIOGRAPHY  | 15  |
| LWSTDS38260EX | ANGIOGRAPHY  | 15  |
| LWSTFA35150   | ANGIOGRAPHY  | 16  |
| LWSTFA35180   | ANGIOGRAPHY  | 16  |
| LWSTFA35220   | ANGIOGRAPHY  | 16  |
| LWSTFA35260EX | ANGIOGRAPHY  | 16  |
| LWSTFA3580    | ANGIOGRAPHY  | 16  |
| LWSTFA38150   | ANGIOGRAPHY  | 16  |
| LWSTFA38180   | ANGIOGRAPHY  | 16  |
| LWSTFA3880    | ANGIOGRAPHY  | 16  |
| LWSTFS35150   | ANGIOGRAPHY  | 16  |
| LWSTFS35180   | ANGIOGRAPHY  | 16  |

|               |              |    |
|---------------|--------------|----|
| LWSTFS35220   | ANGIOGRAPHY  | 16 |
| LWSTFS35260EX | ANGIOGRAPHY  | 16 |
| LWSTFS3580    | ANGIOGRAPHY  | 16 |
| LWSTFS38150   | ANGIOGRAPHY  | 16 |
| LWSTFS38180   | ANGIOGRAPHY  | 16 |
| MAK001        | ACCESS       | 7  |
| MAK001N       | ACCESS       | 7  |
| MAK001N-60    | ACCESS       | 7  |
| MAK001N-80    | ACCESS       | 7  |
| MAK005        | ACCESS       | 7  |
| MAK005-60     | ACCESS       | 7  |
| MAK401        | ACCESS       | 5  |
| MAK401-E      | ACCESS       | 5  |
| MAK401N       | ACCESS       | 5  |
| MAK401NBT     | ACCESS       | 6  |
| MAK401N-E     | ACCESS       | 5  |
| MAK401NEBT    | ACCESS       | 6  |
| MAK401NPD     | ACCESS       | 5  |
| MAK401NPDBT   | ACCESS       | 6  |
| MAK401NPD-E   | ACCESS       | 5  |
| MAK401NPDEBT  | ACCESS       | 6  |
| MAK401N-PED   | ACCESS       | 5  |
| MAK401-PED    | ACCESS       | 5  |
| MAK405        | ACCESS       | 5  |
| MAK405-E      | ACCESS       | 5  |
| MAK405PD      | ACCESS       | 5  |
| MAK405-PED    | ACCESS       | 5  |
| MAK4F-10      | ACCESS       | 7  |
| MAK501        | ACCESS       | 5  |
| MAK501-E      | ACCESS       | 5  |
| MAK501N       | ACCESS       | 5  |
| MAK501N-15    | ACCESS       | 5  |
| MAK501NBT     | ACCESS       | 6  |
| MAK501N-E     | ACCESS       | 5  |
| MAK501NEBT    | ACCESS       | 6  |
| MAK501NPD     | ACCESS       | 5  |
| MAK501NPDBT   | ACCESS       | 6  |
| MAK501NPD-E   | ACCESS       | 5  |
| MAK501NPDEBT  | ACCESS       | 6  |
| MAK501N-PED   | ACCESS       | 5  |
| MAK501-PED    | ACCESS       | 5  |
| MAK505        | ACCESS       | 5  |
| MAK505-E      | ACCESS       | 5  |
| MAK505PD      | ACCESS       | 5  |
| MAK505-PED    | ACCESS       | 5  |
| MAK5F-10      | ACCESS       | 7  |
| MAK5F-15      | ACCESS       | 7  |
| MAKNTPD       | ACCESS       | 7  |
| MAK-NV-001    | INTERVENTION | 59 |

|                 |              |     |
|-----------------|--------------|-----|
| MAK-NV-002      | INTERVENTION | 59  |
| MAK-NV-003      | INTERVENTION | 59  |
| MAK-NV-004      | INTERVENTION | 59  |
| MAK-NV-005      | INTERVENTION | 59  |
| MAK-NV-006      | INTERVENTION | 59  |
| MAK-NV-007      | INTERVENTION | 59  |
| MAK-NV-008      | INTERVENTION | 59  |
| MAK-NV-009      | INTERVENTION | 59  |
| MAK-NV-010      | INTERVENTION | 59  |
| MAK-NV-011      | INTERVENTION | 59  |
| MAK-NV-012      | INTERVENTION | 59  |
| MAK-NV-013      | INTERVENTION | 59  |
| MAK-NV-014      | INTERVENTION | 59  |
| MAK-NV-015      | INTERVENTION | 59  |
| MAK-NV-016      | INTERVENTION | 59  |
| MAK-NV-017      | INTERVENTION | 59  |
| MAK-NV-018      | INTERVENTION | 59  |
| MAK-NV-019      | INTERVENTION | 59  |
| MAK-NV-020      | INTERVENTION | 59  |
| MAK-NV-021      | INTERVENTION | 59  |
| MAKSSPD         | ACCESS       | 7   |
| MDD100          | CPS          | 108 |
| MDD110          | CPS          | 108 |
| MDD200H         | CPS          | 108 |
| MDD220          | CPS          | 108 |
| MDD220H         | CPS          | 108 |
| MDD300H         | CPS          | 108 |
| MDD400H         | CPS          | 109 |
| MDD500H         | CPS          | 109 |
| MDD520H         | CPS          | 109 |
| MDD600          | INTERVENTION | 70  |
| MIC5-135-10-035 | INTERVENTION | 92  |
| MIC5-135-5-035  | INTERVENTION | 92  |
| MIC5-45-10-035  | INTERVENTION | 92  |
| MIC5-45-5-035   | INTERVENTION | 92  |
| MIC5-90-10-035  | INTERVENTION | 92  |
| MIC5-90-5-035   | INTERVENTION | 92  |
| MSS011          | ANGIOGRAPHY  | 53  |
| MSS011-DG       | ANGIOGRAPHY  | 53  |
| MSS011-LB       | ANGIOGRAPHY  | 53  |
| MSS011-LG       | ANGIOGRAPHY  | 53  |
| MSS011-PR       | ANGIOGRAPHY  | 53  |
| MSS011-R        | ANGIOGRAPHY  | 53  |
| MSS011-Y        | ANGIOGRAPHY  | 53  |
| MSS031          | ANGIOGRAPHY  | 53  |
| MSS031-DG       | ANGIOGRAPHY  | 53  |
| MSS031-LB       | ANGIOGRAPHY  | 53  |
| MSS031-LG       | ANGIOGRAPHY  | 53  |

|                  |             |    |
|------------------|-------------|----|
| <b>MSS031-PR</b> | ANGIOGRAPHY | 53 |
| <b>MSS031-R</b>  | ANGIOGRAPHY | 53 |
| <b>MSS031-Y</b>  | ANGIOGRAPHY | 53 |
| <b>MSS061</b>    | ANGIOGRAPHY | 53 |
| <b>MSS061-DG</b> | ANGIOGRAPHY | 53 |
| <b>MSS061-LB</b> | ANGIOGRAPHY | 53 |
| <b>MSS061-LG</b> | ANGIOGRAPHY | 53 |
| <b>MSS061-PR</b> | ANGIOGRAPHY | 53 |
| <b>MSS061-R</b>  | ANGIOGRAPHY | 53 |
| <b>MSS061-Y</b>  | ANGIOGRAPHY | 53 |
| <b>MSS111</b>    | ANGIOGRAPHY | 53 |
| <b>MSS111-DG</b> | ANGIOGRAPHY | 53 |
| <b>MSS111-LB</b> | ANGIOGRAPHY | 53 |
| <b>MSS111-LG</b> | ANGIOGRAPHY | 53 |
| <b>MSS111-PR</b> | ANGIOGRAPHY | 53 |
| <b>MSS111-R</b>  | ANGIOGRAPHY | 53 |
| <b>MSS111-Y</b>  | ANGIOGRAPHY | 53 |
| <b>MSS121</b>    | ANGIOGRAPHY | 53 |
| <b>MSS121-DG</b> | ANGIOGRAPHY | 53 |
| <b>MSS121-LB</b> | ANGIOGRAPHY | 53 |
| <b>MSS121-LG</b> | ANGIOGRAPHY | 53 |
| <b>MSS121-PR</b> | ANGIOGRAPHY | 53 |
| <b>MSS121-R</b>  | ANGIOGRAPHY | 53 |
| <b>MSS121-Y</b>  | ANGIOGRAPHY | 53 |
| <b>MSS131</b>    | ANGIOGRAPHY | 53 |
| <b>MSS131-DG</b> | ANGIOGRAPHY | 53 |
| <b>MSS131-LB</b> | ANGIOGRAPHY | 53 |
| <b>MSS131-LG</b> | ANGIOGRAPHY | 53 |
| <b>MSS131-PR</b> | ANGIOGRAPHY | 53 |
| <b>MSS131-R</b>  | ANGIOGRAPHY | 53 |
| <b>MSS131-Y</b>  | ANGIOGRAPHY | 53 |
| <b>MSS160</b>    | ANGIOGRAPHY | 53 |
| <b>MSSF011</b>   | ANGIOGRAPHY | 54 |
| <b>MSSF031</b>   | ANGIOGRAPHY | 54 |
| <b>MSSF061</b>   | ANGIOGRAPHY | 54 |
| <b>MSSF111</b>   | ANGIOGRAPHY | 54 |
| <b>MSSF121</b>   | ANGIOGRAPHY | 54 |
| <b>MSSF131</b>   | ANGIOGRAPHY | 54 |
| <b>MSSF160</b>   | ANGIOGRAPHY | 54 |
| <b>MSSW11</b>    | ANGIOGRAPHY | 54 |
| <b>MSSW11-DG</b> | ANGIOGRAPHY | 54 |
| <b>MSSW11-LB</b> | ANGIOGRAPHY | 54 |
| <b>MSSW11-LG</b> | ANGIOGRAPHY | 54 |
| <b>MSSW11-PR</b> | ANGIOGRAPHY | 54 |
| <b>MSSW11-R</b>  | ANGIOGRAPHY | 54 |
| <b>MSSW11-Y</b>  | ANGIOGRAPHY | 54 |
| <b>MSSW21</b>    | ANGIOGRAPHY | 54 |
| <b>MSSW21-DG</b> | ANGIOGRAPHY | 54 |

|                     |              |     |
|---------------------|--------------|-----|
| <b>MSSW21-LB</b>    | ANGIOGRAPHY  | 54  |
| <b>MSSW21-LG</b>    | ANGIOGRAPHY  | 54  |
| <b>MSSW21-PR</b>    | ANGIOGRAPHY  | 54  |
| <b>MSSW21-R</b>     | ANGIOGRAPHY  | 54  |
| <b>MSSW21-Y</b>     | ANGIOGRAPHY  | 54  |
| <b>MVP44</b>        | CPS          | 111 |
| <b>ONE1000</b>      | INTERVENTION | 77  |
| <b>ONE1001</b>      | INTERVENTION | 77  |
| <b>ONE1500</b>      | INTERVENTION | 77  |
| <b>ONE200</b>       | INTERVENTION | 77  |
| <b>ONE2000</b>      | INTERVENTION | 77  |
| <b>ONE201</b>       | INTERVENTION | 77  |
| <b>ONE2500</b>      | INTERVENTION | 77  |
| <b>ONE2501</b>      | INTERVENTION | 77  |
| <b>ONE3000</b>      | INTERVENTION | 77  |
| <b>ONE3500</b>      | INTERVENTION | 77  |
| <b>ONE400</b>       | INTERVENTION | 77  |
| <b>ONE4000</b>      | INTERVENTION | 77  |
| <b>ONE401</b>       | INTERVENTION | 77  |
| <b>ONE500</b>       | INTERVENTION | 77  |
| <b>ONE6000</b>      | INTERVENTION | 77  |
| <b>ONE700</b>       | INTERVENTION | 77  |
| <b>ONE701</b>       | INTERVENTION | 77  |
| <b>OSC-4F-10L</b>   | INTERVENTION | 66  |
| <b>OSC-4F-10LNH</b> | INTERVENTION | 66  |
| <b>OSC-4F-10LT</b>  | INTERVENTION | 66  |
| <b>OSC-4F-10S</b>   | INTERVENTION | 66  |
| <b>OSC-4F-10T</b>   | INTERVENTION | 66  |
| <b>OSC-4F-7L</b>    | INTERVENTION | 66  |
| <b>OSC-4F-7LNH</b>  | INTERVENTION | 66  |
| <b>OSC-4F-7LT</b>   | INTERVENTION | 66  |
| <b>OSC-4F-7S</b>    | INTERVENTION | 66  |
| <b>OSC-4F-7T</b>    | INTERVENTION | 66  |
| <b>OSC-5F-10L</b>   | INTERVENTION | 66  |
| <b>OSC-5F-10LNH</b> | INTERVENTION | 66  |
| <b>OSC-5F-10LT</b>  | INTERVENTION | 66  |
| <b>OSC-5F-10S</b>   | INTERVENTION | 66  |
| <b>OSC-5F-10T</b>   | INTERVENTION | 66  |
| <b>OSC-5F-15L</b>   | INTERVENTION | 66  |
| <b>OSC-5F-15LNH</b> | INTERVENTION | 66  |
| <b>OSC-5F-15LT</b>  | INTERVENTION | 66  |
| <b>OSC-5F-15S</b>   | INTERVENTION | 66  |
| <b>OSC-5F-15T</b>   | INTERVENTION | 66  |
| <b>OSC-5F-7L</b>    | INTERVENTION | 66  |
| <b>OSC-5F-7LNH</b>  | INTERVENTION | 66  |
| <b>OSC-5F-7LT</b>   | INTERVENTION | 66  |
| <b>OSC-5F-7S</b>    | INTERVENTION | 66  |
| <b>OSC-5F-7T</b>    | INTERVENTION | 66  |

|                 |              |    |
|-----------------|--------------|----|
| PD4F035         | ACCESS       | 7  |
| PD5F038         | ACCESS       | 7  |
| PD6F038         | ACCESS       | 7  |
| PD7F038         | ACCESS       | 7  |
| PD8F038         | ACCESS       | 7  |
| PRO-4F-11-035MT | ACCESS       | 8  |
| PRO-4F-11MT     | ACCESS       | 8  |
| PRO-5F-11-035MT | ACCESS       | 8  |
| PRO-5F-11-038MT | ACCESS       | 8  |
| PRO-5F-11MT     | ACCESS       | 8  |
| PRO-6F-11-035MT | ACCESS       | 8  |
| PRO-6F-11-038MT | ACCESS       | 8  |
| PRO-6F-11MT     | ACCESS       | 8  |
| PRO-7F-11-035MT | ACCESS       | 8  |
| PRO-7F-11-038MT | ACCESS       | 8  |
| PRO-7F-11MT     | ACCESS       | 8  |
| PRO-8F-11-035MT | ACCESS       | 8  |
| PRO-8F-11-038MT | ACCESS       | 8  |
| PRO-8F-11MT     | ACCESS       | 8  |
| PSI-4F-23-035MT | ACCESS       | 8  |
| PSI-4F-23MT     | ACCESS       | 8  |
| PSI-5F-23-035MT | ACCESS       | 8  |
| PSI-5F-23-038MT | ACCESS       | 8  |
| PSI-5F-23MT     | ACCESS       | 8  |
| PSI-6F-23-035MT | ACCESS       | 8  |
| PSI-6F-23-038MT | ACCESS       | 8  |
| PSI-6F-23MT     | ACCESS       | 8  |
| PSI-7F-23-035MT | ACCESS       | 8  |
| PSI-7F-23-038MT | ACCESS       | 8  |
| PSI-7F-23MT     | ACCESS       | 8  |
| PSI-8F-23-035MT | ACCESS       | 8  |
| PSI-8F-23-038MT | ACCESS       | 8  |
| PSI-8F-23MT     | ACCESS       | 8  |
| PSS-5F-4-018MT  | ACCESS       | 9  |
| PSS-5F-4-018MT  | INTERVENTION | 79 |
| PSS-5F-4-035MT  | ACCESS       | 9  |
| PSS-5F-4-035MT  | INTERVENTION | 79 |
| PSS-5F-4-038MT  | ACCESS       | 9  |
| PSS-5F-4-038MT  | INTERVENTION | 79 |
| PSS-5F-4MT      | ACCESS       | 9  |
| PSS-5F-4MT      | INTERVENTION | 79 |
| PSS-6F-4-018MT  | ACCESS       | 9  |
| PSS-6F-4-018MT  | INTERVENTION | 79 |
| PSS-6F-4-035MT  | ACCESS       | 9  |
| PSS-6F-4-035MT  | INTERVENTION | 79 |
| PSS-6F-4-038MT  | ACCESS       | 9  |
| PSS-6F-4-038MT  | INTERVENTION | 79 |
| PSS-6F-4MT      | ACCESS       | 9  |

|                |              |    |
|----------------|--------------|----|
| PSS-6F-4MT     | INTERVENTION | 79 |
| PSS-7F-4-018MT | ACCESS       | 9  |
| PSS-7F-4-018MT | INTERVENTION | 79 |
| PSS-7F-4-035MT | ACCESS       | 9  |
| PSS-7F-4-035MT | INTERVENTION | 79 |
| PSS-7F-4-038MT | ACCESS       | 9  |
| PSS-7F-4-038MT | INTERVENTION | 79 |
| PSS-7F-4MT     | ACCESS       | 9  |
| PSS-7F-4MT     | INTERVENTION | 79 |
| PSS-8F-4-018MT | ACCESS       | 9  |
| PSS-8F-4-018MT | INTERVENTION | 79 |
| PSS-8F-4-035MT | ACCESS       | 9  |
| PSS-8F-4-035MT | INTERVENTION | 79 |
| PSS-8F-4-038MT | ACCESS       | 9  |
| PSS-8F-4-038MT | INTERVENTION | 79 |
| PSS-8F-4MT     | ACCESS       | 9  |
| PSS-8F-4MT     | INTERVENTION | 79 |
| RBC-10-038     | INTERVENTION | 61 |
| RBC-10-REV     | INTERVENTION | 61 |
| RBC-10-SFX     | INTERVENTION | 61 |
| RBC-12-038     | INTERVENTION | 61 |
| RBC-12-REV     | INTERVENTION | 61 |
| RBC-12-SFX     | INTERVENTION | 61 |
| RBC-14-038     | INTERVENTION | 61 |
| RBC-14-REV     | INTERVENTION | 61 |
| RBC-14-SFX     | INTERVENTION | 61 |
| RBC-8-038      | INTERVENTION | 61 |
| RBC-8-REV      | INTERVENTION | 61 |
| RBC-8-SFX      | INTERVENTION | 61 |
| RBDC-10-038    | INTERVENTION | 61 |
| RBDC-10-REV    | INTERVENTION | 61 |
| RBDC-10-SFX    | INTERVENTION | 61 |
| RBDC-12-038    | INTERVENTION | 61 |
| RBDC-12-REV    | INTERVENTION | 61 |
| RBDC-12-SFX    | INTERVENTION | 61 |
| RBDC-14-038    | INTERVENTION | 61 |
| RBDC-14-REV    | INTERVENTION | 61 |
| RBDC-14-SFX    | INTERVENTION | 61 |
| RBDC-8-038     | INTERVENTION | 61 |
| RBDC-8-REV     | INTERVENTION | 61 |
| RBDC-8-SFX     | INTERVENTION | 61 |
| RLC-10-038     | INTERVENTION | 62 |
| RLC-10-038MB   | INTERVENTION | 62 |
| RLC-10-REV     | INTERVENTION | 63 |
| RLC-10-SFX     | INTERVENTION | 63 |
| RLC-12-038     | INTERVENTION | 62 |
| RLC-12-038MB   | INTERVENTION | 62 |
| RLC-12-REV     | INTERVENTION | 63 |

|                 |              |    |
|-----------------|--------------|----|
| RLC-12-SFX      | INTERVENTION | 63 |
| RLC-14-038      | INTERVENTION | 62 |
| RLC-14-038MB    | INTERVENTION | 62 |
| RLC-14-REV      | INTERVENTION | 63 |
| RLC-14-SFX      | INTERVENTION | 63 |
| RLC15-10-038MB  | INTERVENTION | 62 |
| RLC15-12-038MB  | INTERVENTION | 62 |
| RLC15-14-038MB  | INTERVENTION | 62 |
| RLC15-6-038MB   | INTERVENTION | 62 |
| RLC15-7-038MB   | INTERVENTION | 62 |
| RLC15-8-038MB   | INTERVENTION | 62 |
| RLC40-10-038MB  | INTERVENTION | 62 |
| RLC40-12-038MB  | INTERVENTION | 62 |
| RLC40-14-038MB  | INTERVENTION | 62 |
| RLC40-6-038MB   | INTERVENTION | 62 |
| RLC40-7-038MB   | INTERVENTION | 62 |
| RLC40-8-038MB   | INTERVENTION | 62 |
| RLC-6-038       | INTERVENTION | 62 |
| RLC-6-038MB     | INTERVENTION | 62 |
| RLC-6-REV       | INTERVENTION | 63 |
| RLC-6-SFX       | INTERVENTION | 63 |
| RLC-7-038       | INTERVENTION | 62 |
| RLC-7-038MB     | INTERVENTION | 62 |
| RLC-7-REV       | INTERVENTION | 63 |
| RLC-7-SFX       | INTERVENTION | 63 |
| RLC-8-038       | INTERVENTION | 62 |
| RLC-8-038MB     | INTERVENTION | 62 |
| RLC-8-REV       | INTERVENTION | 63 |
| RLC-8-SFX       | INTERVENTION | 63 |
| RLCMB-10-REV    | INTERVENTION | 63 |
| RLCMB-10-SFX    | INTERVENTION | 63 |
| RLCMB-12-REV    | INTERVENTION | 63 |
| RLCMB-12-SFX    | INTERVENTION | 63 |
| RLCMB-14-REV    | INTERVENTION | 63 |
| RLCMB-14-SFX    | INTERVENTION | 63 |
| RLCMB-6-REV     | INTERVENTION | 63 |
| RLCMB-6-SFX     | INTERVENTION | 63 |
| RLCMB-7-REV     | INTERVENTION | 63 |
| RLCMB-7-SFX     | INTERVENTION | 63 |
| RLCMB-8-REV     | INTERVENTION | 63 |
| RLCMB-8-SFX     | INTERVENTION | 63 |
| RLCMB-NV-10     | INTERVENTION | 64 |
| RLCMB-NV-10-REV | INTERVENTION | 64 |
| RLCMB-NV-10-SFX | INTERVENTION | 64 |
| RLCMB-NV-12     | INTERVENTION | 64 |
| RLCMB-NV-12-REV | INTERVENTION | 64 |
| RLCMB-NV-12-SFX | INTERVENTION | 64 |
| RLCMB-NV-14     | INTERVENTION | 64 |

|                 |               |    |
|-----------------|---------------|----|
| RLCMB-NV-14-REV | INTERVENTION  | 64 |
| RLCMB-NV-14-SFX | INTERVENTION  | 64 |
| RLCMB-NV-6      | INTERVENTION  | 64 |
| RLCMB-NV-6-REV  | INTERVENTION  | 64 |
| RLCMB-NV-6-SFX  | INTERVENTION  | 64 |
| RLCMB-NV-8      | INTERVENTION  | 64 |
| RLCMB-NV-8-REV  | INTERVENTION  | 64 |
| RLCMB-NV-8-SFX  | INTERVENTION  | 64 |
| RLC-NV-10       | INTERVENTION  | 64 |
| RLC-NV-10-REV   | INTERVENTION  | 64 |
| RLC-NV-10-SFX   | INTERVENTION  | 64 |
| RLC-NV-12       | INTERVENTION  | 64 |
| RLC-NV-12-REV   | INTERVENTION  | 64 |
| RLC-NV-12-SFX   | INTERVENTION  | 64 |
| RLC-NV-14       | INTERVENTION  | 64 |
| RLC-NV-14-REV   | INTERVENTION  | 64 |
| RLC-NV-14-SFX   | INTERVENTION  | 64 |
| RLC-NV-6        | INTERVENTION  | 64 |
| RLC-NV-6-REV    | INTERVENTION  | 64 |
| RLC-NV-6-SFX    | INTERVENTION  | 64 |
| RLC-NV-8        | INTERVENTION  | 64 |
| RLC-NV-8-REV    | INTERVENTION  | 64 |
| RLC-NV-8-SFX    | INTERVENTION  | 64 |
| RNL-10-038J     | INTERVENTION  | 65 |
| RNL-10-038S     | INTERVENTION  | 65 |
| RNL-12-038J     | INTERVENTION  | 65 |
| RNL-12-038S     | INTERVENTION  | 65 |
| RNL-6-038J      | INTERVENTION  | 65 |
| RNL-6-038S      | INTERVENTION  | 65 |
| RNL-7-038J      | INTERVENTION  | 65 |
| RNL-7-038S      | INTERVENTION  | 65 |
| RNL-8-038J      | INTERVENTION  | 65 |
| RNL-8-038S      | INTERVENTION  | 65 |
| S1010EG         | EMBOLOThERAPY | 95 |
| S1010GH         | EMBOLOThERAPY | 95 |
| S1020EG         | EMBOLOThERAPY | 95 |
| S1020GH         | EMBOLOThERAPY | 95 |
| S120EG          | EMBOLOThERAPY | 95 |
| S120GH          | EMBOLOThERAPY | 95 |
| S210EG          | EMBOLOThERAPY | 95 |
| S210GH          | EMBOLOThERAPY | 95 |
| S220EG          | EMBOLOThERAPY | 95 |
| S220GH          | EMBOLOThERAPY | 95 |
| S410EG          | EMBOLOThERAPY | 95 |
| S410GH          | EMBOLOThERAPY | 95 |
| S420EG          | EMBOLOThERAPY | 95 |
| S420GH          | EMBOLOThERAPY | 95 |
| S610EG          | EMBOLOThERAPY | 95 |


|                      |               |     |
|----------------------|---------------|-----|
| <b>S610GH</b>        | EMBOLOThERAPY | 95  |
| <b>S620EG</b>        | EMBOLOThERAPY | 95  |
| <b>S620GH</b>        | EMBOLOThERAPY | 95  |
| <b>S810EG</b>        | EMBOLOThERAPY | 95  |
| <b>S810GH</b>        | EMBOLOThERAPY | 95  |
| <b>S820EG</b>        | EMBOLOThERAPY | 95  |
| <b>S820GH</b>        | EMBOLOThERAPY | 95  |
| <b>SC14135</b>       | INTERVENTION  | 73  |
| <b>SC14150</b>       | INTERVENTION  | 73  |
| <b>SC1465</b>        | INTERVENTION  | 73  |
| <b>SC1490</b>        | INTERVENTION  | 73  |
| <b>SC18135</b>       | INTERVENTION  | 73  |
| <b>SC18150</b>       | INTERVENTION  | 73  |
| <b>SC1865</b>        | INTERVENTION  | 73  |
| <b>SC1890</b>        | INTERVENTION  | 73  |
| <b>SC35135</b>       | INTERVENTION  | 73  |
| <b>SC35150</b>       | INTERVENTION  | 73  |
| <b>SC3565</b>        | INTERVENTION  | 73  |
| <b>SC3590</b>        | INTERVENTION  | 73  |
| <b>SCV22P-AB</b>     | CPS           | 111 |
| <b>S-MAK401</b>      | ACCESS        | 6   |
| <b>S-MAK401N</b>     | ACCESS        | 6   |
| <b>S-MAK401NBT</b>   | ACCESS        | 6   |
| <b>S-MAK401NPD</b>   | ACCESS        | 6   |
| <b>S-MAK401NPDBT</b> | ACCESS        | 6   |
| <b>S-MAK405</b>      | ACCESS        | 6   |
| <b>S-MAK4F-10</b>    | ACCESS        | 7   |
| <b>S-MAK501</b>      | ACCESS        | 6   |
| <b>S-MAK501N</b>     | ACCESS        | 6   |
| <b>S-MAK501N-15</b>  | ACCESS        | 6   |
| <b>S-MAK501N15BT</b> | ACCESS        | 6   |
| <b>S-MAK501NBT</b>   | ACCESS        | 6   |
| <b>S-MAK501NPD</b>   | ACCESS        | 6   |
| <b>S-MAK501NPDBT</b> | ACCESS        | 6   |
| <b>S-MAK505</b>      | ACCESS        | 6   |
| <b>S-MAK5F-10</b>    | ACCESS        | 7   |
| <b>S-MAK5F-15</b>    | ACCESS        | 7   |
| <b>SPPT-100</b>      | INTERVENTION  | 67  |
| <b>SPPT-5F-10L</b>   | INTERVENTION  | 67  |
| <b>SPPT-5F-10S</b>   | INTERVENTION  | 67  |
| <b>SPPT-5F-7L</b>    | INTERVENTION  | 67  |
| <b>SPPT-5F-7S</b>    | INTERVENTION  | 67  |
| <b>SRD100</b>        | INTERVENTION  | 87  |
| <b>SRD200</b>        | INTERVENTION  | 87  |
| <b>TAPS-100</b>      | INTERVENTION  | 68  |
| <b>TAPS-5F-10LT</b>  | INTERVENTION  | 68  |
| <b>TAPS-5F-10T</b>   | INTERVENTION  | 68  |
| <b>TAPS-5F-7LT</b>   | INTERVENTION  | 68  |

|                   |               |     |
|-------------------|---------------|-----|
| <b>TAPS-5F-7T</b> | INTERVENTION  | 68  |
| <b>TD100</b>      | ANGIOGRAPHY   | 18  |
| <b>TD200</b>      | ANGIOGRAPHY   | 18  |
| <b>TD500</b>      | ANGIOGRAPHY   | 18  |
| <b>TE-1000</b>    | INTERVENTION  | 86  |
| <b>TNR2411</b>    | ANGIOGRAPHY   | 17  |
| <b>TNR2411</b>    | EMBOLOThERAPY | 98  |
| <b>TNR2412</b>    | ANGIOGRAPHY   | 17  |
| <b>TNR2412</b>    | EMBOLOThERAPY | 98  |
| <b>TNR2811</b>    | ANGIOGRAPHY   | 17  |
| <b>TNR2811</b>    | EMBOLOThERAPY | 98  |
| <b>TNR2812</b>    | ANGIOGRAPHY   | 17  |
| <b>TNR2812</b>    | EMBOLOThERAPY | 98  |
| <b>TS120</b>      | ANGIOGRAPHY   | 51  |
| <b>TS220</b>      | ANGIOGRAPHY   | 51  |
| <b>TS520L</b>     | ANGIOGRAPHY   | 51  |
| <b>VA-40</b>      | INTERVENTION  | 60  |
| <b>V100EP</b>     | EMBOLOThERAPY | 96  |
| <b>V1010GH</b>    | EMBOLOThERAPY | 95  |
| <b>V1020GH</b>    | EMBOLOThERAPY | 95  |
| <b>V1100EP</b>    | EMBOLOThERAPY | 96  |
| <b>V110GH</b>     | EMBOLOThERAPY | 95  |
| <b>V120GH</b>     | EMBOLOThERAPY | 95  |
| <b>V200EP</b>     | EMBOLOThERAPY | 96  |
| <b>V210GH</b>     | EMBOLOThERAPY | 95  |
| <b>V220GH</b>     | EMBOLOThERAPY | 95  |
| <b>V225HS</b>     | ONCOLOGY      | 100 |
| <b>V300EP</b>     | EMBOLOThERAPY | 96  |
| <b>V325HS</b>     | ONCOLOGY      | 100 |
| <b>V400EP</b>     | EMBOLOThERAPY | 96  |
| <b>V410GH</b>     | EMBOLOThERAPY | 95  |
| <b>V420GH</b>     | EMBOLOThERAPY | 95  |
| <b>V525HS</b>     | ONCOLOGY      | 100 |
| <b>V600EP</b>     | EMBOLOThERAPY | 96  |
| <b>V610GH</b>     | EMBOLOThERAPY | 95  |
| <b>V620GH</b>     | EMBOLOThERAPY | 95  |
| <b>V725HS</b>     | ONCOLOGY      | 100 |
| <b>V800EP</b>     | EMBOLOThERAPY | 96  |
| <b>V810GH</b>     | EMBOLOThERAPY | 95  |
| <b>V820GH</b>     | EMBOLOThERAPY | 95  |
| <b>VP-210</b>     | INTERVENTION  | 86  |
| <b>VP-511</b>     | INTERVENTION  | 86  |




# PRODUCT NAME INDEX

|                                                        |         |                                     |         |
|--------------------------------------------------------|---------|-------------------------------------|---------|
| 30 cm Catheters                                        | 80      | Short Sheath Introducers            | 9, 79   |
| Access Safety Kit                                      | 10      | Snares                              | 76-77   |
| Angiographic Needles                                   | 3       | Stopcocks                           | 72      |
| Biopsy Centesis Kits                                   | 103     | Support Catheters                   | 73      |
| Catheter Extraction Tool                               | 84      | Suture Retention Device             | 87      |
| Catheter Securement Devices                            | 69      | Steerable Guide Wires               | 98      |
| Centesis Catheters                                     | 66      | Syringes                            | 53-55   |
| Connecting Tubes                                       | 72      | Therapeutic Infusion Systems        | 88-89   |
| CT Transfer Sets                                       | 51      | Thoracentesis and Paracentesis Sets | 68      |
| Curved Needles                                         | 78      | Torque Devices                      | 18      |
| Diagnostic Guide Wires                                 | 13-15   | Vacuum Pressure Syringes            | 56, 71  |
| Diagnostic Peripheral Catheters                        | 20-50   | Valved Adapter                      | 76      |
| Dialysis Catheters & Kits                              | 82-84   | Vein Closure Tray & Syringe         | 106     |
| Dilators                                               | 7       | Waste Bags                          | 108-110 |
| Drainage Bags & Kits                                   | 70      |                                     |         |
| Drainage Catheters                                     | 61-65   |                                     |         |
| Drainage Tubing                                        | 72      |                                     |         |
| Embolic Delivery Tools                                 | 97-98   |                                     |         |
| Embolisation Particles                                 | 96      |                                     |         |
| Fluid Dispensing Systems                               | 91      |                                     |         |
| Guide Wire Insertion Device                            | 10      |                                     |         |
| Haemostasis Pad                                        | 111     |                                     |         |
| Haemostasis Pad with Antimicrobial Barrier             | 111     |                                     |         |
| Haemostasis Valve Adapter                              | 10, 111 |                                     |         |
| High Pressure Flow Control Switch                      | 51      |                                     |         |
| Hydrophilic Guide Wires                                | 15-17   |                                     |         |
| Inflation Devices                                      | 74-75   |                                     |         |
| Infusion Catheters                                     | 90      |                                     |         |
| Infusion Systems                                       | 88-89   |                                     |         |
| Introducers                                            | 5-9     |                                     |         |
| Medication Delivery Packs                              | 104     |                                     |         |
| Microcatheters                                         | 52, 95  |                                     |         |
| Microspheres                                           | 95-100  |                                     |         |
| Myelogram Tray                                         | 105     |                                     |         |
| Occluding Wires                                        | 91      |                                     |         |
| Patient Cover                                          | 107     |                                     |         |
| Peritoneal Dialysis Accessories & Implantation Systems | 86      |                                     |         |
| Peritoneal Dialysis Catheters                          | 85      |                                     |         |
| Pressure Assisted Devices                              | 112     |                                     |         |
| Safety Paracentesis Procedure Trays                    | 67      |                                     |         |
| Scatter Radiation Drapes                               | 107     |                                     |         |
| Sheath Introducers with Marker Tip                     | 8       |                                     |         |



# UNDERSTAND. INNOVATE. DELIVER.

Merit Medical Systems is a worldwide leader in the development, manufacturing, and distribution of quality medical devices used in interventional and diagnostic procedures. With a global work force and cutting-edge manufacturing facilities equipped with the most advanced technology, Merit Medical consistently delivers quality products that are backed by excellent customer service and professional expertise.



European Corporate Headquarters, Maastricht, The Netherlands



Understand. Innovate. Deliver.™

**Merit Medical Systems, Inc.**  
1600 West Merit Parkway  
South Jordan, Utah 84095  
1.801.208.4300  
1.800.35.MERIT

**Merit Medical Europe, Middle East, & Africa (EMEA)**  
Amerikalaan 42, 6199 AE Maastricht-Airport  
The Netherlands  
+31 43 358 82 22

**Merit Medical Ireland Ltd.**  
Parkmore Business Park West  
Galway, Ireland  
+353 (0) 91 703 733

**Austria**  
0800 295 374

**Belgium**  
0800 72 906 (Dutch)  
0800 73 172 (Français)

**Denmark**  
80 88 00 24

**Finland**  
0800 770 586

**France**  
0800 91 60 30

**Germany**  
0800 182 0871

**Ireland (Republic)**  
1800 553 163

**Italy**  
800 897 005

**Luxembourg**  
8002 25 22

**Netherlands**  
0800 022 81 84

**Norway**  
800 11629

**Portugal**  
308 801 034

**Russia**  
+7 495 221 89 02

**Spain**  
+34 911238406

**Sweden**  
020 792 445

**Switzerland**  
(Deutsch)  
+41 225180252


(Français)  
+41 225948000  
(Italiano)  
+41 225180035

**UK**  
0800 973 115




# ENDOVASCULAR PORTFÓLIO

PASSIONATE *about* PERIPHERAL



## CARÓTIDA



ACCULINK



X.ACT



EMBOSHIELD  
NAV<sup>6</sup>

## ILÍACA / FEMORAL



SUPRACORE  
35



OMNILINK  
ELITE



ABSOLUTE  
PRO



ARMADA 35

## FEMORAL / POPLÍTEA



SUPERA



ARMADA 18



CONNECT

## RENAL



HERCULINK  
ELITE



VIATRAC 14  
PLUS

## FECHAMENTO ARTERIAL




STARCLOSE SE



PERCLOSE  
PROGLIDE

## BTK



XPERT PRO



ARMADA  
14/XT




COMMAND



PROGRESS

## PLUGS VASCULARES



AMPLATZER  
VASCULAR PLUG AVP



AMPLATZER  
VASCULAR PLUG AVP II




AMPLATZER  
VASCULAR PLUG AVP4



STENT DE CARÓTIDA

RX Acculink

0.014"



Célula Aberta

Cateter 132 cm comprimento - RX

| Comprimento (mm) |         |
|------------------|---------|
| Desenho Reto     |         |
| Diâmetro (mm)    | 40      |
|                  | 6F / 8F |
|                  | 6F / 8F |
|                  | 6F / 8F |
| Desenho Cônico   |         |
| 6 - 8            | 6F / 8F |
| 7 - 10           | 6F / 8F |

Reg ANVISA 80146501577

Bainha / Cateter Guia



STENT DE CARÓTIDA

0.014"



X.act

Célula Fechada

Cateter 136 cm comprimento - RX

|               |                | Comprimento (mm) |         |
|---------------|----------------|------------------|---------|
|               |                | Desenho Reto     |         |
| Diâmetro (mm) | mm             | 30               | 40      |
|               | 7              | 6F / 8F          | -       |
|               | 8              | 6F / 8F          | -       |
|               | 9              | 6F / 8F          | -       |
|               | 10             | 6F / 8F          | -       |
|               | Desenho Cônico |                  |         |
|               | 8 - 6          | 6F / 8F          | 6F / 8F |
|               | 9 - 7          | 6F / 8F          | 6F / 8F |
|               | 10 - 8         | 6F / 8F          | 6F / 8F |

Reg ANVISA 80146501339

Bainha / Cateter Guia





## FILTRO DE PROTEÇÃO EMBÓLICA

# Emboshield NAV<sup>6</sup>

0.014"



Célula Fechada

Cateter de entrega 135 cm comprimento - RX

Cateter de retirada 139 cm comprimento - RX

| Tamanho                    | Comprimento do Fio Guia 190 cm |
|----------------------------|--------------------------------|
| 5,0 mm (vaso 2,5 - 4,8 mm) | 5F / 6F                        |
| 7,2 mm (vaso 4,0 - 7,0 mm) | 5F / 6F                        |

Reg ANVISA 80146501669





STENT EXPANSÍVEL POR BALÃO EM CoCr

0.014"



# RX Herculink Elite

Cateter 135 cm comprimento - RX

|               |     | Comprimento (mm) |         |
|---------------|-----|------------------|---------|
| Diâmetro (mm) | mm  | 15               | 18      |
|               | 4,5 | 5F / 6F          | 5F / 6F |
|               | 5,0 | 5F / 6F          | 5F / 6F |
|               | 5,5 | 5F / 6F          | 5F / 6F |
|               | 6,0 | 5F / 6F          | 5F / 6F |
|               | 6,5 | 5F / 6F          | 5F / 6F |
|               | 7,0 | 5F / 6F          | 5F / 6F |

Reg ANVISA 80146501570

Bainha / Cateter Guia



BALÃO DE ANGIOPLASTIA PERIFÉRICA RX

RX Viatrac 14 Plus



Cateter 135 cm comprimento - RX

| Comprimento (mm) |     |         |
|------------------|-----|---------|
| mm               | 15  | 20      |
| Diâmetro (mm)    | 4,0 | 5F / 6F |
|                  | 4,5 | -       |
|                  | 5,0 | 5F / 6F |
|                  | 5,5 | -       |
|                  | 6,0 | 5F / 6F |
|                  | 6,5 | -       |
|                  | 7,0 | -       |

Reg ANVISA 80146501595

Bainha / Cateter Guia





ILÍACA / FEMORAL

GUIAS PERIFÉRICAS

SupraCore 35

0.035"



Fio Guia Extra Suporte

| Suporte | Comprimento | Ponta |
|---------|-------------|-------|
| Extra   | 300 cm      | Reta  |

Reg ANVISA 80146501611



0.035"



# Omnilink Elite

Cateter 135 cm comprimento - OTW

|               |    | Comprimento (mm) |    |    |
|---------------|----|------------------|----|----|
| Diâmetro (mm) | mm | 29               | 39 | 59 |
|               | 4  | -                | -  | -  |
|               | 5  | 6F               | 6F | 6F |
|               | 6  | 6F               | 6F | 6F |
|               | 7  | 6F               | 6F | 6F |
|               | 8  | 6F               | 6F | 6F |
|               | 9  | 6F               | 6F | 6F |
| Diâmetro (mm) | 10 | 6F               | 6F | -  |

Reg ANVISA 80146501760

Bainha





0.035"



# Absolute Pro e Absolute Pro LL

Cateter 135 cm comprimento - OTW

|               |    | Comprimento (mm) |    |    |     |     |     |
|---------------|----|------------------|----|----|-----|-----|-----|
| mm            |    | 40               | 60 | 80 | 100 | 120 | 150 |
| Diâmetro (mm) | 5  | 6F               | 6F | 6F | 6F  | 6F  | 6F  |
|               | 6  | 6F               | 6F | 6F | 6F  | 6F  | 6F  |
|               | 7  | 6F               | 6F | 6F | 6F  | 6F  | 6F  |
|               | 8  | 6F               | 6F | 6F | 6F  | 6F  | 6F  |
|               | 9  | 6F               | 6F | 6F | 6F  | -   | -   |
|               | 10 | 6F               | 6F | 6F | 6F  | -   | -   |

Absolute Pro - Reg ANVISA 80146501753

Absolute Pro LL - Reg ANVISA 80146501767

Bainha



0.035"




# Armada 35 OTW

Cateter 135 cm comprimento - OTW

|               |    | Comprimento (mm) |    |    |    |     |     |     |     |     |
|---------------|----|------------------|----|----|----|-----|-----|-----|-----|-----|
| Diâmetro (mm) | mm | 20               | 40 | 60 | 80 | 100 | 120 | 150 | 200 | 250 |
|               | 3  | -                | 5F | -  | -  | -   | -   | -   | -   | -   |
|               | 4  | -                | 5F | 5F | 5F | 5F  | 5F  | 5F  | 5F  | 5F  |
|               | 5  | -                | 5F | 5F | 5F | 5F  | 5F  | 5F  | 5F  | 5F  |
|               | 6  | -                | 5F | 5F | 5F | 5F  | 5F  | 5F  | 6F  | 6F  |
|               | 7  | -                | 5F | 5F | 5F | 6F  | 6F  | 6F  | 6F  | -   |
|               | 8  | -                | 6F | 6F | 6F | -   | -   | -   | -   | -   |
|               | 9  | -                | 6F | 6F | 6F | -   | -   | -   | -   | -   |
|               | 10 | 6F               | 6F | 6F | 6F | -   | -   | -   | -   | -   |
|               | 12 | 6F               | 6F | 6F | 6F | -   | -   | -   | -   | -   |
|               | 14 | 7F               | 7F | 7F | 7F | -   | -   | -   | -   | -   |

Reg ANVISA 80146501902





0.018"



Cateter 120 cm comprimento - OTW


|               |     | Comprimento (mm) |    |     |     |     |     |     |
|---------------|-----|------------------|----|-----|-----|-----|-----|-----|
|               |     | 60               | 80 | 100 | 120 | 150 | 180 | 200 |
| Diâmetro (mm) | 4,0 | 6F               | 6F | 6F  | 6F  | -   | -   | -   |
|               | 5,0 | 6F               | 6F | 6F  | 6F  | 6F  | 6F  | 6F  |
|               | 6,0 | 6F               | 6F | 6F  | 6F  | 6F  | 6F  | 6F  |

Reg ANVISA 80146501940





0.018"




Armada 18

Cateter 150 cm comprimento - OTW

| Diâmetro (mm) |  | Comprimento (mm) |    |    |     |     |     |     |     |
|---------------|--|------------------|----|----|-----|-----|-----|-----|-----|
|               |  | mm               | 40 | 60 | 100 | 120 | 150 | 180 | 200 |
|               |  | 2,0              | -  | 4F | 4F  | 4F  | 4F  | 4F  | 4F  |
|               |  | 2,5              | -  | 4F | 4F  | 4F  | 4F  | 4F  | 4F  |
|               |  | 3                | -  | 4F | 4F  | 4F  | 4F  | 4F  | 4F  |
|               |  | 4                | 4F | 4F | 4F  | 4F  | 4F  | 4F  | 4F  |
|               |  | 5                | 4F | 4F | 5F  | 5F  | 5F  | 5F  | 5F  |
|               |  | 5,5              | 4F | 5F | 5F  | 5F  | 5F  | 5F  | 5F  |
|               |  | 6                | 4F | 4F | 5F  | 5F  | 5F  | 5F  | 5F  |

Reg ANVISA 80146501953



0.018''



Connect

Connect e Connect Flex

| Modelo       | Suporte  | Comprimento | Ponta |
|--------------|----------|-------------|-------|
| Connect      | Extra    | 300 cm      | Reta  |
| Connect Flex | Moderado | 300 cm      | Reta  |

Reg ANVISA 80146501900

Connect 250T

| Modelo       | Carga de Ponta | Comprimento | Ponta    |
|--------------|----------------|-------------|----------|
| Connect 250T | 30,0 g         | 300 cm      | 0.0125'' |

Registro ANVISA 80146501892





# FECHAMENTO ARTERIAL

## CLIQUE DE NITINOL


# StarClose SE



**Diâmetro de Fechamento**

5-6F

Reg ANVISA 80146501477



FECHAMENTO ARTERIAL

MEDIADO POR SUTURA

Perclose Proglide




RX

**Diâmetro de Fechamento**

5-21F

Reg ANVISA 80146501302





STENT PERIFÉRICO AUTO EXPANSÍVEL

0.014"



Xpert Pro

Cateter 120 cm comprimento - OTW

| Diâmetro (mm) |  | Comprimento (mm) |    |    |    |     |
|---------------|--|------------------|----|----|----|-----|
|               |  | mm               | 40 | 60 | 80 | 100 |
| 3             |  |                  | 4F | 4F | 4F | 4F  |

Reg ANVISA - 80146501826





# Armada 14 OTW e Armada 14XT

## Armada 14 OTW

Cateter 150 cm comprimento - OTW

|               |     | Comprimento (mm) |    |    |    |    |     |     |
|---------------|-----|------------------|----|----|----|----|-----|-----|
|               |     | mm               | 20 | 40 | 60 | 80 | 120 | 200 |
| Diâmetro (mm) | 1,5 | -                | 4F | -  | 4F | 4F | -   |     |
|               | 2,0 | -                | 4F | 4F | 4F | 4F | 4F  |     |
|               | 2,5 | 4F               | 4F | 4F | 4F | 4F | 4F  |     |
|               | 3,0 | 4F               | 4F | 4F | 4F | 4F | 4F  |     |

Reg ANVISA 80146501901

Bainha

## Armada 14 XT

Cateter 145 cm comprimento - OTW

|               |     | Comprimento (mm) |  |
|---------------|-----|------------------|--|
| Diâmetro (mm) | mm  | 20               |  |
|               | 1,5 | 4F               |  |
|               | 2,0 | 4F               |  |

Reg ANVISA 80146501863





GUIAS PERIFÉRICAS DE ALTO DESEMPENHO

0.014"



Command

| Modelo     | Suporte  | Comprimento | Ponta |
|------------|----------|-------------|-------|
| Command    | Moderado | 300 cm      | Reta  |
| Command ES | Extra    | 300 cm      | Reta  |

Reg ANVISA 80146501828



GUIAS PERIFÉRICAS PARA OCLUSÃO TOTAL

0.014''



Progress

| Poder de Penetração | Carga de Ponta | Comprimento | Diâmetro de Ponta |
|---------------------|----------------|-------------|-------------------|
| Progress 40         | 4,8 g          | 300 cm      | 0,012''           |
| Progress 80         | 9,7 g          | 300 cm      | 0,012''           |
| Progress 200T       | 13,0 g         | 300 cm      | 0,009''           |



Reg ANVISA 80146501715





VASCULAR PLUG

AMPLATZER VASCULAR PLUG AVP



| Diâmetro do vaso                 |                                  | Dimensões do dispositivo |                      |                         | Sistema de entrega                     |                   |     |                         |                           |
|----------------------------------|----------------------------------|--------------------------|----------------------|-------------------------|----------------------------------------|-------------------|-----|-------------------------|---------------------------|
| ~30%<br>Diâmetro do<br>vaso (mm) | ~50%<br>Diâmetro do<br>vaso (mm) | Modelo #                 | Diâmetro<br>(mm) [A] | Comprimento<br>(mm) [B] | Diâmetro<br>interno min<br>(Pol.)/(mm) | Bainha Min<br>(F) | ou* | Cateter guia<br>Min (F) | Comprimento<br>Max** (cm) |
| 3.0                              | 2.5                              | 9-PLUG-004               | 4                    | 7                       | .056"/ 1.42                            | 4                 |     | 5                       | 100                       |
| 4.5                              | 4.0                              | 9-PLUG-006               | 6                    | 7                       | .056"/ 1.42                            | 4                 |     | 5                       | 100                       |
| 6.0                              | 5.5                              | 9-PLUG-008               | 8                    | 7                       | .056"/ 1.42                            | 4                 |     | 5                       | 100                       |
| 7.5                              | 6.5                              | 9-PLUG-010               | 10                   | 7                       | .066"/ 1.68                            | 5                 |     | 6                       | 100                       |
| 9.0                              | 8.0                              | 9-PLUG-012               | 12                   | 8                       | .066"/ 1.68                            | 5                 |     | 6                       | 100                       |
| 11.0                             | 9.5                              | 9-PLUG-014               | 14                   | 8                       | .087" / 2.21                           | 6                 |     | 8                       | 100                       |
| 12.5                             | 10.5                             | 9-PLUG-016               | 16                   | 8                       | .087" / 2.21                           | 6                 |     | 8                       | 100                       |


REG ANVISA 10332340372

\*O AMPLATZER Vascular Plug AVP é entregue utilizando-se uma bainha ou um cateter guia, atendendo os requisitos de diâmetro interno mínimo.  
\*\* O AMPLATZER Vascular Plug AVP é embalado com um fio de entrega de nitinol com 135 cm.



VASCULAR PLUG

AMPLATZER VASCULAR PLUG AVP II



| Diâmetro do vaso                 |                                  | Dimensões do dispositivo |                      |                         | Sistema de entrega                     |                   |     |                         |                           |
|----------------------------------|----------------------------------|--------------------------|----------------------|-------------------------|----------------------------------------|-------------------|-----|-------------------------|---------------------------|
| ~30%<br>Diâmetro do<br>vaso (mm) | ~50%<br>Diâmetro do<br>vaso (mm) | Modelo #                 | Diâmetro<br>(mm) [A] | Comprimento<br>(mm) [B] | Diâmetro<br>interno min<br>(Pol.)/(mm) | Bainha Min<br>(F) | ou* | Cateter guia<br>Min (F) | Comprimento<br>Max** (cm) |
| 2.5                              | 2.0                              | 9-AVP2-003               | 3                    | 6                       | .056"/ 1.42                            | 4                 |     | 5                       | 100                       |
| 3.0                              | 2.5                              | 9-AVP2-004               | 4                    | 6                       | .056"/ 1.42                            | 4                 |     | 5                       | 100                       |
| 4.5                              | 4.0                              | 9-AVP2-006               | 6                    | 6                       | .056"/ 1.42                            | 4                 |     | 5                       | 100                       |
| 6.0                              | 5.5                              | 9-AVP2-008               | 8                    | 7                       | .056"/ 1.42                            | 4                 |     | 5                       | 100                       |
| 7.5                              | 6.5                              | 9-AVP2-010               | 10                   | 7                       | .070" / 1.78                           | 5                 |     | 6                       | 100                       |
| 9.0                              | 8.0                              | 9-AVP2-012               | 12                   | 9                       | .070" / 1.78                           | 5                 |     | 6                       | 100                       |
| 11.0                             | 9.5                              | 9-AVP2-014               | 14                   | 10                      | .086" / 2.18                           | 6                 |     | 8                       | 100                       |
| 12.5                             | 10.5                             | 9-AVP2-016               | 16                   | 12                      | .086" / 2.18                           | 6                 |     | 8                       | 100                       |
| 14.0                             | 12.0                             | 9-AVP2-018               | 18                   | 14                      | .098" / 2.49                           | 7                 |     | 9                       | 100                       |
| 15.5                             | 13.5                             | 9-AVP2-020               | 20                   | 16                      | .098" / 2.49                           | 7                 |     | 9                       | 100                       |
| 17.0                             | 14.5                             | 9-AVP2-022               | 22                   | 18                      | .098" / 2.49                           | 7                 |     | 9                       | 100                       |

REG ANVISA 10332340342

\*O AMPLATZER Vascular Plug AVP II é entregue utilizando-se uma bainha ou um cateter guia, atendendo os requisitos de diâmetro interno mínimo.


\*\* O AMPLATZER Vascular Plug AVP II é embalado com um fio de entrega de nitinol com 135 cm.





VASCULAR PLUG

AMPLATZER VASCULAR PLUG AVP 4



| Diâmetro do vaso                 |                                  | Dimensões do dispositivo |                      |                         | Sistema de entrega                  |                         |                           |
|----------------------------------|----------------------------------|--------------------------|----------------------|-------------------------|-------------------------------------|-------------------------|---------------------------|
| ~30%<br>Diâmetro do<br>vaso (mm) | ~50%<br>Diâmetro do<br>vaso (mm) | Modelo #                 | Diâmetro (mm)<br>[A] | Comprimento<br>(mm) [B] | Diâmetro interno<br>min (Pol.)/(mm) | Cateter guia Min<br>(F) | Comprimento<br>Max** (cm) |
| 3.0                              | 2.5                              | 9-AVP038-004             | 4                    | 10.0                    | .038"/ 0.97                         | 4 ou 5                  | 125                       |
| 4.0                              | 3.5                              | 9-AVP038-005             | 5                    | 10.5                    | .038"/ 0.97                         | 4 ou 5                  | 125                       |
| 4.5                              | 4.0                              | 9-AVP038-006             | 6                    | 11.0                    | .038"/ 0.97                         | 4 ou 5                  | 125                       |
| 5.5                              | 4.5                              | 9-AVP038-007             | 7                    | 12.5                    | .038"/ 0.97                         | 4 ou 5                  | 125                       |
| 6.0                              | 5.5                              | 9-AVP038-008             | 8                    | 13.5                    | .038"/ 0.97                         | 4 ou 5                  | 125                       |

REG ANVISA 10332340328

\* O AMPLATZER Vascular Plug AVP 4 foi testado para compatibilidade com os seguintes cateteres diagnóstico e comprimentos correspondentes:  
\*\* O AMPLATZER Vascular Plug AVP 4 é embalado com um fio de entrega revestido por PTFE longo de 155 cm.  
- 5F : Boston Scientific IMAGER II (100 cm ou inferior)  
- 4F : Cordis TEMPO ou TEMPO AQUA (100 cm ou inferior)

Nota: Os médicos devem exercer seu julgamento clínico na seleção e uso dos cateteres. Utilize as instruções de uso para cada produto listado. Os fabricantes podem fazer mudanças em seus cateteres sem notificações, o que pode impactar em sua compatibilidade para o uso com Amplatzer Vascular Plug AVP 4. A Abbott não proporciona garantia para o uso de cateteres de terceiros com seus produtos. O uso de outros cateteres de diagnóstico podem resultar na inabilidade de entrega, implante ou recaptura do dispositivo.



REGISTROS ANVISA:

ABSOLUTE PRO LL SELF-EXPANDING STENT - 80146501767  
ABSOLUTE PRO SELF-EXPANDING STENT - 80146501753  
AMPLATZER VASCULAR PLUG AVP - 10332340372  
AMPLATZER VASCULAR PLUG AVP II - 10332340342  
AMPLATZER VASCULAR PLUG AVP 4 – 10332340328  
CATÉTER ARMADA 14 OTW PTA - 80146501901  
ARMADA 14 XT PTA CATHETER - 80146501863  
ARMADA 18 PTA CATHETER - 80146501953  
CATÉTER ARMADA 35 OTW PTA - 80146501902  
EMBOSHIELD NAV6 EMBOLIC PROTECTION – 80146501669  
HI-TORQUE COMMAND GUIDE WIRE - 80146501828  
HI-TORQUE CONNECT 250T GUIDE WIRE - 80146501892  
HI-TORQUE CONNECT GUIDE WIRE - 80146501900  
HI-TORQUE PROGRESS GUIDE WIRE - 80146501715  
HI-TORQUE SUPRA CORE 35 GUIDE WIRE - 80146501611  
OMNILINK ELITE PERIPHERAL STENT - 80146501760  
PERCLOSE PROGLIDE DISPOSITIVO DE ENCERRAMENTO POR SUTURA - 80146501302  
RX ACCULINK CAROTID STENT - 80146501577  
RX HERCULINK ELITE PERIPHERAL STENT - 80146501570  
RX VIATRAC 14 PLUS PERIPHERAL DILATATION CATHETER - 80146501595  
STARCLOSE™ SE VASCULAR CLOSURE SYSTEM - 80146501477  
SUPERA PERIPHERAL STENT - 80146501940  
X.ACT CAROTID STENT SYSTEM - 80146501339  
XPRT PRO PERIPHERAL SELF-EXPANDING STENT - 80146501826

O AMPLATZER Vascular Plug, AMPLATZER Vascular Plug II, e AMPLATZER Vascular Plug 4 são indicados para embolizações arteriais e venosas na vasculatura periférica.

**Abbott Vascular**

Abbott Laboratórios do Brasil Ltda. Rua Michigan, 735 – Brooklin, São Paulo – SP – 04566-905 - Brasil

Central de Relacionamento com Cliente: 0800 703 1050

Todos os produtos mencionados neste material são marcas do grupo de empresas Abbott.

Os produtos mencionados neste material destina-se à utilização por um médico. Antes da utilização, é importante ler a bula completamente para as instruções de uso, advertências e possíveis complicações associadas ao uso deste dispositivo.

Todos os desenhos são apenas representações artísticas e não devem ser considerados desenhos técnicos ou fotografias.

©2017 Abbott. Todos os direitos reservados. As informações contidas neste material são para uso exclusivo no Brasil.

BR-60183-07 09/2017







## **INSTRUÇÕES DE UTILIZAÇÃO**

### **Cateter Angiográfico Cardiológico Performa Braided Bumper Tip**

**Descrição:** Os cateteres angiográficos são cateteres intravasculares de utilização única, esterilizados, não epirogênicos e descartáveis.

**Indicações:** Os **Cateteres Angiográficos Cardiológicos Performa Braided Bumper Tip** destinam-se a ser utilizados para proporcionar meios radiopacos a locais selecionados do sistema vascular, em associação a procedimentos de diagnóstico de rotina.

**Contraindicações:** Não são conhecidas.

#### **Advertências:**

- Os cateteres angiográficos são recomendados para apenas uma utilização.
- Tamanho recomendado do fio-guia: consultar a etiqueta individual do cateter.
- A utilização de fios-guia tem sido associada a uma maior incidência de formação de trombos.

#### **Precauções:**

- Não utilizar se a embalagem estiver aberta ou danificada.
- Não utilizar após a data de validade.
- Não esterilizar em autoclave.
- Retirar cuidadosamente o cateter da embalagem segurando o eixo e puxando-o lentamente da embalagem.
- Caso se depare com resistência ao retirar o fio-guia do cateter, retirar o fio-guia e o cateter como uma unidade para impedir lesões potenciais para a parede vascular.
- Enxaguar todos os dispositivos que penetram num vaso sanguíneo com soro fisiológico heparinizado esterilizado ou com uma solução isotônica semelhante antes da utilização.
- Para cateteres que contenham revestimento de polímeros hidrofílicos na superfície distal do cateter, a superfície da parte distal deve encontrar-se completamente molhada com uma solução de forma a que permaneça lubrificada. Deve ter cuidado ao molhar o cateter antes e durante a utilização.

#### **Efeitos adversos:**

Os cateteres angiográficos da Merit Medical devem ser utilizados por médicos familiarizados com a introdução de cateteres percutâneos. As complicações que podem ser associadas à utilização de cateteres angiográficos incluem as seguintes, mas não se limitam às mesmas:

- Formação de trombos/êmbolos;
- Embolia gasosa;
- Hematoma no local da punção;
- Lesões das paredes arteriais;
- Deslocamento de placa;
- Enfarte do miocárdio;
- Arritmias cardíacas;
- Infecção;
- Perfuração da parede vascular;
- Reação alérgica a meios de contraste;
- Oclusão vascular;
- Espasmos vasculares;
- AVC e morte.

### Instruções de utilização:

1. Recomenda-se a utilização de um fio-guia revestido com os cateteres angiográficos da Merit.
  2. Introduzir o cateter no vaso sanguíneo utilizando a técnica preferida de acesso vascular.
  3. Cateteres com “rabo de porco”. Os cateteres com “rabo de porco” estão munidos de um endireitador. O mesmo é fendido para uma fácil remoção após a ponta do cateter estar sobre o fio-guia.
- Fazer correr o endireitador para a frente até que o “rabo de porco” esteja direito.
  - Colocar a ponta do cateter no fio-guia e retirar o endireitador puxando a respectiva aba.

### Cateter Angiográfico Cardiológico Performa Braided Bumper Tip

Tabela de Modelos

|                                                      | Tamanho (F) | D.I.           | Cumprimento | Cumprimento da ponta | Descrição | Side Ports |
|------------------------------------------------------|-------------|----------------|-------------|----------------------|-----------|------------|
| <b>Judkins Left</b>                                  |             |                |             |                      |           |            |
| 7700-10                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.3 cm               | JL3.5     | 0          |
| 7700-20                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.3 cm               | JL4.0     | 0          |
| 7700-30                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.3 cm               | JL5.0     | 0          |
| 7700-40                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.3 cm               | JL6.0     | 0          |
| <b>Judkins Right</b>                                 |             |                |             |                      |           |            |
| 7701-10                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.3 cm               | JR3.5     | 0          |
| 7701-20                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.3 cm               | JR4.0     | 0          |
| 7701-50                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.3 cm               | JR4.5     | 0          |
| 7701-30                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.3 cm               | JR5.0     | 0          |
| 7701-40                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.3 cm               | JR6.0     | 0          |
| <b>Amplatz Left</b>                                  |             |                |             |                      |           |            |
| 7703-10                                              | 4           | 0.042"/1.07 mm | 100 cm      | 5.0 cm               | AL1       | 0          |
| 7703-20                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.2 cm               | AL2       | 0          |
| 7703-30                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.3 cm               | AL3       | 0          |
| 7703-40                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.5 cm               | AL4       | 0          |
| <b>Amplatz Right</b>                                 |             |                |             |                      |           |            |
| 7702-40                                              | 4           | 0.042"/1.07 mm | 100 cm      | 3.3 cm               | AR MOD    | 0          |
| 7702-10                                              | 4           | 0.042"/1.07 mm | 100 cm      | 3.3 cm               | AR1       | 0          |
| 7702-20                                              | 4           | 0.042"/1.07 mm | 100 cm      | 5.0 cm               | AR2       | 0          |
| 7702-30                                              | 4           | 0.042"/1.07 mm | 100 cm      | 5.0 cm               | AR3       | 0          |
| <b>Left Coronary ByPass - LCB</b>                    |             |                |             |                      |           |            |
| 7709-10                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.5 cm               | LCB       | 0          |
| <b>Right Coronary ByPass - RCB</b>                   |             |                |             |                      |           |            |
| 7709-20                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.5 cm               | RCB       | 0          |
| <b>Progressive Right Coronary (PRC) - Non Torque</b> |             |                |             |                      |           |            |
| 7707-10                                              | 4           | 0.042"/1.07 mm | 100 cm      | 2.5 cm               | PRC       | 0          |
| <b>Internal Mammary</b>                              |             |                |             |                      |           |            |
| 7706-10                                              | 4           | 0.042"/1.07 mm | 100 cm      | 3.3 cm               | IMA       | 0          |
| <b>Pediatric Judkins Right and Left</b>              |             |                |             |                      |           |            |
| 7700-A0                                              | 4           | 0.042"/1.07 mm | 70 cm       | 2.0 cm               | JL 1.5    |            |
| 7700-B0                                              | 4           | 0.042"/1.07 mm | 70 cm       | 2.0 cm               | JL 2.0    |            |
| 7700-C0                                              | 4           | 0.042"/1.07 mm | 70 cm       | 2.0 cm               | JL 2.5    |            |
| 7700-D0                                              | 4           | 0.042"/1.07 mm | 70 cm       | 2.0 cm               | JL 3.0    |            |

|                                                       |   |                  |        |        |          |   |
|-------------------------------------------------------|---|------------------|--------|--------|----------|---|
| 7701-A0                                               | 4 | 0.042"/1.07 mm   | 70 cm  | 2.0 cm | JR 1.5   |   |
| 7701-B0                                               | 4 | 0.042"/1.07 mm   | 70 cm  | 2.0 cm | JR 2.0   |   |
| 7701-C0                                               | 4 | 0.042"/1.07 mm   | 70 cm  | 2.0 cm | JR 2.5   |   |
| 7701-D0                                               | 4 | 0.042"/1.07 mm   | 70 cm  | 2.0 cm | JR 3.0   |   |
| 7521-L3                                               | 5 | 0.046"/1.17 mm   | 70 cm  | 2.0 cm | JL 1.5   |   |
| 7521-M3                                               | 5 | 0.046"/1.17 mm   | 70 cm  | 2.0 cm | JL 2.0   |   |
| 7521-N3                                               | 5 | 0.046"/1.17 mm   | 70 cm  | 2.0 cm | JL 2.5   |   |
| 7521-P3                                               | 5 | 0.046"/1.17 mm   | 70 cm  | 2.0 cm | JL 3.0   |   |
| 7523-L3                                               | 5 | 0.046"/1.17 mm   | 70 cm  | 2.0 cm | JR 1.5   |   |
| 7523-M3                                               | 5 | 0.046"/1.17 mm   | 70 cm  | 2.0 cm | JR 2.0   |   |
| 7523-N3                                               | 5 | 0.046"/1.17 mm   | 70 cm  | 2.0 cm | JR 2.5   |   |
| 7523-P3                                               | 5 | 0.046"/1.17 mm   | 70 cm  | 2.0 cm | JR 3.0   |   |
| <b>Multipurpose</b>                                   |   |                  |        |        |          |   |
| 7708-30                                               | 4 | 0.042"/1.07 mm   | 80 cm  | 5.8 cm | MULTI A2 | 2 |
| 7708-40                                               | 4 | 0.042"/1.07 mm   | 80 cm  | 5.8 cm | MULTI B2 | 2 |
| 7708-10                                               | 4 | 0.042"/1.07 mm   | 100 cm | 5.8 cm | MULTI A1 | 0 |
| 7708-20                                               | 4 | 0.042"/1.07 mm   | 100 cm | 5.8 cm | MULTI A2 | 2 |
| 7708-50                                               | 4 | 0.042"/1.07 mm   | 100 cm | 5.8 cm | MULTI B1 | 0 |
| 7708-60                                               | 4 | 0.042"/1.07 mm   | 100 cm | 5.8 cm | MULTI B2 | 2 |
| <b>Sones</b>                                          |   |                  |        |        |          |   |
| 7705-10                                               | 4 | 0.042"/1.07 mm   | 80 cm  | 7.3 cm | SONES    | 4 |
| 7705-20                                               | 4 | 0.042"/1.07 mm   | 100 cm | 7.3 cm | SONES    | 4 |
| <b>Ultimate Radial 1</b>                              |   |                  |        |        |          |   |
| 410038ULT1                                            | 4 | 0.042"/1.07 mm   | 100 cm | 2.0 cm | -        | 0 |
| 4100381ULT1                                           | 4 | 0.042"/1.07 mm   | 100 cm | 2.0 cm | -        | 1 |
| 510038ULT1                                            | 5 | 0.046" / 1.17 mm | 100 cm | 2.0 cm | -        | 0 |
| 5100381ULT1                                           | 5 | 0.046" / 1.17 mm | 100 cm | 2.0 cm | -        | 1 |
| <b>Ultimate Radial 2</b>                              |   |                  |        |        |          |   |
| 410038ULT2                                            | 4 | 0.042"/1.07 mm   | 100 cm | 2.0 cm | -        | 0 |
| 4100381ULT2                                           | 4 | 0.042"/1.07 mm   | 100 cm | 2.0 cm | -        | 1 |
| 510038ULT2                                            | 5 | 0.046" / 1.17 mm | 100 cm | 2.0 cm | -        | 0 |
| 5100381ULT2                                           | 5 | 0.046" / 1.17 mm | 100 cm | 2.0 cm | -        | 1 |
| <b>Ultimate Radial 3</b>                              |   |                  |        |        |          |   |
| 410038ULT3                                            | 4 | 0.042"/1.07 mm   | 100 cm | 2.0 cm | -        | 0 |
| 4100382ULT3                                           | 4 | 0.042"/1.07 mm   | 100 cm | 2.0 cm | -        | 2 |
| 510038ULT3                                            | 5 | 0.046" / 1.17 mm | 100 cm | 2.0 cm | -        | 0 |
| 5100382ULT3                                           | 5 | 0.046" / 1.17 mm | 100 cm | 2.0 cm | -        | 2 |
| <b>Ultimate Radial 4</b>                              |   |                  |        |        |          |   |
| <b>(4 cm between primary &amp; secondary curve)</b>   |   |                  |        |        |          |   |
| 410038ULT4-T40                                        | 4 | 0.042"/1.07 mm   | 100 cm | 2.0 cm | -        | 0 |
| 4100381ULT4-T40                                       | 4 | 0.042"/1.07 mm   | 100 cm | 2.0 cm | -        | 1 |
| 510038ULT4-T40                                        | 5 | 0.046" / 1.17 mm | 100 cm | 2.0 cm | -        | 0 |
| 5100381ULT4-T40                                       | 5 | 0.046" / 1.17 mm | 100 cm | 2.0 cm | -        | 1 |
| <b>(4.5 cm between primary &amp; secondary curve)</b> |   |                  |        |        |          |   |
| 410038ULT4-T45                                        | 4 | 0.042"/1.07 mm   | 100 cm | 2.0 cm | -        | 0 |
| 4100381ULT4-T45                                       | 4 | 0.042"/1.07 mm   | 100 cm | 2.0 cm | -        | 1 |
| 510038ULT4-T45                                        | 5 | 0.046" / 1.17 mm | 100 cm | 2.0 cm | -        | 0 |
| 5100381ULT4-T45                                       | 5 | 0.046" / 1.17 mm | 100 cm | 2.0 cm | -        | 1 |
| <b>Internal Mammary Left Brachial / Radial</b>        |   |                  |        |        |          |   |
| 7242-10                                               | 4 | 0.042"/1.07 mm   | 100 cm | 4.2 cm | ImLBRI   | 0 |



|                                                |   |                |        |        |        |   |
|------------------------------------------------|---|----------------|--------|--------|--------|---|
| 7242-20                                        | 4 | 0.042"/1.07 mm | 100 cm | 4.2 cm | ImLBR2 | 0 |
| <b>Left Coronary Brachial / Radial</b>         |   |                |        |        |        |   |
| 7240-10                                        | 4 | 0.042"/1.07 mm | 100 cm | 3.4 cm | LBRI   | 0 |
| 7240-20                                        | 4 | 0.042"/1.07 mm | 100 cm | 3.4 cm | LBR2   | 0 |
| 7240-30                                        | 4 | 0.042"/1.07 mm | 100 cm | 6.0 cm | LBR3   | 0 |
| <b>Right Coronary Brachial / Radial</b>        |   |                |        |        |        |   |
| 7241-10                                        | 4 | 0.042"/1.07 mm | 100 cm | 3.4 cm | RBR    | 0 |
| <b>Amplatz Left Coronary Brachial / Radial</b> |   |                |        |        |        |   |
| 7703-B0                                        | 4 | 0.042"/1.07 mm | 100 cm | 1.5 cm | AL2    | 0 |

Estéril e apirogenico.

Verifique a integridade da embalagem antes de usar. Conservar em um local seco e fresco.

Produto estéril. Válido por 3 anos após a esterilização

**Método de Esterilização:** Óxido de Etileno.

Produto de uso único. Proibido Reprocessar.

Condições de armazenamento:

Conservar em temperatura ambiente de 25°C, em local escuro e seco, para evitar a exposição prolongada à luz e à umidade.

**Detentor do Registro**

Merit Medical Comercialização, Distribuição,  
Importação e Exportação de Produtos  
Hospitales Ltda.  
R: Dona Francisca nº 8300, Bloco 10, Módulo E – Zona  
Industrial Norte CEP: 89219-600 Joinville – SC

**Telefone:** (47) 3473-5810

**e-mail:** meritbrasil@merit.com

**Fabricante**

Merit Medical Systems, Inc.  
1600 West Merit Parkway  
South Jordan, Utah 84095-2416  
Estados Unidos

Montado no México

Registro ANVISA: XXXXXXXX

Responsável Técnico: Fernanda Barcellos Teixeira

CRF 7694/SC

## Nomes e Assinaturas dos Responsáveis Técnico e Legal

|                                                                  |                                                      |
|------------------------------------------------------------------|------------------------------------------------------|
| Nome do Responsável Legal _____<br>Rodrigo Celeri Gonçalves      | Cargo _____<br>Responsável Legal – Diretor não-sócio |
|                                                                  | Assinatura do Responsável Legal _____                |
| Nome do Responsável Técnico _____<br>Fernanda Barcellos Teixeira | Cargo _____<br>Responsável Técnica                   |
| Registro _____<br>CRF 7694/SC                                    | Assinatura do Responsável Técnico _____              |



## Detalhes do Produto

|                        |                                                                                                    |                    |            |
|------------------------|----------------------------------------------------------------------------------------------------|--------------------|------------|
| <b>Nome da Empresa</b> | MERIT MEDICAL COMERCIALIZAÇÃO, DISTRIBUIÇÃO, IMPORTAÇÃO E EXPORTAÇÃO DE PRODUTOS HOSPITALARES LTDA |                    |            |
| <b>CNPJ</b>            | 13.200.579/0001-88                                                                                 | <b>Autorização</b> | 8.07.409-5 |
| <b>Produto</b>         | Cateter Angiográfico Cardiológico Performa Braided Bumper Tip                                      |                    |            |

## Modelo Produto Médico

Judkins Left: 7700-10; 7700-20; 7700-30; 7700-40. Judkins Right: 7701-10; 7701-20; 7701-50; 7701-30; 7701-40. Amplatz Left: 7703-10; 7703-20; 7703-30; 7703-40. Amplatz Right: 7702-40; 7702-10; 7702-20; 7702-30. Left Coronary ByPass - LCB: 7709-10. Right Coronary ByPass - RCB: 7709-20. Progressive Right Coronary (PRC) - Non Torque: 7707-10. Internal Mammary: 7706-10. Pediatric Judkins Right and Left: 7700-A0; 7700-B0; 7700-C0; 7700-D0; 7701-A0; 7701-B0; 7701-C0; 7701-D0; 7521-L3; 7521-M3; 7521-N3; 7521-P3; 7523-L3; 7523-M3; 7523-N3; 7523-P3. Multipurpose: 7708-30; 7708-40; 7708-10; 7708-20; 7708-50; 7708-60. Sones: 7705-10; 7705-20. Ultimate Radial 1: 410038ULT1; 4100381ULT1; 510038ULT1; 5100381ULT1. Ultimate Radial 2: 410038ULT2; 4100381ULT2; 510038ULT2; 5100381ULT2. Ultimate Radial 3: 410038ULT3; 4100382ULT3; 510038ULT3; 5100382ULT3. Ultimate Radial 4: 410038ULT4-T40; 4100381ULT4-T40; 510038ULT4-T40; 5100381ULT4-T40; 410038ULT4-T45; 4100381ULT4-T45; 510038ULT4-T45; 5100381ULT4-T45. Internal Mammary Left Brachial / Radial: 7242-10; 7242-20. Left Coronary Brachial / Radial: 7240-10; 7240-20; 7240-30. Right Coronary Brachial / Radial: 7241-10. Amplatz Left Coronary Brachial / Radial: 7703-B0.

| Tipo de Arquivo              | Arquivos | Expediente, data e hora de inclusão |
|------------------------------|----------|-------------------------------------|
| Nenhum Arquivo Encontrado(a) |          |                                     |

|                               |                                                                                                                    |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>Nome Técnico</b>           | Cateteres                                                                                                          |
| <b>Registro</b>               | 80740950081                                                                                                        |
| <b>Processo</b>               | 25351.262111/2016-56                                                                                               |
| <b>Fabricante Legal</b>       | <ul style="list-style-type: none"><li>FABRICANTE: MERIT MEDICAL SYSTEMS INC. - ESTADOS UNIDOS DA AMÉRICA</li></ul> |
| <b>Classificação de Risco</b> | IV - MÁXIMO RISCO                                                                                                  |
| <b>Vencimento do Registro</b> | 29/05/2027                                                                                                         |

[Voltar](#)

Detalhes do Produto

|                 |                                                   |             |            |
|-----------------|---------------------------------------------------|-------------|------------|
| Nome da Empresa | ABBOTT LABORATÓRIOS DO BRASIL LTDA                |             |            |
| CNPJ            | 56.998.701/0001-16                                | Autorização | 8.01.465-0 |
| Produto         | RX VIATRAC 14 PLUS PERIPHERAL DILATATION CATHETER |             |            |

Modelo Produto Médico

1008189-15; 1008189-30; 1008190-15; 1008190-30; 1008191-15; 1008191-30; 1008192-15; 1008192-30; 1008193-15; 1008193-30; 1008194-15; 1008194-30; 1008195-15; 1008195-30; 1008196-15; 1008196-30; 1008197-15; 1008197-30; 1008198-15; 1008198-30; 1008199-15; 1008199-30; 1008200-15; 1008200-30; 1008201-15; 1008201-30; 1008202-15; 1008202-30; 1008189-20; 1008189-40; 1008190-20; 1008190-40; 1008191-20; 1008191-40; 1008192-20; 1008192-40; 1008193-20; 1008193-40; 1008194-20; 1008194-40; 1008195-20; 1008195-40; 1008196-20; 1008196-40; 1008197-20; 1008197-40; 1008198-20; 1008198-40; 1008199-20; 1008199-40; 1008200-20; 1008200-40; 1008201-20; 1008201-40; 1008202-20; 1008202-40.

|                              |          |                                     |
|------------------------------|----------|-------------------------------------|
| Tipo de Arquivo              | Arquivos | Expediente, data e hora de inclusão |
| Nenhum Arquivo Encontrado(a) |          |                                     |

|                        |                                                                                                         |
|------------------------|---------------------------------------------------------------------------------------------------------|
| Nome Técnico           | CATETER BALÃO PARA ANGIOPLASTIA PERIFÉRICA                                                              |
| Registro               | 80146501595                                                                                             |
| Processo               | 25351.691539/2008-71                                                                                    |
| Fabricante Legal       | <ul style="list-style-type: none"><li>FABRICANTE: ABBOTT VASCULAR - ESTADOS UNIDOS DA AMÉRICA</li></ul> |
| Classificação de Risco | II - MEDIO RISCO                                                                                        |
| Vencimento do Registro | VIGENTE                                                                                                 |

Voltar

Detalhes do Produto

|                 |                                |             |            |
|-----------------|--------------------------------|-------------|------------|
| Nome da Empresa | ST. JUDE MEDICAL BRASIL LTDA.  |             |            |
| CNPJ            | 00.986.846/0001-42             | Autorização | 1.03.323-4 |
| Produto         | AMPLATZER VASCULAR PLUG AVP II |             |            |

Modelo Produto Médico

9-AVP2-003; 9-AVP2-004; 9-AVP2-006; 9-AVP2-008; 9-AVP2-010; 9-AVP2-012; 9-AVP2-014; 9-AVP2-016; 9-AVP2-018;

9-AVP2-020; 9-AVP2-022.

|                              |          |                                     |
|------------------------------|----------|-------------------------------------|
| Tipo de Arquivo              | Arquivos | Expediente, data e hora de inclusão |
| Nenhum Arquivo Encontrado(a) |          |                                     |

|                        |                                                                                                        |
|------------------------|--------------------------------------------------------------------------------------------------------|
| Nome Técnico           | Proteses Cardiovasculares                                                                              |
| Registro               | 10332340342                                                                                            |
| Processo               | 25351.549465/2013-50                                                                                   |
| Fabricante Legal       | <ul style="list-style-type: none"><li>FABRICANTE: ABBOTT MEDICAL - ESTADOS UNIDOS DA AMÉRICA</li></ul> |
| Classificação de Risco | IV - MÁXIMO RISCO                                                                                      |
| Vencimento do Registro | 18/02/2025                                                                                             |

Voltar

25351.768365/2018-13 / 10043660011  
80090 - MATERIAL - Cadastro de Conjunto de Materiais de Uso Médico / 1076950181

PHS DO BRASIL LTDA / 17.910.389/0001-05  
PALFIQUE UNIVERSAL BOND  
25351.775576/2018-11 / 81199279029  
8030 - MATERIAL - Cadastro de Material de Uso Médico / 1087238188

POLAR FIX INDÚSTRIA E COMERCIO DE PRODUTOS HOSPITALARES LTDA / 02.881.877/0001-64  
Filme Transparente IV Estéril Wound Care F  
25351.771371/2018-58 / 8003400105  
80009 - MATERIAL - Cadastro de Famílias de Material de Uso Médico / 1081380182

RICHARD WOLF BRASIL EQUIPAMENTOS MEDICINAIS LTDA / 15.678.981/0001-06  
Cabo Bipolar HF  
25351.645434/2018-11 / 81037940117  
8052 - EQUIPAMENTO - Registro de Família de Equipamentos para Saúde, de Médio e Pequeno Porte / 0894903184

SERGIO MANSUR ANDALAFT - GBIO - ME / 05.658.906/0001-11  
Analisador Hematológico (BCC-3600)  
25351.787616/2018-69 / 80345000273  
8436 - IVD - Cadastro de produto importado / 1104235184

SERION BRASIL IMPORTAÇÃO E DISTRIBUIÇÃO DE PRODUTOS DIAGNÓSTICOS LTDA / 14.021.899/0001-33  
TKA EAS' ELISA  
25351.771475/2018-62 / 80826840113  
8437 - IVD - Cadastro de produtos importados em família / 1081518180

SIEMENS HEALTHCARE DIAGNÓSTICOS LTDA / 01.449.930/0001-90  
Sistema de ultrassonografia de diagnóstico  
25351.764892/2018-59 / 10345162310  
80027 - EQUIPAMENTO - Cadastro de Família de Equipamentos para Saúde / 1071576182

SS WHITE ARTIGOS DENTARIOS LTDA / 68.567.650/0001-57  
Kit Hirata Kihon  
25351.775579/2018-46 / 80149710224  
80090 - MATERIAL - Cadastro de Conjunto de Materiais de Uso Médico / 1087243184

ST. JUDE MEDICAL BRASIL LTDA. / 00.986.846/0001-42  
TRIAL LEAD  
25351.777021/2018-03 / 10332340446  
80032 - EQUIPAMENTO - Registro de Sistema de Equipamentos para Saúde, de Médio e Pequeno Porte / 1089343181

STERMAX PRODUTOS MÉDICOS LTDA - ME / 84.859.552/0002-20  
AUTOCLAVE STERMAX BOX ANALÓGICA  
25351.773915/2018-16 / 81617740003  
80027 - EQUIPAMENTO - Cadastro de Família de Equipamentos para Saúde / 1085067188

AUTOCLAVE STERMAX BOX EXTRA  
25351.773913/2018-27 / 81617740002  
80027 - EQUIPAMENTO - Cadastro de Família de Equipamentos para Saúde / 1085064183

SUPORTE HOSPITALAR LTDA / 73.857.393/0001-28  
Instrumentais Cirúrgicos Cortantes Não Articulados Elliquence  
25351.612841/2018-42 / 10275160066  
80007 - MATERIAL - Cadastro de Famílias de Material de Uso Médico / 0849317181

SURGICALMEDI IMPORTADORA E DISTRIBUIDORA DE MATERIAIS CIRÚRGICOS LTDA-ME / 29.057.136/0001-10  
KIT CATETER DUPLO J - CP  
25351.781460/2018-11 / 81665690006  
80090 - MATERIAL - Cadastro de Conjunto de Materiais de Uso Médico / 1094891181

Cateter de Nefrostomia - Ponta J  
25351.781322/2018-23 / 81665690001  
80090 - MATERIAL - Cadastro de Conjunto de Materiais de Uso Médico / 1094652187

Cateter de Nefrostomia - Ponta Malecot  
25351.781334/2018-58 / 81665690002  
80090 - MATERIAL - Cadastro de Conjunto de Materiais de Uso Médico / 1094672181

Kit cistostomia supra-pública (Plástico) - Ponta Malecot  
25351.781401/2018-34 / 81665690004  
80090 - MATERIAL - Cadastro de Conjunto de Materiais de Uso Médico / 1094812181

Kit cistostomia supra-pública (Plástico) - Ponta J  
25351.781434/2018-84 / 81665690005  
80090 - MATERIAL - Cadastro de Conjunto de Materiais de Uso Médico / 1094865181

KIT CATETER DUPLO J - SP  
25351.781378/2018-88 / 81665690003  
80090 - MATERIAL - Cadastro de Conjunto de Materiais de Uso Médico / 1094770181

SURGITEC COMÉRCIO E FABRICAÇÃO DE PRODUTOS MEDICOS E HOSPITALARES LTDA - ME / 24.684.423/0001-36  
ELETRODO DE AGULHA SUBDÉRMICA SURGITRODE  
25351.816237/2018-93 / 81469780020  
80027 - EQUIPAMENTO - Cadastro de Família de Equipamentos para Saúde / 1149548181

ULTRADENT DO BRASIL PRODUTOS ODONTOLÓGICOS LTDA / 06.295.846/0001-82  
PEAK ZM  
25351.762281/2018-76 / 80279910084  
80009 - MATERIAL - Cadastro de Famílias de Material de Uso Médico / 1068153181

VOLMED BRASIL EQUIPAMENTOS LTDA - ME / 20.137.275/0001-89  
Kit Instrumental para Cirurgia ATM Plus  
25351.768310/2018-11 / 81130100025  
80090 - MATERIAL - Cadastro de Conjunto de Materiais de Uso Médico / 1076880187

WINNER INDÚSTRIA DE DESCARTÁVEIS LTDA / 05.421.585/0001-37  
BOLAS DE NÃO TECIDO COM ELÁSTICO COM FIO RX ESTÉRIL WINNER

25351.781153/2018-21 / 80201960287  
80009 - MATERIAL - Cadastro de Famílias de Material de Uso Médico / 1094430183

BOLAS DE NÃO TECIDO COM ELÁSTICO ESTÉRIL WINNER  
25351.781134/2018-03 / 80201960286  
80009 - MATERIAL - Cadastro de Famílias de Material de Uso Médico / 1094440181

ZAREK DISTRIBUIDORA DE PRODUTOS HOSPITALARES EIRELI / 08.862.233/0001-05  
MICROCATETER APT MEDICAL  
25351.782837/2018-41 / 80446140035  
80009 - MATERIAL - Cadastro de Famílias de Material de Uso Médico / 1097008188

Nº de Processos : 96

Total de Empresas : 66

**RESOLUÇÃO-RE Nº 290, DE 31 DE JANEIRO DE 2019**

O Gerente-Geral de Tecnologia de Produtos para Saúde, no uso da atribuição que lhe confere o art. 156, aliado ao art. 54, I, § 1º do Regimento Interno aprovado nos termos do Anexo I da Resolução da Diretoria Colegiada - RDC nº 255, de 10 de dezembro de 2018, resolve:

Art. 1º Deferir as petições relacionadas à Gerência-Geral de Tecnologia de Produtos para a Saúde, na conformidade do anexo.

Art. 2º Esta Resolução entra em vigor na data de sua publicação.

LEANDRO RODRIGUES PEREIRA

ANEXO

NOME DA EMPRESA / CNPJ  
NOME COMERCIAL  
NUMERO DO PROCESSO / REGISTRO  
PETIÇÃO(ÕES) / EXPEDIENTE(S)

ABBOTT LABORATORIOS DO BRASIL LTDA / 56.998.701/0001-16  
Família Alinity s HbsAg  
25351.543442/2017-43 / 80146502101  
8444 - IVD - Alteração das informações do dossiê técnico de produtos registrados (classes III ou IV) / 1077207183

Família Alinity s Anti-HCV  
25351.543644/2017-95 / 80146502123  
8444 - IVD - Alteração das informações do dossiê técnico de produtos registrados (classes III ou IV) / 1081674187

AGFA HEALTHCARE BRASIL IMPORTAÇÃO E SERVIÇOS LTDA. / 09.032.626/0001-54

FILME DRYSTAR AGFA  
25351.265049/2010-32 / 80497200003  
80153 - MATERIAL - Alteração de informações em Cadastro / 1041777180

ALLMED PRONEFRO BRASIL LTDA / 04.980.517/0001-45  
LINHA DE SANGUE ARTERIAL PARA HEMODIALISE DIALINE  
25351.736211/2009-37 / 80188510013  
80153 - MATERIAL - Alteração de informações em Cadastro / 1052450189

ANGELUS INDÚSTRIA DE PRODUTOS ODONTOLÓGICOS S/A / 00.257.992/0001-37

SUCTOR DE SALIVA  
25351.562865/2012-15 / 10349450070  
80153 - MATERIAL - Alteração de informações em Cadastro / 1035373189

ANRO 66 INDÚSTRIA DE COMÉRCIO ELETRÔNICOS LTDA ME / 05.925.332/0001-09

OZONIC  
25351.231350/2010-67 / 80553129001  
8062 - EQUIPAMENTO - Cancelamento de Registro ou Cadastro / 1144883181

OZONIC  
25351.231350/2010-67 / 80553129001  
8096 - Retificação de Publicação - ANVISA / 0702351181

ANTEIS DO BRASIL IMPORTAÇÃO, EXPORTAÇÃO E COMÉRCIO LTDA / 16.558.077/0001-11  
Belotero Soft  
25351.562653/2015-11 / 80953180007  
80156 - MATERIAL - Alteração de informações do Relatório Técnico em Registro de Material de Uso Médico / 0489615187

Belotero Volume  
25351.165958/2015-44 / 80953180003  
80156 - MATERIAL - Alteração de informações do Relatório Técnico em Registro de Material de Uso Médico / 0489593182

A-TARIQ IMPORTAÇÃO E EXPORTAÇÃO - EIRELI / 22.575.103/0001-12  
Alicates para Ortodontia Cortante de Carbono Tungstênio - 6b Invent Germany

INOX CE

25351.664940/2017-29 / 81563630008  
80153 - MATERIAL - Alteração de informações em Cadastro / 1041114183

AUTO SUTURE DO BRASIL LTDA. / 01.645.409/0001-28  
SENSORES ADESIVOS PARA OXIMETRIA DE PULSO ADULTO OXIMAX MAX

A/AL

25351.351714/2013-91 / 10349000319  
80015 - EQUIPAMENTO - Alteração das Condições de Armazenamento, Transporte e Operação / 1044544180

GERADOR ELETROCIURGICO FORCE TRIAD VALLEYLAB  
25351.401647/2006-08 / 10349000269  
80018 - EQUIPAMENTO - Alteração de Software / 1004203182

GERADOR ELETROCIURGICO FORCE TRIAD VALLEYLAB  
25351.401647/2006-08 / 10349000269  
80023 - EQUIPAMENTO - Alteração/Inclusão de Partes e Acessórios / 0058885197

COOL TIP RF ABLATION SYSTEM E-SERIES - COMPONENT KIT  
25351.343417/2015-86 / 10349000510  
80016 - EQUIPAMENTO - Alteração Técnica / 1090313185

BIOMÉDICA EQUIPAMENTOS E SUPRIMENTOS HOSPITALARES LTDA / 01.299.509/0001-40  
INSTRUMENTOS SPINAL ELEMENTS NANC 304L/316L  
25351.011465/2015-01 / 10355870229  
8419 - MATERIAL - Retificação - Correção pela ANVISA / 0050184191

Kit Cânula de Acesso iO-Flex Ipsi Access Brazil  
25351.546135/2017-14 / 10355870317



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8419 - MATERIAL - Retificação - Correção pela ANVISA / 0050188193                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Cateter balão endoscópico JiuHong Medical<br>25351.429409/2015-19 / 10289680092<br>80153 - MATERIAL - Alteração de informações em Cadastro / 1031429186                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 02.913.684/0001-48<br>Cases para Instrumentais<br>25351.480306/2017-35 / 80044680267<br>80153 - MATERIAL - Alteração de informações em Cadastro / 0978994184<br>COMPONENTE FEMORAL POROUS SEM RESTRIÇÃO<br>25351.480419/2017-31 / 80044680275<br>8419 - MATERIAL - Retificação - Correção pela ANVISA / 0050134194                                                                                                                                                                                                                                                                                                                                                                                      | HÜMMER DO BRASIL - COMERCIAL IMP. E EXP. DE EQUIPAMENTOS HOSPITALARES LTDA / 09.553.187/0001-25<br>FIBRA LASER<br>25351.332649/2012-27 / 80603600076<br>8058 - EQUIPAMENTO - Revalidação de Registro de Sistema/Família de Equipamentos de Médio e Pequeno Porte / 0060990191<br>FIBRA LASER<br>25351.332649/2012-27 / 80603600076<br>80040 - EQUIPAMENTO - Retificação - Correção pela ANVISA / 0490344187                                                                                                                                                                                                                                                                                                                                                                                                                              |
| BIO-RAD LABORATÓRIOS BRASIL LTDA / 03.188.198/0001-77<br>BioPlex 2200 Wash Solution<br>25351.705142/2013-18 / 80020690316<br>8445 - IVD - Alteração de produtos cadastrados (classes I ou II) / 1012630189                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ICONACY ORTHOPEDIC IMPLANTS INDUSTRIA E COMERCIO DE PRODUTOS MEDICO HOSPITALARES LTDA / 07.372.557/0001-00<br>68-130000 - Kit de Instrumentais para Componente Femoral Patelar I-KNEE FP<br>Iconacy<br>25351.227036/2018-17 / 80297610141<br>80153 - MATERIAL - Alteração de informações em Cadastro / 0412912181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| BOSTON SCIENTIFIC DO BRASIL LTDA / 01.513.946/0001-14<br>Introdutor Lotus<br>25351.122524/2014-14 / 10341350758<br>80153 - MATERIAL - Alteração de informações em Cadastro / 0599092181<br>INSUFLADOR PNEUMÁTICO - HAND PUMP<br>25351.697376/2010-30 / 10341350603<br>8088 - EQUIPAMENTO - Alteração de Informações de Cadastro / 1057337182<br>Gerador de Pulsos Emblem MRI S-ICD<br>25351.372424/2016-51 / 10341350894<br>80013 - EQUIPAMENTO - Alteração de Contra-indicações, Efeitos Adversos, Advertências ou Precauções / 1128806180<br>Gerador de Pulsos Emblem MRI S-ICD<br>25351.372424/2016-51 / 10341350894<br>80023 - EQUIPAMENTO - Alteração/Inclusão de Partes e Acessórios / 1128984188 | JGC INDÚSTRIA E COMÉRCIO DE MATERIAIS DENTÁRIOS S.A. / 00.489.050/0001-84<br>INSTRUMENTAIS CORTANTES EM AÇO INOXIDÁVEL<br>25351.037863/2018-11 / 10344420202<br>80153 - MATERIAL - Alteração de informações em Cadastro / 1055212180<br>CHAVES E CONEXOES CIRURGICAS<br>25351.188154/2005-88 / 10344420026<br>80153 - MATERIAL - Alteração de informações em Cadastro / 1055254185                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| CARDINAL HEALTH DO BRASIL LTDA. / 19.585.158/0001-07<br>SISTEMA DE STENT EXPANSIVEL CORDIS<br>25351.404344/2017-91 / 81356112280<br>8419 - MATERIAL - Retificação - Correção pela ANVISA / 0815208180                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | JMN COMÉRCIO, IMPORTAÇÃO, EXPORTAÇÃO DE EQUIPAMENTOS MÉDICOS LTDA - EPP / 04.433.187/0001-78<br>CANETA DE LUZ<br>25351.680642/2012-37 / 80519700004<br>8062 - EQUIPAMENTO - Cancelamento de Registro ou Cadastro / 1144826181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Concept usinagens especiais Ltda - me / 12.520.258/0001-06<br>Parafuso Transfer MA / MF<br>25351.045574/2017-07 / 81053660008<br>80153 - MATERIAL - Alteração de informações em Cadastro / 0868708181                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | JOHNSON & JOHNSON DO BRASIL INDÚSTRIA E COMÉRCIO DE PRODUTOS PARA SAÚDE LTDA / 54.516.661/0001-01<br>CATETER SOUNDSTAR ECO<br>25351.173467/2013-53 / 80145901453<br>80013 - EQUIPAMENTO - Alteração de Contra-indicações, Efeitos Adversos, Advertências ou Precauções / 1098048186<br>Smartablate System<br>25351.441370/2013-41 / 80145901484<br>80013 - EQUIPAMENTO - Alteração de Contra-indicações, Efeitos Adversos, Advertências ou Precauções / 1098039189<br>MEDIDOR DE IMPLANTE MAMÁRIO DE GEL<br>25351.464996/2011-51 / 80145901369<br>80153 - MATERIAL - Alteração de informações em Cadastro / 1030806187<br>Soundstar Eco Diagnostic Ultrasound Catheter 8F / 8FG<br>25351.562366/2015-80 / 80145901757<br>80013 - EQUIPAMENTO - Alteração de Contra-indicações, Efeitos Adversos, Advertências ou Precauções / 1098035180 |
| EDWARDS LIFESCIENCES COMÉRCIO DE PRODUTOS MÉDICO-CIRÚRGICOS LTDA / 05.944.604/0001-00<br>EV1000A - MONITOR PARA CUIDADOS INTENSIVOS<br>25351.092499/2011-31 / 80219050127<br>80013 - EQUIPAMENTO - Alteração de Contra-indicações, Efeitos Adversos, Advertências ou Precauções / 1090297180<br>Plataforma Clínica EV1000NI<br>25351.493503/2015-01 / 80219050157<br>80013 - EQUIPAMENTO - Alteração de Contra-indicações, Efeitos Adversos, Advertências ou Precauções / 1090305184                                                                                                                                                                                                                    | KL MARTIN DO BRASIL EQUIPAMENTOS MEDICOS LTDA / 19.524.713/0001-82<br><br>INSTRUMENTAIS DE SEPARAÇÃO MARTIN<br>25351.590271/2015-27 / 81198980009<br>80153 - MATERIAL - Alteração de informações em Cadastro / 1031494186<br>PINÇAS ARTICULADAS NÃO CORTANTES<br>25351.990361/2016-15 / 81198980020<br>80153 - MATERIAL - Alteração de informações em Cadastro / 1031457181                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| ELEKTA MEDICAL SYSTEMS COMÉRCIO E SERVICOS PARA RADIOTERAPIA LTDA. / 09.528.196/0001-66<br>SISTEMA DE BRAQUITERAPIA<br>25351.413726/2014-47 / 80569320018<br>80023 - EQUIPAMENTO - Alteração/Inclusão de Partes e Acessórios / 1110082186<br>ACELERADOR LINEAR ELEKTA<br>25351.015142/2010-38 / 80569320007<br>80020 - EQUIPAMENTO - Alteração/Inclusão de Fabricante ou Local de Fabricação / 1085109187                                                                                                                                                                                                                                                                                               | LOKTA MEDICAL ELECTRONICS INDUSTRIA E COMERCIO LTDA-EPP / 59.844.662/0001-90<br>ELETRODO ELETROCIRÚRGICO DESCARTÁVEL E ESTÉRIL PARA BISTURI DE ALTA FREQUÊNCIA<br>25351.588895/2016-06 / 10362610013<br>8073 - EQUIPAMENTO - Alteração por Acréscimo de Equipamento em Registro de Família de Equipamentos de Médio e Pequeno Portes / 1061519189                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| EMERGÔ BRASIL IMPORTACAO E DISTRIBUICAO DE PRODUTOS MEDICOS HOSPITALARES LTDA / 04.967.408/0001-98<br>Laser Oftálmico<br>25351.680381/2015-46 / 80117580425<br>80020 - EQUIPAMENTO - Alteração/Inclusão de Fabricante ou Local de Fabricação / 1090958182<br>Laser Oftálmico<br>25351.680381/2015-46 / 80117580425<br>80017 - EQUIPAMENTO - Alteração da Indicação e Finalidade de Uso, Tipo de Operador ou Paciente ou Ambiente de Utilização / 1090929186                                                                                                                                                                                                                                             | MAQUET DO BRASIL EQUIPAMENTOS MÉDICOS LTDA / 06.028.137/0001-30<br>Autoclave Trans Smart<br>25351.434714/2015-12 / 80259110106<br>8088 - EQUIPAMENTO - Alteração de Informações de Cadastro / 1067431184<br>Sonda de fibra óptica CeVOX<br>25351.485830/2017-01 / 80259110156<br>80016 - EQUIPAMENTO - Alteração Técnica / 1108668188                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| FRSENIUS KABI BRASIL LTDA / 49.324.221/0001-04<br>EQUIPO ENTERAL APPLIX<br>25351.101436/2007-41 / 80145110170<br>80153 - MATERIAL - Alteração de informações em Cadastro / 1052493182                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | MEDINOVA LIFE SCIENCES IMPORTADORA E DISTRIBUIDORA DE PRODUTOS MÉDICOS E HOSPITALARES LTDA / 22.256.726/0001-22<br>CAREXIA FP<br>25351.135891/2017-02 / 81372440003<br>8088 - EQUIPAMENTO - Alteração de Informações de Cadastro / 1057477188<br>MACAS HOSPITALARES BMB MÉDICAL<br>25351.122559/2016-31 / 81372440001<br>8088 - EQUIPAMENTO - Alteração de Informações de Cadastro / 1057480188<br>CADEIRA I-MOVE BMB MEDICAL<br>25351.588783/2016-09 / 81372440002<br>8088 - EQUIPAMENTO - Alteração de Informações de Cadastro / 1057471189                                                                                                                                                                                                                                                                                            |
| GM DOS REIS INDÚSTRIA E COMERCIO LTDA / 60.040.599/0001-19<br>PARAFUSO IMPLANTAVEL NAO CANULADO GM<br>25351.186570/2005-41 / 10247700039<br>8419 - MATERIAL - Retificação - Correção pela ANVISA / 0069059197                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | MEDTRONIC COMERCIAL LTDA / 01.772.798/0001-52<br>INSTRUMENTAIS ESTÉREIS PARA CIRURGIA DE COLUNA<br>25351.352172/2015-11 / 10339190600<br>80153 - MATERIAL - Alteração de informações em Cadastro / 1555720171<br>Sentrant - Bainha Introdutora<br>25351.590133/2014-35 / 10339190559<br>80153 - MATERIAL - Alteração de informações em Cadastro / 1040301188                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| GOLGRAN INDÚSTRIA E COMÉRCIO DE INSTRUMENTAL ODONTOLÓGICO LTDA / 51.753.374/0001-19<br>INSTRUMENTAL CIRÚRGICO<br>25351.014459/2011-38 / 10401310088<br>8419 - MATERIAL - Retificação - Correção pela ANVISA / 0063845195                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | MERIT MEDICAL COMERCIALIZAÇÃO, DISTRIBUIÇÃO, IMPORTAÇÃO E EXPORTAÇÃO DE PRODUTOS HOSPITALARES LTDA / 13.200.579/0001-88<br>Cateter Angiográfico Cardiológico Performa Braided<br>25351.261887/2016-14 / 80740950080<br>80132 - MATERIAL - Retificação - Correção pela EMPRESA / 0060884190<br>Cateter Angiográfico Cardiológico Performa Braided Bumper Tip<br>25351.262111/2016-56 / 80740950081<br>80132 - MATERIAL - Retificação - Correção pela EMPRESA / 0060838196                                                                                                                                                                                                                                                                                                                                                                 |
| H STRATTNER E CIA LTDA / 33.250.713/0001-62<br>Autoclaves a Vapor MACHANA<br>25351.583698/2015-01 / 10302860261<br>8088 - EQUIPAMENTO - Alteração de Informações de Cadastro / 0523413182                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | MM Diagnóstika Comercial Ltda - EPP / 04.114.172/0001-47<br>CÂNULA PARA MARCAÇÃO DE LESÃO MAMÁRIA - HISTO<br>25351.289655/2012-17 / 80199950033<br>80153 - MATERIAL - Alteração de informações em Cadastro / 1002658184<br>-----                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| HOLLISTER DO BRASIL LTDA / 00.938.703/0001-65<br>TUBO ADAPTADOR DE DRENAGEM PARA UROSTOMIA<br>25351.066976/2014-86 / 10326409033<br>80153 - MATERIAL - Alteração de informações em Cadastro / 1041919185                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| HOSPITALAR INDÚSTRIA METALÚRGICA DE EQUIPAMENTOS HOSPITALARES LTDA / 54.178.983/0001-80<br>Cama Berço Infantil de Uso Hospitalar<br>25351.498022/2015-63 / 80172580008<br>8088 - EQUIPAMENTO - Alteração de Informações de Cadastro / 1063237189                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| HTS TECNOLOGIA EM SAÚDE, COMÉRCIO, IMPORTAÇÃO E EXPORTAÇÃO LTDA / 66.437.831/0001-33                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |







# DIÁRIO OFICIAL DA UNIÃO

## República Federativa do Brasil - Imprensa Nacional

Em circulação desde 1º de outubro de 1862



Suplemento ao Nº 228

Brasília - DF, segunda-feira, 25 de novembro de 2013

### Sumário

PÁGINA

Ministério da Saúde ..... 1

### Ministério da Saúde

#### AGÊNCIA NACIONAL DE VIGILÂNCIA SANITÁRIA

#### RESOLUÇÃO- RE Nº 4.364, DE 19 DE NOVEMBRO DE 2013

O Diretor-Presidente da Agência Nacional de Vigilância Sanitária, no uso das atribuições que lhe conferem o Decreto de recondução de 11 de outubro de 2011, da Presidenta da República, publicado no DOU de 13 de outubro de 2011 e o inciso X do art. 13 do Regulamento da ANVISA, aprovado pelo Decreto nº 3.029, de 16 de abril de 1999, tendo em vista o disposto no inciso VIII do art. 16 e no inciso I, § 1º do art. 55 do Regimento Interno da ANVISA, aprovado nos termos do Anexo I da Portaria n.º 354, de 11 de agosto de 2006, republicada no DOU de 21 de agosto de 2006 e considerando o art. 12 e o art. 25 da Lei n.º 6.360, de 23 de setembro de 1976, bem como o inciso IX, do art. 7º da Lei n.º 9.782, de 26 de janeiro de 1999, resolve:

Art. 1º Conceder a Alteração, Inclusão, Revalidação e o Desarquívamento dos processos dos Produtos para a Saúde, na conformidade da relação anexa.

Art. 2º Esta Resolução entra em vigor na data de sua publicação

DIRCEU BRÁS APARECIDO BARBANO

ANEXO

NOME DA EMPRESA AUTORIZAÇÃO  
NOME TÉCNICO NUMERO DO PROCESSO  
NOME COMERCIAL  
LOCAL DE FABRICAÇÃO  
MODELO(s) DO PRODUTO  
CLASSE REGISTRO  
PETIÇÃO(ÕES)  
ABB MED COMÉRCIO DE PRODUTOS CIRÚRGICOS LTDA  
8.02005-7  
Cateteres 25351.420846/2007-98  
CATETER VNUS CLOSURE FAST  
FABRICANTE : COVIDIEN IIC - ESTADOS UNIDOS  
FABRICANTE : VNUS Medical Technologies, Inc - ESTADOS UNIDOS  
FABRICANTE : VNUS Medical Technologies - ESTADOS UNIDOS  
DISTRIBUIDOR : VNUS Medical Technologies - ESTADOS UNIDOS  
DISTRIBUIDOR : COVIDIEN IIC - ESTADOS UNIDOS  
DISTRIBUIDOR : VNUS MEDICAL TECHNOLOGIES, INC. - ESTADOS UNIDOS  
CF7-7-60, CF7-7-100.  
CLASSE : IV 80200570013  
8044 - Inclusão/Alteração do Fabricante/Distribuidor de MATERIAL DE USO MÉDICO Importado

| TABELA DE PREÇOS DE JORNAIS AVULSOS                                                            |                  |                |
|------------------------------------------------------------------------------------------------|------------------|----------------|
| Páginas                                                                                        | Distrito Federal | Demais Estados |
| de 02 a 28                                                                                     | R\$ 0,30         | R\$ 1,80       |
| de 32 a 76                                                                                     | R\$ 0,50         | R\$ 2,00       |
| de 80 a 156                                                                                    | R\$ 1,10         | R\$ 2,60       |
| de 160 a 250                                                                                   | R\$ 1,50         | R\$ 3,00       |
| de 254 a 500                                                                                   | R\$ 3,00         | R\$ 4,50       |
| - Acima de 500 páginas = preço de tabela mais excedente de páginas multiplicado por R\$ 0,0107 |                  |                |

Cateteres 25351.512486/2008-31  
VNUS CLOSURE RFS STYLET  
FABRICANTE : VNUS MEDICAL TECHNOLOGIES, INC. - ESTADOS UNIDOS  
FABRICANTE : COVIDIEN IIC - ESTADOS UNIDOS  
DISTRIBUIDOR : COVIDIEN IIC - ESTADOS UNIDOS  
DISTRIBUIDOR : VNUS MEDICAL TECHNOLOGIES, INC. - ESTADOS UNIDOS  
RFS2-6-12  
CLASSE : IV 80200570016  
8044 - Inclusão/Alteração do Fabricante/Distribuidor de MATERIAL DE USO MÉDICO Importado  
ABBOTT LABORATÓRIOS DO BRASIL LTDA 8.01465-0  
Stent 25351.070675/2006-61  
X.ACT RAPID EXCHANGE CAROTID STENT SYSTEM  
FABRICANTE : ABBOTT VASCULAR - ESTADOS UNIDOS  
DISTRIBUIDOR : ABBOTT VASCULAR - ESTADOS UNIDOS  
XRX 020 07S, XRX 020 08S, XRX 020 09S, XRX 020 10S, XRX 030 07S, XRX 030 08S, XRX 030 09S, XRX 030 10S, XRX 030 08T, XRX 030 09T, XRX 030 10T, XRX 040 08T, XRX 040 09T, XRX 040 10T.  
CLASSE : IV 80146501339  
8040 - Alteração do Nome Comercial e/ou denominação do Código/Modelo Comercial de MATERIAL DE USO MÉDICO 80003 - Alteração das Indicações de uso, Contra-indicações e Precauções de MATERIAL DE USO MÉDICO  
Cateteres 25351.691539/2008-71  
RX VIATrac 14 PLUS PERIPHERAL DILATATION CATHETER  
FABRICANTE : ABBOTT VASCULAR - ESTADOS UNIDOS  
DISTRIBUIDOR : ABBOTT VASCULAR - ESTADOS UNIDOS  
1008189-15; 1008189-30; 1008190-15; 1008190-30; 1008191-15; 1008191-30; 1008192-15; 1008192-30; 1008193-15; 1008193-30; 1008194-15; 1008194-30; 1008195-15; 1008195-30; 1008196-15; 1008196-30; 1008197-15; 1008197-30; 1008198-15; 1008198-30; 1008199-15; 1008199-30; 1008200-15; 1008200-30; 1008201-15; 1008201-30; 1008202-15; 1008202-30; 1008189-20; 1008189-40; 1008190-20; 1008190-40; 1008191-20; 1008191-40; 1008192-20; 1008192-40; 1008193-20; 1008193-40; 1008194-20; 1008194-40; 1008195-20; 1008195-40; 1008196-20; 1008196-40; 1008197-20; 1008197-40; 1008198-20; 1008198-40; 1008199-20; 1008199-40; 1008200-20; 1008200-40; 1008201-20; 1008201-40; 1008202-20; 1008202-40.

CLASSE : II 80146501595  
80005 - Alteração da Razão Social da Empresa Estrangeira Fabricante de MATERIAL DE USO MÉDICO  
8044 - Inclusão/Alteração do Fabricante/Distribuidor de MATERIAL DE USO MÉDICO Importado  
Filtros 25351.073083/2009-98  
RX ACCUNET EMBOLIC PROTECTION  
FABRICANTE : ABBOTT VASCULAR - VASCULAR SOLUTIONS - ESTADOS UNIDOS  
DISTRIBUIDOR : ABBOTT VASCULAR NETHERLANDS B. V. - HOLANDA (PAÍSES BAIXOS)  
DISTRIBUIDOR : ABBOTT VASCULAR - ESTADOS UNIDOS  
1011651-45; 1011651-55; 1011651-65; 1011651-75; 1011652-45; 1011652-55; 1011652-65; 1011652-75.  
CLASSE : IV 80146501613  
8044 - Inclusão/Alteração do Fabricante/Distribuidor de MATERIAL DE USO MÉDICO Importado  
80005 - Alteração da Razão Social da Empresa Estrangeira Fabricante de MATERIAL DE USO MÉDICO  
Fio Guia 25351.640930/2012-21  
HI-TORQUE COMMAND GUIDE WIRE  
FABRICANTE : ABBOTT VASCULAR - ESTADOS UNIDOS  
DISTRIBUIDOR : ABBOTT LABORATÓRIOS DO BRASIL LTDA - BRASIL  
HI-TORQUE COMMAND ES GUIDE WIRE-2078174; 2078177; 2078175  
HI-TORQUE COMMAND GUIDE WIRE-2078172; 2078176; 2078173  
CLASSE : II 80146501828  
80002 - Alteração do Prazo de Validade de MATERIAL DE USO MÉDICO  
A.D. DESENVOLVIMENTO INTERNACIONAL LTDA - ME 8.03449-8  
Agulhas 25351.682174/2012-09

PONTEIRAS COM AGULHAS CHEYENNE  
FABRICANTE : MT. DERM MEDICAL PRODUCTS PVT LTD - ÍNDIA  
FABRICANTE : MT.DERM GMBH - ALEMANHA  
E-0301-L25, E-0301-BP-L25, E-0302-L25, E-0302-BP-L25, E-0302-S25, E-0303-L25, E-0303-BP-L25, E-0303-S25, E-0303-F25, E-0304-L25, E-0304-BP-L25, E-0304-S25, E-0304-F25, E-0305-L25, E-0305-BP-L25, E-0305-S25, E-0305-F25, E-0305-M25, E-0306-L25, E-0306-BP-L25, E-0306-S25, E-0306-F25, E-0307-L25, E-0307-BP-L25, E-0307-S25, E-0307-F25, E-0307-M25, E-0307-R25, E-0307-BP-R25, E-0308-L25, E-0308-BP-L25, E-0308-S25, E-0308-F25, E-0309-L25, E-0309-BP-L25, E-0309-S25, E-0309-F25, E-0309-M25, E-0309-R25, E-0309-BP-R25, E-0310-L25, E-0310-BP-L25, E-0310-S25, E-0310-F25, E-0311-L25, E-0311-BP-L25, E-0311-S25, E-0311-F25, E-0311-M25, E-0311-R25, E-0311-BP-R25, E-0312-L25, E-0312-BP-L25, E-0312-S25, E-0312-F25, E-0313-L25, E-0313-BP-L25, E-0313-S25, E-0313-F25, E-0313-M25, E-0313-R25, E-0313-BP-R25, E-0314-L25, E-0314-BP-L25, E-0314-S25, E-0314-F25, E-0315-L25, E-0315-BP-L25, E-0315-S25, E-0315-F25, E-0315-M25, E-0315-R25, E-0315-BP-R25, E-0316-L25, E-0316-BP-L25, E-0316-S25, E-0316-F25, E-0317-L25, E-0317-BP-L25, E-0317-S25, E-0317-F25, E-0317-M25, E-0317-R25, E-0317-BP-R25, E-0318-L25, E-0318-BP-L25, E-0318-S25, E-0318-F25, E-0319-L25, E-0319-BP-L25, E-0319-S25, E-0319-F25, E-0319-M25, E-0319-R25, E-0319-BP-R25, E-0320-L25, E-0320-BP-L25, E-0320-S25, E-0320-F25, E-0321-L25, E-0321-BP-L25, E-0321-S25, E-0321-F25, E-0321-M25, E-0321-R25, E-0321-BP-R25, E-0322-L25, E-0322-BP-L25, E-0322-S25, E-0322-F25, E-0323-L25, E-0323-BP-L25, E-0323-S25, E-0323-F25, E-0323-M25, E-0323-R25, E-0323-BP-R25, E-0324-L25, E-0324-BP-L25, E-0324-S25, E-0324-F25, E-0325-L25, E-0325-BP-L25, E-0325-S25, E-0325-F25, E-0325-M25, E-0325-R25, E-0325-BP-R25, E-0326-L25, E-0326-BP-L25, E-0326-S25, E-0326-F25, E-0327-L25, E-0327-BP-L25, E-0327-S25, E-0327-F25, E-0327-M25, E-0327-R25  
E-0302-L40, E-0302-BP-L40, E-0302-S40, E-0303-L40, E-0303-BP-L40, E-0303-S40, E-0303-F40, E-0304-L40, E-0304-BP-L40, E-0304-S40, E-0304-F40, E-0305-L40, E-0305-BP-L40, E-0305-S40, E-0305-F40, E-0305-M40, E-0306-L40, E-0306-BP-L40, E-0306-S40, E-0306-F40, E-0307-L40, E-0307-BP-L40, E-0307-S40, E-0307-F40, E-0307-M40, E-0307-R40, E-0307-BP-R40, E-0308-L40, E-0308-BP-L40, E-0308-S40, E-0308-F40, E-0309-L40, E-0309-BP-L40, E-0309-S40, E-0309-F40, E-0309-M40, E-0309-R40, E-0309-BP-R40, E-0310-L40, E-0310-BP-L40, E-0310-S40, E-0310-F40, E-0311-L40, E-0311-BP-L40, E-0311-S40, E-0311-F40, E-0311-M40, E-0311-R40, E-0311-BP-R40, E-0312-L40, E-0312-BP-L40, E-0312-S40, E-0312-F40, E-0313-L40, E-0313-BP-L40, E-0313-S40, E-0313-F40, E-0313-M40, E-0313-R40, E-0313-BP-R40, E-0314-L40, E-0314-BP-L40, E-0314-S40, E-0314-F40, E-0315-L40, E-0315-BP-L40, E-0315-S40, E-0315-F40, E-0315-M40, E-0315-R40, E-0315-BP-R40, E-0316-L40, E-0316-BP-L40, E-0316-S40, E-0316-F40, E-0317-L40, E-0317-BP-L40, E-0317-S40, E-0317-F40, E-0317-M40, E-0317-R40, E-0317-BP-R40, E-0318-L40, E-0318-BP-L40, E-0309-L35, E-0309-BP-L35, E-0309-S35, E-0309-F35, E-0309-M35, E-0309-R35, E-0309-BP-R35, E-0310-L35, E-0310-BP-L35, E-0310-S35, E-0310-F35, E-0311-L35, E-0311-BP-L35, E-0311-S35, E-0311-F35, E-0311-M35, E-0311-R35, E-0311-BP-R35, E-0312-L35, E-0312-BP-L35, E-0312-S35, E-0312-F35, E-0313-L35, E-0313-BP-L35, E-0313-S35, E-0313-F35, E-0313-M35, E-0313-R35, E-0313-BP-R35, E-0314-L35, E-0314-BP-L35, E-0314-S35, E-0314-F35, E-0315-L35, E-0315-BP-L35, E-0315-S35, E-0315-F35, E-0315-M35, E-0315-R35, E-0315-BP-R35, E-0316-L35, E-0316-BP-L35, E-0316-F35, E-0316-M35, E-0316-R35, E-0317-L35, E-0317-BP-L35, E-0317-S35, E-0317-F35, E-0317-M35, E-0317-R35, E-0317-BP-R35, E-0318-L35, E-0318-BP-L35, E-0318-S35, E-0318-F35, E-0319-L35, E-0319-BP-L35, E-0319-S35, E-0319-F35, E-0319-M35, E-0319-R35, E-0319-BP-R35, E-0320-L35, E-0320-BP-L35, E-0320-S35, E-0320-F35, E-0321-L35, E-0321-BP-L35, E-0321-S35, E-0321-F35, E-0321-M35, E-0321-R35, E-0322-L35, E-0322-BP-L35, E-0322-S35, E-0322-F35, E-0323-L35, E-0323-BP-L35, E-0323-S35, E-0323-F35, E-0323-M35, E-0323-R35, E-0324-L35, E-0324-BP-L35, E-0324-F35, E-0325-L35, E-0325-BP-L35, E-0325-S35, E-0325-F35, E-0325-M35, E-0325-R35, E-0325-BP-R35, E-0326-L35, E-0326-BP-L35, E-0326-S35, E-0326-F35, E-0327-L35, E-0327-BP-L35, E-0327-S35, E-0327-F35, E-0327-M35, E-0327-R35, E-0327-BP-R35, E-0301-L40, E-0301-BP-L40, E-0322-L30, E-0322-BP-L30, E-0322-S30, E-0322-F30, E-0323-L30, E-0323-BP-L30, E-0323-S30, E-0323-F30, E-0323-M30, E-0323,





25351.039772/2014-82 / 80356130091  
80153 - MATERIAL - Alteração de informações em cadastro / 0797500187

ROCHE DIAGNÓSTICA BRASIL LTDA / 30.280.358/0001-86  
Família Elecsys Anti-HBc II  
25351.101802/2017-09 / 10287411248  
8444 - IVD - Alteração das informações do dossiê técnico de produtos registrados (classes III ou IV) / 0133959191  
CKMBL CK MB C111  
25351.031044/2007-15 / 10287410673  
8444 - IVD - Alteração das informações do dossiê técnico de produtos registrados (classes III ou IV) / 0104516194  
CK-MB  
25351.043308/2003-41 / 10287410214  
8444 - IVD - Alteração das informações do dossiê técnico de produtos registrados (classes III ou IV) / 0104334190  
Roche CARDIAC POC Troponin T 2-Level Control  
25351.218726/2017-72 / 10287411247  
8444 - IVD - Alteração das informações do dossiê técnico de produtos registrados (classes III ou IV) / 0133965196  
cobas Lipid Panel  
25351.281388/2014-48 / 10287411053  
8445 - IVD - Alteração de produtos cadastrados / 0112339194  
CK  
25351.043348/2003-93 / 10287410200  
8445 - IVD - Alteração de produtos cadastrados / 0104818190  
CKMBL, Creatinina Kinase-MB  
25351.164896/2005-18 / 10287410530  
8444 - IVD - Alteração das informações do dossiê técnico de produtos registrados (classes III ou IV) / 0103817196  
IGM2, TINA-QUANT IGM GEN.2  
25351.369924/2006-72 / 10287410573  
8445 - IVD - Alteração de produtos cadastrados / 0104340194  
Cobas HbA1c Test  
25351.212566/2014-32 / 10287411047  
8445 - IVD - Alteração de produtos cadastrados / 0112368198  
GLUC3 GLUCOSE HK  
25351.519392/2006-21 / 10287410589  
8445 - IVD - Alteração de produtos cadastrados / 0104345195  
Elecsys Anti-HAV  
25351.348622/2017-11 / 10287411283  
8444 - IVD - Alteração das informações do dossiê técnico de produtos registrados (classes III ou IV) / 0133990197  
UIBC, Unsaturated Iron-Binding Capacity  
25351.083539/2005-50 / 10287410489  
8445 - IVD - Alteração de produtos cadastrados / 0104401190  
Bilirubin total Gen.3  
25351.249401/2013-94 / 10287411018  
8445 - IVD - Alteração de produtos cadastrados / 0104403196  
CKL, CREATINE KINASE  
25351.001180/2007-72 / 10287410596  
8445 - IVD - Alteração de produtos cadastrados / 0104378191  
ELECSYS ANTI-HAV IGM  
25351.002883/2005-56 / 10287410467  
8444 - IVD - Alteração das informações do dossiê técnico de produtos registrados (classes III ou IV) / 0133984192

ROSS MEDICAL LTDA / 08.747.635/0001-69  
YD SUCTION LINER  
25351.809031/2018-15 / 80400320010  
80040 - EQUIPAMENTO - Retificação - Correção pela ANVISA / 0300722197

SEAT MÓBILE DO BRASIL IND. COM. DE CADEIRA DE RODAS LTDA/ME / 09.539.266/0001-81  
FAMÍLIA DE CADEIRA DE RODAS MOTORIZADAS SEAT MOBILE  
25351.663280/2011-71 / 80791830001  
8062 - EQUIPAMENTO - Cancelamento de registro, cadastro ou notificação - ANVISA / 0429124197

SERION BRASIL IMPORTAÇÃO E DISTRIBUIÇÃO DE PRODUTOS DIAGNÓSTICOS LTDA / 14.021.899/0001-33  
Aldosterone ELISA  
25351.309303/2017-10 / 80826840095  
8445 - IVD - Alteração de produtos cadastrados / 0129077191

SIEMENS HEALTHCARE DIAGNÓSTICOS LTDA / 01.449.930/0001-90  
EQUIPAMENTO DE TOMOGRAFIA POR EMISSÃO DE PÓSITRONS (PET) / TOMOGRAFIA COMPUTADORIZADA (CT) BIOGRAPH  
25351.564337/2015-58 / 10345162055  
80018 - EQUIPAMENTO - Alteração de software / 0206450192  
Atellica IM Ferritina (Fer)  
25351.636997/2017-38 / 10345162191  
8445 - IVD - Alteração de produtos cadastrados / 0124168191  
Atellica IM Progesterona (PRGE)  
25351.037370/2018-81 / 10345162293  
8445 - IVD - Alteração de produtos cadastrados / 0124153192  
Atellica IM Hormônios Luteinizante (LH)  
25351.000404/2018-81 / 10345162236  
8445 - IVD - Alteração de produtos cadastrados / 0124147198  
Família Atellica IM Total hCG (ThCG)  
25351.020995/2018-11 / 10345162274  
8445 - IVD - Alteração de produtos cadastrados / 0124160195  
Atellica IM Prolactina (PRL)  
25351.000121/2018-30 / 10345162235  
8445 - IVD - Alteração de produtos cadastrados / 0124156197  
EQUIPAMENTO DE RESSONÂNCIA MAGNÉTICA  
25351.564284/2015-55 / 10345162032  
8088 - EQUIPAMENTO - Alteração de informações de cadastro / 0293264194  
Atellica IM Hormônio Folículo Estimulante (FSH)  
25351.728812/2017-11 / 10345162232  
8445 - IVD - Alteração de produtos cadastrados / 0124172199  
Equipamento de Ressonância Magnética MAGNETOM Vida  
25351.418990/2017-15 / 10345162085  
8088 - EQUIPAMENTO - Alteração de informações de cadastro / 0306037193

SIVANTOS SOLUÇÕES AUDITIVAS LTDA / 14.011.614/0001-83  
APARELHO AUDITIVO RETRO DIGITAL REXTON  
25351.437142/2014-02 / 80872830004  
8088 - EQUIPAMENTO - Alteração de informações de cadastro / 0318559191

SKINTEC COMERCIAL IMP. E EXP. LTDA / 01.915.618/0001-44  
VENUS LEGACY  
25351.907392/2016-74 / 10343650042  
8088 - EQUIPAMENTO - Alteração de informações de cadastro / 0215100196

SPECTRUN BIO ENGENHARIA MEDICA HOSPITALAR LTDA / 54.446.810/0001-03  
CONJUNTO WALLACE COM AGULHA PARA RECUPERACAO DE OOCITO

25351.032170/01-11 / 10318390014  
80153 - MATERIAL - Alteração de informações em cadastro / 0189358191

ST. JUDE MEDICAL BRASIL LTDA. / 00.986.846/0001-42  
Bainha Introdutora Amplatzer TorqVue 2  
25351.506195/2012-51 / 10332340324  
80005 - MATERIAL - Alteração da razão social da empresa estrangeira fabricante em registro / 0199557190  
Amplatzer Dispositivo de Oclusão de Canal - ADO II  
25351.469158/2012-21 / 10332340314  
80005 - MATERIAL - Alteração da razão social da empresa estrangeira fabricante em registro / 0199518199  
Amplatzer - Bainha Introdutora TorVue 45x45  
25351.447641/2012-83 / 10332340336  
80005 - MATERIAL - Alteração da razão social da empresa estrangeira fabricante em registro / 0199742194  
Amplatzer Vascular Plug AVP  
25351.514408/2015-86 / 10332340372  
80005 - MATERIAL - Alteração da razão social da empresa estrangeira fabricante em registro / 0199716195  
AMPLATZER VASCULAR PLUG AVP II  
25351.549465/2013-50 / 10332340342  
80005 - MATERIAL - Alteração da razão social da empresa estrangeira fabricante em registro / 0199712192  
AMPLATZER SIZING BALLOON II  
25351.788698/2014-04 / 10332340378  
80005 - MATERIAL - Alteração da razão social da empresa estrangeira fabricante em registro / 0199748193  
Amplatzer - Fio Guia II  
25351.483996/2012-09 / 10332340316  
80005 - MATERIAL - Alteração da razão social da empresa estrangeira fabricante em registro / 0199752191

STARKEY DO BRASIL LTDA / 04.216.059/0001-72  
APARELHO DIGITAL PARA SURDEZ  
25351.427813/2013-83 / 80179150037  
8062 - EQUIPAMENTO - Cancelamento de registro, cadastro ou notificação - ANVISA / 0428487199  
APARELHO DIGITAL PARA SURDEZ INTRA AURICULAR, INTRA CANAL E MICROCANAL  
25351.734974/2011-38 / 80179150029  
8062 - EQUIPAMENTO - Cancelamento de registro, cadastro ou notificação - ANVISA / 0428547196

SUPERMAX BRASIL IMPORTADORA S/A / 04.214.934/0001-87  
LUVAS CIRÚRGICAS  
25351.257463/2009-77 / 80105840005  
80153 - MATERIAL - Alteração de informações em cadastro / 1107626187

SURGICAL LINE COMÉRCIO DE PRODUTOS HOSPITALARES LTDA / 07.330.175/0001-06  
SISTEMA DE ABLAÇÃO POR RÁDIOFREQUÊNCIA  
25351.137695/2017-01 / 80410900047  
80016 - EQUIPAMENTO - Alteração técnica / 0211689198

S3D COMERCIO DE PRODUTOS MEDICOS HOSPITALARES LTDA-ME / 16.995.463/0001-70  
BOMBA DE IRRIGAÇÃO S3D  
25351.249761/2016-56 / 81371679001  
8088 - EQUIPAMENTO - Alteração de informações de cadastro / 0301473198

TECMEDIC COMÉRCIO DE PRODUTOS MÉDICOS LTDA / 05.638.301/0001-69  
Exotherme  
25351.409026/2017-83 / 80202910095  
80015 - EQUIPAMENTO - Alteração das condições de armazenamento, transporte e operação / 0305410191

TERUMO MEDICAL DO BRASIL LTDA. / 03.129.105/0001-33  
TECIDO CARDIOVASCULAR DE POLIÉSTER  
25351.009219/2004-57 / 80012280059  
8419 - MATERIAL - Retificação - Correção pela ANVISA / 0415401191

VINCULA INDUSTRIA, COMERCIO, IMPORTACAO E EXPORTACAO DE IMPLANTES S.A. / 01.025.974/0001-92  
EQUIPO PARA LAVADOR POR PULSO - DE SOUTTER  
25351.533759/2017-71 / 10417940190  
80153 - MATERIAL - Alteração de informações em cadastro / 0879716181  
ÂNCORA TIPO PARAFUSO ABSORVÍVEL PARA REINserÇÃO AIM-TEC  
25351.536776/2017-61 / 10417940219  
80146 - MATERIAL - Alteração do nome comercial e/ou denominação do código/modelo comercial em registro de material implantável em ortopedia / 0115601192  
ÂNCORA TIPO PARAFUSO ABSORVÍVEL PARA REINserÇÃO AIM-TEC  
25351.536776/2017-61 / 10417940219  
80142 - MATERIAL - Alteração/Inclusão/Exclusão da indicação de uso, contraindicações e precauções em registro de material implantável em ortopedia. / 0115626198  
Lâminas Cirúrgicas De Soutter  
25351.534737/2017-29 / 10417940201  
80153 - MATERIAL - Alteração de informações em cadastro / 0879678185

VISIONMED EQUIPAMENTOS MEDICOS LTDA / 02.960.756/0001-08  
Cânulas descartáveis de aço inoxidável Katalyst  
25351.591831/2017-85 / 80170280083  
80153 - MATERIAL - Alteração de informações em cadastro / 0179927194

VR MEDICAL IMPORTADORA E DISTRIBUIDORA DE PRODUTOS MÉDICOS LTDA / 04.718.143/0001-94  
ELETRODO BIPOLAR MYOPORE  
25351.035855/2010-89 / 80102510888  
80016 - EQUIPAMENTO - Alteração técnica / 0218715199  
ELETRODO BIPOLAR MYOPORE  
25351.035855/2010-89 / 80102510888  
80013 - EQUIPAMENTO - Alteração de contra-indicações, efeitos adversos, advertências ou precauções / 0218750197  
e-CTA  
25351.040122/2018-17 / 80102512065  
8088 - EQUIPAMENTO - Alteração de informações de cadastro / 0124567198  
ELETRODO BIPOLAR MYOPORE  
25351.035855/2010-89 / 80102510888  
80015 - EQUIPAMENTO - Alteração das condições de armazenamento, transporte e operação / 0218742196



Dados da Empresa Nacional

**Razão Social**

ABBOTT LABORATÓRIOS DO BRASIL LTDA

**CNPJ**

56.998.701/0001-16

**Endereço Completo**

RUA MICHIGAN, N° 735 - BROOKLIN CEP: 04.566-905 - SÃO PAULO/SP

**Telefone**

(11) 5536-7031

**Responsável Técnico**

FLAVIA DE ANDRADE SILVA

**Responsável Legal**

JUAN CARLOS GAONA HERRERA

Dados do Cadastro

**Cadastro N°**

8.01.465-0 (7Y3335W04W56)

**Data do Cadastro**

17/11/2003

**Situação**

Ativa

**N° do Processo**

25351.012689/2003-17

**Cadastro**

8 - Produtos para Saúde (Correlatos)

**Atividades / Classes**

**Armazenar**

- Correlato

**Distribuir**

- Correlato

**Embalar**

- Correlato

**Exportar**

- Correlato

**Fabricar**

- Correlato

**Fracionar**

- -

Importar

- Correlato

Produzir

- Correlato

Reembalar

- Correlato

Transportar

- Correlato

Certificado de Boas Práticas de Fabricação - CBPF (Vigente)

| Empresa Solicitante | Linhas de Certificação Vigentes | Data de Publicação | Vencimento do Certificado |
|---------------------|---------------------------------|--------------------|---------------------------|
|---------------------|---------------------------------|--------------------|---------------------------|

Nenhum registro encontrado

Certificado de Boas Práticas de Distribuição e Armazenagem - CBPDA (Vigente)

| Empresa Solicitante | Linhas de Certificação Vigentes | Data de Publicação | Vencimento do Certificado |
|---------------------|---------------------------------|--------------------|---------------------------|
|---------------------|---------------------------------|--------------------|---------------------------|

Nenhum registro encontrado

Voltar



Dados da Empresa Nacional

**Razão Social**

LIMINE COMERCIO DE PRODUTOS MEDICOS LTDA - ME

**CNPJ**

07.796.483/0001-21

**Endereço Completo**

RUA RIO IÇA N. 640 - VIEIRALVES CEP: 69.053-100 - MANAUS/AM

**Telefone**

(92) 3584-3884

**Responsável Técnico**

MARIANA SAMPAIO BRASIL BARBOSA

**Responsável Legal**

CLEBER LOPES MEIRELES

Dados do Cadastro

**Cadastro N°**

8.11.238-3 (K71799249378)

**Data do Cadastro**

10/11/2014

**Situação**

Ativa

**N° do Processo**

25351.637164/2014-53

**Cadastro**

8 - Produtos para Saúde (Correlatos)

**Atividades / Classes**

**Armazenar**

- Correlatos

**Distribuir**

- Correlatos

**Expedir**

- Correlatos

**Certificado de Boas Práticas de Fabricação - CBPF (Vigente)**

| Empresa Solicitante | Linhas de Certificação Vigentes | Data de Publicação | Vencimento do Certificado |
|---------------------|---------------------------------|--------------------|---------------------------|
|---------------------|---------------------------------|--------------------|---------------------------|

Nenhum registro encontrado

**Certificado de Boas Práticas de Distribuição e Armazenagem - CBPDA (Vigente)**

| Empresa Solicitante | Linhas de Certificação Vigentes | Data de Publicação | Vencimento do Certificado |
|---------------------|---------------------------------|--------------------|---------------------------|
|---------------------|---------------------------------|--------------------|---------------------------|

Nenhum registro encontrado

Voltar

Dados da Empresa Nacional

**Razão Social**

MERIT MEDICAL COMERCIALIZAÇÃO, DISTRIBUIÇÃO, IMPORTAÇÃO E EXPORTAÇÃO DE PRODUTOS HOSPITALARES LTDA

**CNPJ**

13.200.579/0001-88

**Endereço Completo**

R DONA FRANCISCA n 8300 Bloco 10 modulo E - Distrito Industrial CEP: 89.219-600 - JOINVILLE/SC

**Telefone**

(47) 3473-5810

**Responsável Técnico**

FLÁVIA CECILIA ESTEVES

**Responsável Legal**

RODRIGO CELERI GONÇALVES

Dados do Cadastro

**Cadastro Nº**

8.07.409-5 (K10L2YM7L777)

**Data do Cadastro**

02/05/2011

**Situação**

Ativa

**Nº do Processo**

25351.169277/2011-33

**Cadastro**

8 - Produtos para Saúde (Correlatos)

**Atividades / Classes**

**Armazenar**

- Correlatos

**Distribuir**

- Correlatos

**Embalar**

- Correlatos

**Expedir**

- Correlatos

**Exportar**

- Correlatos

**Fabricar**

- Correlatos

**Importar**

- Correlatos

**Reembalar**

- Correlatos

**Certificado de Boas Práticas de Fabricação - CBPF (Vigente)**

| Empresa Solicitante        | Linhas de Certificação Vigentes | Data de Publicação | Vencimento do Certificado |
|----------------------------|---------------------------------|--------------------|---------------------------|
| Nenhum registro encontrado |                                 |                    |                           |

**Certificado de Boas Práticas de Distribuição e Armazenagem - CBPDA (Vigente)**

| Empresa Solicitante        | Linhas de Certificação Vigentes | Data de Publicação | Vencimento do Certificado |
|----------------------------|---------------------------------|--------------------|---------------------------|
| Nenhum registro encontrado |                                 |                    |                           |

Voltar

#### Dados da Empresa Nacional

**Razão Social**

ST. JUDE MEDICAL BRASIL LTDA.

**CNPJ**

00.986.846/0001-42

**Endereço Completo**

R ITAPEVA, 538, CONJ 51 A 54, 61 A 64 71 A 74 E 81 A 84 EDIF TIMBAUBA - BELA VISTA CEP: 01.332-000 - SÃO PAULO/SP

**Telefone**

(11) 5080-5400

**Responsável Técnico**

DAVID TEIXEIRA LACERDA

NATÁLIA MAIA

**Responsável Legal**

ANDRE CARDOSO FONTES

#### Dados do Cadastro

**Cadastro Nº**

1.03.323-4

**Data do Cadastro**

15/10/1997

**Situação**

Ativa

**Nº do Processo**

25004.035416/9628

**Cadastro**

8 - Produtos para Saúde (Correlatos)

**Atividades / Classes****Armazenar**

- Correlato

**Distribuir**

- Correlato

**Embalar**

- Correlato

**Exportar**

- Correlato

**Fabricar**

- Correlato

Importar

- Correlato

Reembalar

- Correlato

Transportar

- Correlato

Certificado de Boas Práticas de Fabricação - CBPF (Vigente)

| Empresa Solicitante        | Linhas de Certificação Vigentes | Data de Publicação | Vencimento do Certificado |
|----------------------------|---------------------------------|--------------------|---------------------------|
| Nenhum registro encontrado |                                 |                    |                           |

Certificado de Boas Práticas de Distribuição e Armazenagem - CBPDA (Vigente)

| Empresa Solicitante        | Linhas de Certificação Vigentes | Data de Publicação | Vencimento do Certificado |
|----------------------------|---------------------------------|--------------------|---------------------------|
| Nenhum registro encontrado |                                 |                    |                           |

Voltar