



GOVERNO DO ESTADO DE RONDÔNIA
Fundação Estadual de Atendimento Socioeducativo - FEASE
Assessoria de Tecnologia da Informação - FEASE-ASTI

Parecer nº 11/2026/FEASE-ASTI

Segue abaixo o Parecer Técnico com a análise detalhada por item, conforme as especificações do Termo de Referência e as propostas apresentadas:

Análise Técnica			
Item	Termo de Referência	Proposta	Conclusão

06	Switch de Acesso de 24 Portas: 24 portas 10/100/1000Base-T (RJ45); 4 portas 1000Base-X (SFP/SFP+) para uplink; Capacidade de comutação de até 100 Gbit/s; Tabela MAC com 16.384 endereços; Montável em rack 19"	Proposta 76991588 Switching capacity-128 Gbps, Packet forwarding-95 Mpps, Fixed port-24 x 10/100/1000BASE-T ports, 4 x 10GE SFP+Ports, (H x W x D) 43.6 mm x 442 mm x 220 mm, Weight in full configuration (including packaging materials) 3.44 kg, Power module type Built-in AC power module Rated voltage 100 V AC to 240 V AC, 50/60 Hz Maximum voltage AC input: 90 V AC to 290 V AC, 45 Hz to 65 Hz Maximum power consumption 35.04 W Noise Sound power at normal temperature: 47 dB (A) Sound power at high temperature: 51 dB (A) Sound pressure at normal temperature: 35 dB (A) Long-term operating temperature -5 °C to +50 °C Storage temperature -40 °C to +70 °C Relative humidity 5% to 95% (noncondensing) Service port surge protection Common mode: ±7 kV Power port surge protection Differential mode: ±6 kV, Common mode: ±6 kV, Heat dissipation mode Air cooling, intelligent an speed adjustment	O item atende aos requisitos técnicos.
----	--	--	---

JOÃO ABNER ARAÚJO MARTINS
Assessor de Tecnologia da Informação/ASTI



Porto Velho, 20 de agosto de 2026.



Documento assinado eletronicamente por **João Abner Araújo Martins, Assessor(a)**, em 25/09/2026, às 14:14, conforme horário oficial de Brasília, com fundamento no artigo 18 caput e seus §§ 1º e 2º, do [Decreto nº 21.794, de 5 Abril de 2017.](#)



A autenticidade deste documento pode ser conferida no site [portal do SEI](#), informando o código verificador **77047605** e o código CRC **AF3F259A**.

Referência: Caso responda este Parecer, indicar expressamente o Processo nº 0065.000710/2026-22

SEI nº 77047605